



2021

BUYERS GUIDE

mares



REGULATORS	2
INSTRUMENTS	18
BCD'S	26
SUITS	36
FINS	58
MASKS & SNORKELS	68
ACCESSORIES	84
TECH FEATURES	104



BREATHING SYSTEMS	106
BUOYANCY SYSTEMS	114
INSULATION SYSTEMS	126
ACCESSORIES	132



COMPUTERS	142
FINS	146
MASKS & SNORKELS	160
NEOPRENE	166
PNEUMATIC GUNS	182
SLING GUNS	188
ACCESSORIES	194



FINS - ADULT /JUNIOR	220
MASKS & SNORKELS - ADULT /JUNIOR	226
COMBOS - ADULT /JUNIOR	242
SETS - ADULT /JUNIOR	256
NEOPRENE - ADULT /JUNIOR	260



264

PROMO MATERIAL	278
----------------	-----



284



2021

SCUBA DIVING

mares



REGULATORS

Mares regulators have been tested and certified in compliance with EC directive 89/686/EEC and/or European Regulation 2016/425 according to the EN 250: 2014 standard and EN13949 (Nitrox regulators).
All Mares Nitrox regulators are compatible with oxygen mixes up to 100% O₂ and are equipped with a dedicated connection in conformity with European standard EN144-3.

EPIC ADJ 82X*Code: **416247 INT / DIN 300****1ST STAGE**

- PVD COATING
- SWIVEL TURRET
- NATURAL DFC ON ALL LP PORTS
- OPD - TILTED HP PORTS
- AST - 1ST STAGE DRY SYSTEM
- COMPACT DIMENSIONS

2ND STAGE

- METAL 2ND STAGE WITH PVD COATING
- TWIN POWER SYSTEM
- ADJUSTABLE BREATHING COMFORT
- PAD - PNEUMATICALLY ASSISTED DESIGN
- HIGH AIR FLOW
- WIDE PIVOTING PURGE BUTTON
- COLD WATER USE
- SUPERFLEX HOSE

**CERTIFIED
PERFORMANCE**
at **200m**
**PROVEN
TECHNOLOGY**
at **400m**

**TECHNICAL FEATURES**

Weight	INT	DIN 300 bar
1st Stage	964g	790g
2nd Stage	329g	
Total Weight (including hose)	1429g	1255g

ACCESSORIES

Octopus Epic Adj	416550	Page 12
DIN Connector	416809	Page 14
Twin Balanced Piston Dry Kit	416860	Page 14

DETAILS

Adjustable Breathing Comfort



Twin Power System



Swivel Turret - Natural DFC on all LP ports



AST - 1st Stage Dry System (DIN version)

* Meets and exceeds the requirements of Norsok U-101 at a depth of 200m

ULTRA ADJ 82X*Code: **416250 INT / DIN 300****1ST STAGE**

- NATURAL DFC ON ALL LP PORTS
- SWIVEL TURRET
- OPD - TILTED HP PORTS
- AST - 1ST STAGE DRY SYSTEM
- PEARL CHROME FINISH
- COMPACT DIMENSIONS

2ND STAGE

- TWIN POWER SYSTEM
- ADJUSTABLE BREATHING COMFORT
- PAD - PNEUMATICALLY ASSISTED DESIGN
- HIGH AIR FLOW
- ULTRALIGHT TECHNOPOLYMER
- WIDE PIVOTING PURGE BUTTON
- SUPERFLEX HOSE

**TECHNICAL FEATURES**

Weight	INT	DIN 300 bar
1st Stage	964g	790g
2nd Stage	192g	
Total Weight [including hose]	1292g	1118g

ACCESSORIES

Octopus Ultra Adj	416553	Page 12
82X	416248	Page 11
DIN Connector	416809	Page 14

DETAILS

Twin Power System



AST - 1st Stage Dry System (DIN version)



Adjustable Breathing Comfort



Swivel Turret - Natural DFC on all LP Ports

* Meets and exceeds the requirements of Norsok U-101 at a depth of 200m

ULTRA 72X*Code: **416251 INT / DIN 300****1ST STAGE**

- 4 VERTICAL AND 4 RADIAL LP PORTS (PAT. PENDING)
- IDEAL FOR ALL TECH AND RECREATIONAL DIVING CONFIGURATIONS
- NATURAL DFC ON ALL LP PORTS
- PRE-ORIENTED HP PORTS
- AST - 1ST STAGE DRY SYSTEM
- PEARL CHROME FINISH
- COMPACT DIMENSIONS

2ND STAGE

- TWIN POWER SYSTEM
- HIGH AIR FLOW
- ULTRALIGHT TECHNOPOLYMER
- WIDE PIVOTING PURGE BUTTON
- SUPERFLEX HOSE

**CERTIFIED
PERFORMANCE**
at **200m**
**PROVEN
TECHNOLOGY**
at **400m**

**TECHNICAL FEATURES**

Weight	INT	DIN 300 bar
1st Stage	882g	708g
2nd Stage	190g	
Total Weight [including hose]	1208g	1034g

ACCESSORIES

Octopus Ultra	416554	Page 12
72X	416256	Page 11
DIN Connector	416809	Page 14
Twin Balanced Piston Dry Kit	416860	Page 14

DETAILS

Pivoting Purge Button



Twin Power System



AST - 1st Stage Dry System [INT Version]



Vertical and Radial LP Ports [Pat. Pending]

* Meets and exceeds the requirements of Norsok U-101 at a depth of 200m

FUSION 72X*

Code: **416252 INT / DIN 300**

1ST STAGE

- 4 VERTICAL AND 4 RADIAL LP PORTS (PAT. PENDING)
- IDEAL FOR ALL TECH AND RECREATIONAL DIVING CONFIGURATIONS
- NATURAL DFC ON ALL LP PORTS
- PRE-ORIENTED HP PORTS
- AST - 1ST STAGE DRY SYSTEM
- PEARL CHROME FINISH
- COMPACT DIMENSIONS

2ND STAGE

- TWIN POWER SYSTEM
- METAL 2ND STAGE WITH PEARL CHROME FINISH
- HIGH AIR FLOW
- WIDE PIVOTING PURGE BUTTON
- SUPERFLEX LP HOSE



reddot award
winner

TECHNICAL FEATURES

Weight	INT	DIN 300 bar
1st Stage	882g	708g
2nd Stage	327g	
Total Weight [including hose]	1345g	1171g

ACCESSORIES

72X	416256	Page 11
Octopus Fusion	416544	Page 12
DIN Connector	416809	Page 14
Twin Balanced Piston Dry Kit	416860	Page 14

DETAILS



Pivoting Purge Button



Twin Power System



Vertical and Radial LP Ports [Pat. Pending]



AST - 1st Stage Dry System [INT Version]

* Meets and exceeds the requirements of Norsok U-101 at a depth of 200m

LOOP 72X

Code: **416253** ♦ INT / DIN 300

1ST STAGE

- 4 VERTICAL AND 4 RADIAL LP PORTS (PAT. PENDING)
- IDEAL FOR ALL TECH AND RECREATIONAL DIVING CONFIGURATIONS
- NATURAL DFC ON ALL LP PORTS
- AST - 1ST STAGE DRY SYSTEM
- PEARL CHROME FINISH
- PRE-ORIENTED HP PORTS
- COMPACT DIMENSIONS

2ND STAGE*

- "UNDER-THE-SHOULDER" HOSE POSITION
- CAN BE MOUNTED ON THE RIGHT OR LEFT SIDE
- FREEDOM OF MOVEMENT IN ALL DIRECTIONS
- INTEGRATED SAGITTAL VAD (S-VAD)
- TWIN EXHAUST VALVE
- OVERSIZED SILICONE PURGE BUTTON



reddot award
winner

TECHNICAL FEATURES

Weight	INT	DIN 300 bar
1st Stage	882g	708g
2nd Stage	199g	
Total Weight [including hose]	1256g	1082g

ACCESSORIES

72X	416256	Page 11
Octopus Loop	416548	Page 12
DIN Connector	416809	Page 14
Twin Balanced Piston Dry Kit	416860	Page 14

ABYSS 22 NAVY II

Code: **416171** INT / DIN 300

1ST STAGE

- HI FLOW DFC PORT
- PRE-ORIENTED PORTS
- CWD OIL KIT
- US NAVY APPROVED

2ND STAGE

- VAD SYSTEM
- MESH GRID
- FLUOROPOLYMER RESIN FINISH
- RUBBER HOSE
- IDEAL FOR EXTREME COLD WATER



TECHNICAL FEATURES

Weight	INT	DIN 300 bar
1st Stage	850g	685g
2nd Stage	269g	
Total Weight [including hose]	1337g	1172g

ACCESSORIES

Octopus Abyss Navy	416546	Page 12
--------------------	--------	---------

* Pat. Pending
♦ While stocks last

DUAL ADJ 62X***NEW**Code: **416263 INT / DIN 300****1ST STAGE**

- NATURAL DFC
- PRE-ORIENTED LP AND HP PORTS
- AST - 1ST STAGE DRY SYSTEM
- LIGHT, COMPACT DIAPHRAGM 1ST STAGE
- ALL METAL
- PEARL CHROME FINISH

2ND STAGE

- ADJUSTABLE BREATHING COMFORT
- ULTRALIGHT TECHNOPOLYMER
- PAD - PNEUMATICALLY ASSISTED DESIGN
- HIGH AIR FLOW
- LIGHTWEIGHT
- OVERSIZED PURGE BUTTON
- SUPERFLEX HOSE

**CERTIFIED
PERFORMANCE**
at **200m**
**PROVEN
TECHNOLOGY**
at **400m**

**TECHNICAL FEATURES**

Weight	INT	DIN 300 bar
1st Stage	638g	464g
2nd Stage	185g	
Total Weight [including hose]	953g	779g

ACCESSORIES

62X	416267	Page 11
Octopus Dual Adj	416555	Page 13
DIN Connector	416809	Page 14
Twin Balanced Piston Dry Kit	416813	Page 14

DETAILS

AST - 1st stage Dry System



Technopolymer case with Integrated VAD



Adjustable breathing comfort



Bi-Material Purge Button

* Meets and exceeds the requirements of NORSOK U-101 at a depth of 200m

DUAL 15XCode: **416258 INT / DIN 300****1ST STAGE**

- DFC PORT
- PRE-ORIENTED PORTS
- COMPACT SIZE
- SANDBLASTED FINISH

2ND STAGE

- TECHNOLPOLYMER
- LIGHTWEIGHT
- OVERSIZED SILICONE PURGE BUTTON
- HIGH AIR FLOW
- SUPERFLEX HOSE

**LOOP 15X**Code: **416241♦ INT / DIN 300****1ST STAGE**

- DFC PORT
- PRE-ORIENTED PORTS
- COMPACT SIZE
- SANDBLASTED FINISH

2ND STAGE*

- "UNDER-THE-SHOULDER" HOSE POSITION
- CAN BE MOUNTED ON THE RIGHT OR LEFT SIDE
- FREEDOM OF MOVEMENT IN ALL DIRECTIONS
- INTEGRATED SAGITTAL VAD (S-VAD)
- TWIN EXHAUST VALVE
- OVERSIZED SILICONE PURGE BUTTON

**TECHNICAL FEATURES**

Weight	INT	DIN 300 bar
1st Stage	772g	598g
2nd Stage	183g	
Total Weight [including hose]	1085g	911g

ACCESSORIES

15X	416237	Page 11
Octopus Dual	416556	Page 13
DIN Connector	416809	Page 14
Twin Balanced Piston Dry Kit	416860	Page 14

TECHNICAL FEATURES

Weight	INT	DIN 300 bar
1st Stage	772g	598g
2nd Stage	199g	
Total Weight [including hose]	1146g	972g

ACCESSORIES

15X	416237	Page 11
Octopus Loop	416548	Page 12
DIN Connector	416809	Page 14
Twin Balanced Piston Dry Kit	416860	Page 14

* Pat. pending
♦ While stocks last

ROVER 15X**NEW**Code: **416254 INT / DIN 300****1ST STAGE**

- DFC PORT
- PRE-ORIENTED PORTS
- COMPACT SIZE
- SANDBLASTED FINISH

2ND STAGE

- EASY-TO-USE PURGE BUTTON WITH DYNAMIC HINGE DESIGN
- VAD SYSTEM WITH FLUID DYNAMIC DEFLECTOR
- MID-SIZE
- OVERSIZED PURGE BUTTON
- RUBBER HOSE

**TECHNICAL FEATURES**

Weight	INT	DIN 300 bar
1st Stage	772g	598g
2nd Stage	190g	
Total Weight [including hose]	1107g	933g

ACCESSORIES

15X	416237	Page 11
Octopus Rover	416557	Page 13
DIN Connector	416809	Page 14

ROVER 2S**NEW**Code: **416255 INT / DIN 300****1ST STAGE***

- LIGHTWEIGHT, STURDY AND COMPACT
- PISTON CONTROL
- DEDICATED PLACE FOR RFID CHIP

2ND STAGE

- EASY-TO-USE PURGE BUTTON WITH DYNAMIC HINGE DESIGN
- VAD SYSTEM WITH FLUID DYNAMIC DEFLECTOR
- MID-SIZE
- OVERSIZED PURGE BUTTON
- RUBBER HOSE

**TECHNICAL FEATURES**

Weight	INT	DIN 300 bar
1st Stage	608g	432g
2nd Stage	190g	
Total Weight [including hose]	977g	978g

ACCESSORIES

2S	416232	Page 11
Octopus Rover	416557	Page 13
DIN Connector	416809	Page 14

* Picture not to scale

82XCode: **416248**◊

- SWIVEL TURRET
- NATURAL DFC ON ALL LP PORTS
- OPD - TILTED HP PORTS
- AST - 1ST STAGE DRY SYSTEM
- COMPACT DIMENSIONS

**TECHNICAL FEATURES**

Weight	INT	DIN 300 bar
1 st stage	964g	790g

72XCode: **416256**◊

- 4 VERTICAL AND 4 RADIAL LP PORTS (PAT. PENDING)
- IDEAL FOR ALL TECH AND RECREATIONAL DIVING CONFIGURATIONS
- NATURAL DFC ON ALL LP PORTS
- AST - 1ST STAGE DRY SYSTEM
- PEARL CHROME FINISH
- PRE-ORIENTED HP PORTS
- COMPACT DIMENSIONS

**TECHNICAL FEATURES**

Weight	INT	DIN 300 bar
1 st stage	882g	708g

62X**NEW**Code: **416267 INT / DIN 300**

- NATURAL DFC
- PRE-ORIENTED LP AND HP PORTS
- AST - 1ST STAGE DRY SYSTEM
- LIGHT, COMPACT DIAPHRAGM 1ST STAGE

**TECHNICAL FEATURES**

Weight	INT	DIN 300 bar
1 st stage	638g	464g

15XCode: **416237**◊

- SIMPLE, RUGGED, AND COMPACT.
- CHROME-PLATED BRASS BODY WITH SANDBLASTED FINISH.
- 4 PRE-ORIENTED LOW-PRESSURE PORTS, ONE OF WHICH OFFERS DFC.

**TECHNICAL FEATURES**

Weight	INT	DIN 300 bar
1 st stage	772g	598g

2SCode: **416232**◊

- LIGHTWEIGHT, STURDY AND COMPACT
- PISTON CONTROL
- DEDICATED PLACE FOR RFID CHIP

**TECHNICAL FEATURES**

Weight	INT	DIN 300 bar
1 st stage	608g	432g

* For use with octopuses and 2nd stages with which it has been certified. The assembly, check and any necessary adjustments must be done by a Mares Lab Authorized Service Center.
 ◊ While stocks last

OCTOPUS EPIC ADJ

Code: **416550**

- METAL 2ND STAGE WITH PVD COATING
- TWIN POWER SYSTEM
- ADJUSTABLE BREATHING COMFORT
- PAD - PNEUMATICALLY ASSISTED DESIGN
- HIGH AIR FLOW
- WIDE PIVOTING PURGE BUTTON
- COLD WATER USE
- SUPERFLEX HOSE



OCTOPUS ULTRA ADJ

Code: **416553**

- TWIN POWER SYSTEM
- ADJUSTABLE BREATHING COMFORT
- PAD - PNEUMATICALLY ASSISTED DESIGN
- HIGH AIR FLOW
- ULTRALIGHT TECHNOPOLYMER 2ND STAGE
- WIDE PIVOTING PURGE BUTTON
- SUPERFLEX HOSE



OCTOPUS ULTRA

Code: **416554**

- TWIN POWER SYSTEM
- TECHNOPOLYMER
- ULTRALIGHT
- WIDE PIVOTING PURGE BUTTON
- HIGH AIR FLOW
- SUPERFLEX HOSE



OCTOPUS FUSION

Code: **416544**

- TWIN POWER SYSTEM
- VAD SYSTEM
- HIGHEST AIR FLOW
- SUPERFLEX HOSE
- WIDE PIVOTING PURGE BUTTON



OCTOPUS LOOP

Code: **416548**

- CAN BE MOUNTED ON THE RIGHT OR THE LEFT SIDE
- FREEDOM OF MOVEMENT IN ALL DIRECTIONS
- "UNDER THE SHOULDER" HOSE POSITION
- TWIN EXHAUST VALVES
- INTEGRATED SAGITTAL VAD (S-VAD)
- OVERSIZED SILICONE PURGE BUTTON



OCTOPUS ABYSS NAVY

Code: **416546**

- VAD SYSTEM
- MESH GRID
- FLUOROPOLYMER RESIN FINISH
- RUBBER HOSE
- EXTREMELY COLD WATER USE



OCTOPUS DUAL ADJCode: **416555**

- ADJUSTABLE BREATHING COMFORT
- PAD - PNEUMATICALLY ASSISTED DESIGN
- HIGH AIR FLOW
- TECHNOPOLYMER
- ULTRALIGHT
- OVERSIZED PURGE BUTTON
- SUPERFLEX HOSE

**OCTOPUS DUAL**Code: **416556**

- TECHNOPOLYMER
- LIGHTWEIGHT
- OVERSIZED PURGE BUTTON
- HIGH AIR FLOW
- SUPERFLEX HOSE

**OCTOPUS ROVER****NEW**Code: **416557**

- VAD SYSTEM WITH FLUID DYNAMIC DEFLECTOR
- MID-SIZE
- OVERSIZED PURGE BUTTON
- BELLOWS SOLUTION - EASY TO USE
- RUBBER HOSE

**AIR CONTROL***Code: **416893♦**

- COMBINED HOSE FOR OCTOPUS AND INFLATOR
- SPECIAL ADAPTORS TO FIT ALL BCDS
- ERGONOMIC SHAPE
- ONE-HANDED USE
- PRE-ORIENTED MOUTHPIECE
- MESH GRID COVER
- EASY TO PURGE, EVEN WITH THICK GLOVES
- SUPERFLEX HOSE



* Available only in selected countries outside of the European Union.
 ♦ While stocks last

DIN CONNECTOR

Code: **416809** for 82X - 72X - 62X - 15X - 25

Code: **416810** for 22X

- FOR 200 AND 300 BAR USE
- CONICAL SINTERED FILTER



416809



416810

AST DRY SYSTEM

Code: **416811** INT

Code: **416812** DIN

- AUTO-SEALING TECHNOLOGY
- KEEPS THE 1ST STAGE DRY
- ACTIVATED BY GAS
- CAN BE USED WITH A HIGHER PERCENTAGE OF OXYGEN
- CAN BE USED IN COLD WATER
- EASY TO INSTALL ON 82X-72X-52X-15X AND R2 1ST STAGES



TWIN BALANCED PISTON DRY KIT

Code: **416860** for 82X

Code: **416815** for 72x

Code: **416813** for 62X - 15X

- FOR COLD WATER USE
- PROTECTS ALL MOVING PARTS
- EASY TO INSTALL
- HIGH FLOW PERFORMANCE



82X



72X



62X



15X

SWIVEL

Code: **415862**

- TO IMPROVE COMFORT
- 120 DEGREE ADAPTER
- EASY TO INSTALL BETWEEN HOSE AND 2ND STAGE
- 9/16" UNF



DIN/YOKE ADAPTOR

Code: **415861**

- FOR ALL DIN 1ST STAGES



JAX

Code: **415336** 12 pcs mix (2 pcs BL/YL/BK/CL - 1 pcs GN/PK/IYL/WH)

Code: **415347** 12 pcs unicolors (CL/BK/PK/BL/YL)

- CUSTOM FIT MOUTHPIECE
- VARIOUS COLOR OPTIONS
- HIGH COMFORT
- FITS ON ALL REGULATORS
- STRAP INCLUDED



JAX-S

Code: **415354** (12 pcs) ♦

- SMALL SIZE CUSTOM FIT MOUTHPIECE
- HIGH COMFORT
- FITS ON ALL MARES REGULATORS
- WHITE COLOR
- STRAP INCLUDED



REGULAR MOUTHPIECE KIT

Code: 415335

- THE STANDARD MARES MOUTHPIECE
- STRAP INCLUDED
- FITS ON ALL MARES REGULATORS



SMALL MOUTHPIECE KIT

Code: 415111

- SMALL SIZE MARES MOUTHPIECE
- STRAP INCLUDED
- FITS ON ALL MARES REGULATORS



LP HOSES

		LP HOSE WITHOUT HOSE PROTECTORS					1 ST STAGE HOSE PROTECTORS	2 ND STAGE HOSE PROTECTORS					
REGULATORS	Abyss 22 Navy	46201396	1/2"	RUBBER	BLACK	80 cm	46201249	46200846					
	Epic Adj 82X	46201379	3/8"	SUPERFLEX	BLACK	75 cm		46201313					
	Fusion 72X							46201313					
	Ultra Adj 82X							46201313					
	Ultra 72X							46201313					
	Dual Adj 62X							46201473					
	Dual 15X							46201473					
	Loop 72 X - Loop 15 X	46201665	3/8"	RUBBER	BLACK	110 cm		46201473					
Rover 15X - Rover 25	46201382	3/8"	RUBBER	BLACK	80 cm	46201473							
OCTOPUS	Epic Adj	46201381	3/8"	SUPERFLEX	YELLOW	100 cm	46201249	46201339					
	Fusion							46201339					
	Ultra Adj							46201339					
	Ultra							46201339					
	Dual Adj							46201473					
	Dual							46201473					
	Abyss Navy	46201383	3/8"	RUBBER	YELLOW	100 cm		46200846					
	Rover							46201473					
	Loop							46201666	3/8"	RUBBER	YELLOW	110 cm	46201473
	Air Control							46201379	3/8"	SUPERFLEX	BLACK	75 cm	46201473
SPECIAL LENGTH													
Regulator hose		46200984	3/8"	SUPERFLEX	BLACK	210 cm	-	-					
		46200985	1/2"	SUPERFLEX	BLACK	210 cm							
		46200986	3/8"	SUPERFLEX	YELLOW	210 cm							
		46201393	3/8"	RUBBER	BLACK	210 cm							
		46201394	3/8"	RUBBER	BLACK	60 cm							

1ST STAGES



82X PVD

- Balanced diaphragm design
- Swivel turret
- 2 HP 7/16" UNF ports
- 5 LP 3/8" UNF ports



Epic Adj



82X

- Balanced diaphragm design
- Swivel turret
- 2 HP 7/16" UNF ports
- 5 LP 3/8" UNF ports



Ultra Adj



72X

- Balanced diaphragm design
- Vertical and Radial Lp Ports (Pat. Pending)
- 2 HP 7/16" UNF ports
- 8 LP 3/8" UNF ports



Ultra



Fusion



Loop



62X

- Balanced diaphragm design
- 2 HP 7/16" UNF ports
- 4 LP 3/8" UNF ports



Dual Adj



22X CWD KIT

- Balanced diaphragm design
- 2 HP 7/16" UNF ports
- 1 LP 1/2" UNF port (primary)
- 3 LP 3/8" UNF ports



Abyss Navy II



15X

- Balanced diaphragm design
- 2 HP 7/16" UNF ports
- 4 LP 3/8" UNF ports



Dual



Rover



Loop



2S

- Piston design
- 1 HP 7/16" UNF port
- 4 LP 3/8" UNF ports



Rover

TECHNICAL SPECIFICATIONS



Regulators		Epic Adj 82X	Ultra Adj 82X	Ultra 72X	Fusion 72X	Loop 72X	Abyss 22 Navy II	Dual Adj 62X	Dual 15X	Loop 15X	Rover 15X	Rover 2S
Code		416247	416250	416251	416252	416253	416171	416263	416258	416241	416254	416255
1st Stage	Diaphragm	■	■	■	■	■	■	■	■	■	■	
	Piston											■
All Metal Technology		■			■		■					
Ultralight Techno Polymer			■	■		■		■	■	■	■	■
DFC - Dynamic Flow Control		■	■	■	■	■	■	■	■	■	■	■
A.S.T. - Auto Sealing Technology		■	■	■	■	■						
Swivel Turret		■	■									
Tilted HP		■	■									
Vertical LP				■	■	■						
Twin Power		■	■	■	■							
VAD - Vortex Assisted Design (*SVAD)		■	■	■	■	■ (*)	■	■	■	■ (*)	■	■
Adjustable Breathing Comfort		■	■									
P.A.D. Pneumatically Assisted Design		■	■							■		
Mesh Grid							■				■	■
Fluid Dynamic Deflector											■	■
Superflex Hose		■	■	■	■			■	■			
P.V.D. finishing		■										
Pearl finishing			■	■	■	■						
Sandblasted							■		■	■	■	■
1st Stage Weight	INT	964g	964g	882g	882g	882g	850g	638g	772g	772g	772g	608g
	DIN 300 bar	790g	790g	708g	708g	708g	685g	464g	598g	598g	598g	432g
2nd Stage Weight		329g	192g	190g	327g	199g	269g	185g	183g	199g	190g	190g
Total Weight [including hose]	INT	1429g	1292g	1208g	1345g	1256g	1337g	953g	1085g	1146g	1107g	977g
	DIN 300 bar	1255g	1118g	1034g	1171g	1082g	1172g	779g	911g	972g	933g	978g



Octopus	Fusion	Abyss Navy	Loop	Epic ADJ	Ultra ADJ	Ultra	Dual ADJ	Dual	Rover	Air Control
Code	416544	416546	416548	416550	416553	416554	416555	416556	416557	416893
All Metal Technology	■	■		■						
Ultralight Techno Polymer			■		■	■	■	■	■	■
Twin Power	■			■	■	■				
VAD - Vortex Assisted Design (SVAD*)	■	■	■ (*)	■	■	■	■	■	■	■
Adjustable Breathing Comfort				■	■		■			
Pneumatically Balanced System				■	■		■			
Mesh Grid		■		■					■	■
Fluid Dynamic Deflector									■	■
Superflex Hose	■			■	■	■	■	■		■
Total Weight [including hose]	481g	427g	374g	483g	346g	344g	359g	357g	365g	



INSTRUMENTS

GENIUS

Code: **414139**

- NEW ZH-L16C ALGORITHM WITH GRADIENT FACTORS AND PREDICTIVE MULTIGAS
- NITROX AND TRIMIX CAPABLE, UP TO 5 GASES
- FULL COLOR HIGH-RESOLUTION DISPLAY
- FULL TILT DIGITAL COMPASS WITH BEARING MEMORY AND STOPWATCH
- HOSELESS TANK DATA INTEGRATION FOR UP TO FIVE TRANSMITTERS
- COLOR CODED TANK PRESSURE FOR AT-A-GLANCE READABILITY
- BOTTOM TIMER MODE WITH RESETTABLE AVERAGE DEPTH AND STOPWATCH
- DECOMPRESSION DIVE PLANNER WITH ADDITIONAL SURFACE INTERVAL FUNCTION
- BRILLIANT LOGBOOK WITH MULTIPLE GRAPHS
- LOGBOOK CAPACITY MORE THAN 1000 HOURS OF DIVE PROFILE AT 5-SECOND SAMPLING RATE
- SMART BATTERY MANAGEMENT SYSTEM WITH 40 HOURS DIVETIME PER FULL CHARGE
- BLUETOOTH CONNECTION FOR DIRECT CONNECTION TO SMARTPHONE
- NIGHT MODE FUNCTION
- MAP VIEWING FUNCTION DURING THE DIVE
- TISSUE SATURATION GRAPH WITH DETAILED INFORMATION
- UNDERWATER MENU ALLOWS CERTAIN SETTINGS TO BE CHANGED DURING THE DIVE
- FUTURE DECO AND RUNAWAY DECO ALARM (PROPRIETARY)




TECHNICAL FEATURES

Battery	Type	18650 Lithium Ion polymers
	Duration	40 hours dive time / 500 recharge cycles
Nitrox	EAN from 21% to 99%	
Trimix	Hypoxic, Normoxic	


ACCESSORIES

LED Tank Module	414319	Page 24
HP Hose 15 cm / 6"	44201030	Page 22

DETAILS



Profile view



Night mode



414319 - LED Tank Module [Optional]



44201030 - HP Hose 15 cm / 6" [optional]

QUAD AIR

Code: **414169**

- MAGNIFICENTLY CLEAR DISPLAY WITH JUMBO SIZE INFORMATION
- HOSELESS TANK DATA INTEGRATION FOR UP TO THREE TRANSMITTERS
- THREE-ROW LAYOUT COMPRISES ALL RELEVANT DATA INCLUDING TANK PRESSURE
- TWO CUSTOMIZABLE FIELDS FOR ANCILLARY INFORMATION
- FOUR BUTTONS FOR INTUITIVE USER INTERFACE
- MIRRORED BUTTON FUNCTION DURING DIVE
- RUNAWAY DECO ALARM
- MULTIGAS CAPABLE
- DECOMPRESSION DIVE PLANNER WITH USER ADJUSTABLE SURFACE INTERVAL
- LONG BATTERY LIFE, USER REPLACEABLE
- DOES NOT INCLUDE INTERFACE AND SOFTWARE FOR DOWNLOADING TO PC OR MAC



QUAD

Code: **414134**

- MAGNIFICENTLY CLEAR DISPLAY WITH JUMBO SIZE INFORMATION
- TWO CUSTOMIZABLE FIELDS FOR ANCILLARY INFORMATION
- FOUR BUTTONS FOR INTUITIVE USER INTERFACE
- MIRRORED BUTTON FUNCTION DURING DIVE
- OPTION TO VIEW DIVE TIME INCLUDING SECONDS
- RUNAWAY DECO ALARM
- MULTIGAS CAPABLE
- DECOMPRESSION DIVE PLANNER WITH USER ADJUSTABLE SURFACE INTERVAL
- LONG BATTERY LIFE, USER REPLACEABLE



COLOR VARIATIONS



BKWH

BKBK

BKYL

BKBL

TECHNICAL FEATURES

Battery	Type	CR2450
	Duration	150 dives
Nitrox		EAN from 21% to 99%

ACCESSORIES

LED Tank Module	414319	Page 24
Bluelink Pro	414317	Page 24
Dive Link 2 USB	414316	Page 24
Quad Display Protector	415182	Page 22
HP Hose 15 cm / 6"	44201030	Page 22

TECHNICAL FEATURES

Battery	Type	CR2450
	Duration	200-300 dives
Nitrox		EAN from 21% to 99%

ACCESSORIES

Bluelink Pro	414317	Page 24
Dive Link 2 USB	414316	Page 24
Quad Display Protector	415182	Page 22

SMARTCode: **414129**

- FULL FEATURED NITROX DIVE COMPUTER WITH TWO GAS CAPABILITY
- BOTTOM TIMER MODE WITH RESETTABLE AVERAGE DEPTH AND STOPWATCH
- LOGBOOK CAPACITY IN EXCESS OF 40 HOURS OF DIVE PROFILE AT 5-SECOND SAMPLING RATE (SCUBA) AND MEMORY FUNCTION FOR FREEDIVING
- DECOMPRESSION DIVE PLANNER WITH ADDITIONAL SURFACE INTERVAL FUNCTION
- UPGRADEABLE FIRMWARE
- COMPLETE WATCH FUNCTIONS: STOPWATCH, WAKE-UP ALARM, SECOND TIME ZONE, DATE
- USER-REPLACEABLE BATTERY
- FREEDIVING MODE (APNEA) WITH DEDICATED ALARMS
- DOES NOT INCLUDE INTERFACE AND SOFTWARE FOR DOWNLOADING TO PC OR MAC

**SMART AIR**Code: **414138**

- HOSELESS TANK DATA INTEGRATION FOR UP TO THREE TRANSMITTERS
- GRAPHIC AND NUMERIC DISPLAY OF TANK PRESSURE
- THREE-ROW LAYOUT COMPRISES ALL RELEVANT DATA INCLUDING TANK PRESSURE
- MULTIGAS CAPABLE
- OPTION TO VIEW DIVE TIME INCLUDING SECONDS
- TWO CUSTOMIZABLE FIELDS FOR ANCILLARY INFORMATION
- LOGBOOK CAPACITY OF 95 HOURS OF DIVE PROFILE
- DECOMPRESSION DIVE PLANNER WITH ADDITIONAL SURFACE INTERVAL FUNCTION
- COMPLETE WATCH FUNCTIONS
- FREEDIVING MODE (APNEA) WITH DEDICATED ALARMS
- BOTTOM TIMER MODE WITH RESETTABLE AVERAGE DEPTH AND STOPWATCH
- USER-REPLACEABLE BATTERY
- DOES NOT INCLUDE INTERFACE AND SOFTWARE FOR DOWNLOADING TO PC OR MAC

**COLOR VARIATIONS****TECHNICAL FEATURES**

Battery	Type	CR2430
	Duration	200-300 dives over a three year time span
Nitrox		EAN from 21% to 99%

ACCESSORIES

Bluelink Pro	414317	Page 24
Dive Link 2 USB	414316	Page 24
Display Protector	415173	Page 22
Smart Strap Extension	44201190	Page 22

TECHNICAL FEATURES


Battery	Type	CR2430
	Duration	200-300 dives over a three year time span
Nitrox		EAN from 21% to 99%

ACCESSORIES

LED Tank Module	414319	Page 24
Bluelink Pro	414317	Page 24
Dive Link 2 USB	414316	Page 24
Display Protector	415173	Page 22
Smart Strap Extension	44201190	Page 22
HP Hose 15 cm / 6"	44201030	Page 22

PUCK PRO +Code: **414135**

- SLIM DESIGN FOR A PERFECT FIT
- INTUITIVE USER INTERFACE WITH ONE-BUTTON SIMPLICITY
- LOGBOOK CAPACITY 35 HOURS OF DIVE PROFILE AT 5-SECOND SAMPLING RATE
- UPGRADEABLE FIRMWARE
- BOTTOM TIMER MODE WITH RESETTABLE AVERAGE DEPTH AND STOPWATCH
- USER-REPLACEABLE BATTERY
- DOES NOT INCLUDE INTERFACE AND SOFTWARE FOR DOWNLOADING TO PC OR MAC

**COLOR VARIATIONS****TECHNICAL FEATURES**

Battery	Type	CR2450
	Duration	200-300 dives
Nitrox	EAN from 21% to 99%	

ACCESSORIES

Dive Link 2 USB	414316	Page 24
Bluelink Pro	414317	Page 24

QUAD DISPLAY PROTECTORCode: **415182**

- EASY TO INSTALL
- PREVENTS FROM SCRATCHES
- SOFT AND DURABLE
- ULTRA CLEAR

**DISPLAY PROTECTOR**Code: **415173**

- PERFECT FIT AND EASY TO INSTALL
- PREVENTS FROM SCRATCHES, DIRT AND SAND
- SOFT AND DURABLE
- ULTRA CLEAR
- A PACK CONTAINS 2 PIECES

**SMART STRAP EXTENSION**Code: **44201190**

- FOR USE WITH THICK WET OR DRY SUITS
- FOR SMART ONLY

**HP HOSE 15 CM / 6"**Code: **44201030**

- ALLOWS TO MOVE THE LED TANK MODULE AWAY FROM THE FIRST STAGE
- IDEAL FOR IMPROVING SIGNAL RECEPTION IN COMPLEX CONFIGURATIONS
- HELPS AVOID BREAKAGE DUE TO KNOCKING INTO THE MODULE OR TANK TIPPING OVER
- 15 CM / 6" LENGTH



PUCK AIR

Code: **414161**

Code: **414162 with Compass - Northern Hemisphere**

Code: **414163 with Compass - Southern Hemisphere**

- COMPACT YET FULL FEATURED AIR INTEGRATED DIVE COMPUTER
- GAS TIME CALCULATION
- SEGMENT DISPLAY WITH DOT MATRIX INSERT
- INTUITIVE USER INTERFACE WITH ONE-BUTTON SIMPLICITY
- AVAILABLE WITH ANALOG COMPASS
- LOGBOOK CAPACITY 35 HOURS OF DIVE PROFILE AT 20-SECOND SAMPLING RATE
- USER-REPLACEABLE BATTERY
- MULTIPLE LANYARD ATTACHMENT POINTS



PUCK AIR
STANDARD VERSION

PUCK AIR
WITH COMPASS

TECHNICAL FEATURES

Battery	Type	CR2450
	Duration	200-300 dives
Nitrox	EAN from 21% to 50%	

ACCESSORIES

Drak USB	414308	Page 24
----------	--------	---------

PUCK CONSOLES

Code: **414420 Mission Puck 2**

Code: **414421 Mission Puck 3**

- COMPACT CONSOLE WITH FULL FEATURED COMPUTER AND ANALOG PRESSURE GAUGE
- AVAILABLE WITH ANALOG COMPASS
- INTUITIVE USER INTERFACE WITH ONE-BUTTON SIMPLICITY
- LOGBOOK CAPACITY 35 HOURS OF DIVE PROFILE AT 5-SECOND SAMPLING RATE
- USER-REPLACEABLE BATTERY
- MULTIPLE LANYARD ATTACHMENT POINTS



MISSION PUCK 2

MISSION PUCK 3

TECHNICAL FEATURES

Battery	Type	CR2450
	Duration	200-300 dives
Nitrox	EAN from 21% to 50%	

ACCESSORIES

Drak USB	414308	Page 24
----------	--------	---------

MISSION 1C WRIST COMPASS

Code: **414404**

- OIL BATH
- SIDE VIEW WINDOW
- WRIST MOUNT CONSOLE



HANDY COMPASS

Code: **414504 Northern Hemisphere**

Code: **414506 Southern Hemisphere**

- OIL BATH
- SIDE VIEW WINDOW
- SPECIAL HOUSING FOR CLIPPING TO BCD



MISSION 1

Code: **414417**

- BRASS CASE
- TECHNOPOLYMER WINDOW
- PHOSPHORESCENT DIAL FACE
- PROTECTIVE RUBBER CONSOLE
- MULTIPLE ATTACHMENT POINTS



MISSION 2

Code: **414418**

- PRESSURE GAUGE:
- BRASS CASE
 - TECHNOPOLYMER WINDOW
 - PHOSPHORESCENT DIAL FACE

- DEPTH GAUGE:
- OIL BATH
 - PHOSPHORESCENT DIAL FACE
 - MAX DEPTH INDICATOR
 - LINEAR SCALE

- CONSOLE:
- PROTECTIVE RUBBER COVER WITH MULTIPLE ATTACHMENT POINTS



MISSION 2C

Code: **414423**

- PRESSURE GAUGE:
- BRASS CASE
 - TECHNOPOLYMER WINDOW
 - PHOSPHORESCENT DIAL FACE

- COMPASS:
- OIL BATH
 - SIDE VIEW WINDOW

- CONSOLE:
- PROTECTIVE RUBBER COVER WITH MULTIPLE ATTACHMENT POINTS



MISSION 3

Code: **414419**

- PRESSURE GAUGE:
- BRASS CASE
 - TECHNOPOLYMER WINDOW
 - PHOSPHORESCENT DIAL FACE

- DEPTH GAUGE:
- OIL BATH
 - PHOSPHORESCENT DIAL FACE
 - MAX DEPTH INDICATOR
 - LINEAR SCALE

- COMPASS:
- OIL BATH
 - SIDE VIEW WINDOW

- CONSOLE:
- PROTECTIVE RUBBER COVER WITH MULTIPLE ATTACHMENT POINTS



LED TANK MODULE

Code: **414319**

- TRANSMITS TANK INFORMATION
- COLOR LED FOR QUICK TANK CHECK ON THE SURFACE
- COLOR LED ALERTS BUDDY OF LOW AIR SITUATION DURING DIVE
- PERMANENT PAIRING
- EN250:2014 CERTIFIED TO 300BAR
- BATTERY TYPE: CR123A, USER REPLACEABLE



BLUELINK PRO

Code: **414317**

- TO DOWNLOAD THE LOGBOOK OF A DIVE COMPUTER USING THE BLUETOOTH LOW ENERGY TECHNOLOGY (QUAD, QUAD AIR, PUCK PRO +, SMART, SMART AIR)
- REQUIRES THE DIVESSI APP (ANDROID, IOS)



DIVE LINK 2 USB

Code: **414316**

- FOR DOWNLOADING THE DIVE COMPUTER MEMORY TO PC OR MAC (QUAD, QUAD AIR, PUCK PRO +, SMART, SMART AIR)
- REQUIRED SOFTWARE: DIVE ORGANIZER (PC) OR DIVERS DIARY (MAC)



DRAK USB


Code: **414308**

- FOR DOWNLOADING THE DIVE COMPUTER MEMORY TO PC OR MAC (ALL PUCK CONSOLES)
- REQUIRED SOFTWARE: DIVE ORGANIZER (PC) OR DIVERS DIARY (MAC)



DIVE ORGANIZER

- FULL-FEATURED LOGBOOK MANAGEMENT SOFTWARE
- ALLOWS UPGRADING OF FIRMWARE ON COMPATIBLE DIVE COMPUTERS
- ALLOWS UPLOADING OF MAPS AND IMAGES TO ICON HD
- FEATURES TISSUE SATURATION GRAPH WITH DETAILED EVOLUTION DURING THE DIVE
- FOR PC ONLY



DIVER'S DIARY

- FULL-FEATURED LOGBOOK MANAGEMENT SOFTWARE
- ALLOWS UPGRADING OF FIRMWARE ON COMPATIBLE DIVE COMPUTERS
- FEATURES TISSUE SATURATION GRAPH WITH DETAILED EVOLUTION DURING THE DIVE
- FOR MAC ONLY



Computer	Genius	Quad Air	Quad	Smart	Smart Air	Puck Pro +	Puck Air	Puck Air with compass	Mission Puck 2	Mission Puck 3
Code	414139	414169	414134	414129	414138	414135	414161	414162 NO	414420	414421
Colors	BKSI	BK BK	BK BK, BK BL, BK WH, BK YL	BK BK, BK GR, BK RD, BK WH, WH LL, WH LM	BK BK	BK BK, BK WH, BL BK, GR BK, LL BK, LM BK, WH BK, YL BK	-	-	-	-
ZH-L16C GF	■									
RGBM		■	■	■	■	■	■	■		■
Trimix	■									
LCD Color Display	■									
Full Dot Matrix										
Segment Display		■	■	■	■	■				■
Air Integrated	■	■			■		■	■		
Graphic and numeric tank pressure	■				■					
Gas Switching	■	■	■	■	■	■				
Software Upgradeability	■	■	■	■	■	■				
USB Charger	■									
One Button Control						■	■	■		■
Mineral Glass	■	■	■	■	■	■				
Max Display Depth	150m / 492ft	150m / 492ft	150m / 492ft	150m / 492ft	150m / 492ft	150m / 492ft	150m / 492ft	150m / 492ft		150m / 492ft
Rechargeable Batteries	■									
Dive hours per charge	40hr									
User Replaceable Batteries		■	■	■	■	■	■	■		■
Residual Nitrogen Reset	■	■	■	■	■	■	■	■		■
Option to Exclude Audible Alarms	■	■	■	■	■	■	■	■		■
Ascent Rate Indicator	■	■	■	■	■	■	■	■		■
Memory Capacity	1000hr	> 100hr	38hr	40hr	95hr	36h	36hr	36hr		36hr
Profile Sampling Rates	5s	5s	5s	5s	5s	5s	20s	20s		5s
Dual Time				■	■					
Stopwatch	■	■*	■*	■	■	■				
Daily Alarm	■			■	■					

* Bottom timer mode



BCD'S

MAGELLAN

Code: **417226**

- THE TRUE TRAVEL BCD: EXTREMELY LIGHTWEIGHT
- INTEGRATED QUICK RELEASE WEIGHT SYSTEM
- OPTIONAL TRIM WEIGHT (TO BE PLACED ON THE TANK BAND)
- FOLDABLE WITH NO RIGID BACKPACK
- STRAP LOOP BACKPACK FEATURE FOR EASY ADJUSTMENT
- 1 ROLL-UP POCKET
- CONCAVE ERGONOMIC SHOULDERS (PATENT PENDING): INCREASED COMFORT IN CHEST/SHOULDER AREA
- TROUBLE FREE FOR FEMALE DIVERS



TECHNICAL FEATURES

Magellan	XXS/XS	S/M	L/XL
Weight	2.0kg / 5.0lb	2.1kg / 5.0lb	2.3kg / 5.3lb
Buoyancy	180N (18.5kg / 41lb)	180N (18.5kg / 41lb)	180N (18.5kg / 41lb)

ACCESSORIES

Trim Weight	417964	Page 33
-------------	--------	---------

DETAILS



Quick release buckle system



Optional trim weights



Ergonomic concave shoulders



Roll up pocket

DRAGON SLS / KAILA SLS

Code: **417223 Dragon SLS**

Code: **417363 Kaila SLS**

- SUPERBLY COMFORTABLE AND STABLE YET TOUGH AND DURABLE
- AIRCELL SLIDES ON SHOULDERS FOR INCREASED COMFORT WHEN INFLATED
- POSITION OF THE CORRUGATED HOSE RETAINING EPAULETTE CAN BE ADJUSTED
- HIGH LIFT AIRCELL WITH "DRAGON" WINGLETS
- SMART TRIM WEIGHT POSITIONING
- SLS WEIGHT SYSTEM
- SWIVEL BUCKLES: 50MM ON THE DRAGON, 40MM ON THE KAILA
- HIGH CAPACITY CARGO POCKETS WITH STRETCH PANELS
- ADJUSTABLE CUMMERBUND
- MONOPLATE BACKPACK FITS SINGLE OR DOUBLE TANKS
- VISUAL CONFIRMATION OF PROPER WEIGHT POUCH INSERTION
- PERSONALIZABLE LABEL ON WEIGHT POCKETS



TECHNICAL FEATURES

Dragon SLS	XS	S	M	L	XL
Weight	4.2kg / 9.25lb	4.2kg / 9.25lb	4.4kg / 9.7lb	4.5kg / 9.9lb	4.75kg / 10.5lb
Buoyancy	130N (14.1kg / 31lb)	150N (15.5kg / 34lb)	180N (18.8kg / 41lb)	200N (20.4kg / 45lb)	230N (23.9kg / 53lb)

Kaila SLS	XXS	XS	S	M	L
Weight	4.1kg / 9lb	4.2kg / 9.25lb	4.2kg / 9.25lb	4.4kg / 9.7lb	4.5kg / 9.9lb
Buoyancy	110N (10.8kg / 24lb)	130N (14.1kg / 31lb)	150N (15.5kg / 34lb)	180N (18.8kg / 41lb)	200N (20.4kg / 45lb)

ACCESSORIES

BCD Attachment Kit	415178	Page 34
Tank Strap Set For Doubles	415090	Page 33

DETAILS



"Dragon" aircell



High capacity cargo pockets with stretch panels



Adjustable epaulette



50mm swivel buckles

BOLT SLSCode: **417362**

- SUPERBLY COMFORTABLE AND STABLE BACK BUOYANCY BC WITH 21KG LIFT (46 LBS)
- STREAMLINED
- SWIVEL SHOULDER BUCKLES
- SMART TRIM WEIGHT POSITIONING
- SLS WEIGHT SYSTEM
- ROLL-DOWN CARGO POCKET
- ADJUSTABLE CUMMERBUND
- TRAVEL FRIENDLY
- MONOPLATE BACKPACK FITS SINGLE OR DOUBLE TANKS
- VISUAL CONFIRMATION OF PROPER WEIGHT POUCH INSERTION
- PERSONALIZABLE LABEL ON WEIGHT POCKETS

**TECHNICAL FEATURES**

Bolt SLS	XS	S	M	L	XL
Weight	3.6kg / 7.9lb	3.7kg / 8.1lb	3.7kg / 8.1lb	3.9kg / 8.6lb	3.9kg / 8.6lb
Buoyancy	200N (21kg / 46lb)	200N (21kg / 46lb)	200N (21kg / 46lb)	200N (21kg / 46lb)	200N (21kg / 46lb)

ACCESSORIES

BCD Attachment Kit	415178	Page 34
Tank Strap Set For Doubles	415090	Page 33

QUANTUM SLSCode: **417357**

- MONOPLATE BACKPACK FITS SINGLE TANK OR DOUBLES
- SWIVEL BUCKLES AND D-RING ATTACHMENT ON SIDE LOBE
- SLS WEIGHT SYSTEM
- VISUAL CONFIRMATION OF PROPER WEIGHT POUCH INSERTION
- PERSONALIZATION LABEL ON WEIGHT POUCHES
- STRETCH CARGO POCKETS
- OPENINGS ON SIDE LOBES FOR HOSE STORAGE
- TRIM WEIGHT POCKETS
- OPTIONAL BC ATTACHMENT KIT
- OPTIONAL TANK STRAP SET FOR DOUBLES UP TO 2 X 12L / 2 X 80CUFT

**TECHNICAL FEATURES**

Quantum SLS	XS	S	M	L	XL
Weight	4.2kg / 9.2lb	4.2kg / 9.2lb	4.4kg / 9.7lb	4.5kg / 9.9lb	4.6kg / 10.1lb
Buoyancy	120N (12.2kg / 27lb)	130N (13.8kg / 30lb)	150N (16kg / 35lb)	180N (18.3kg / 38lb)	200N (21kg / 46lb)

ACCESSORIES

BCD Attachment Kit	415178	Page 34
Tank Strap Set For Doubles	415090	Page 33

PRESTIGE SLS

Code: **417224 BL**Code: **417225 WH**

- EXCELLENT LIFT CAPACITY
- LIGHT, STRONG AND DURABLE DENIER 420
- IMPROVED FIT: SWIVELING BUCKLES, SHOULDERS, LOW-CUT AIRCELL
- SLS INTEGRATED WEIGHT SYSTEM
- 3-DIMENSIONAL ZIPPERED SELF-DRAINING POCKETS
- 2 REAR TRIM WEIGHT POCKETS
- REDUCED WEIGHT: TRAVEL FRIENDLY



TECHNICAL FEATURES

Prestige SLS BL	XS	S	M	L	XL
Weight	3.4kg / 7.5lb	3.5kg / 7.7lb	3.85kg / 8.5lb	3.9kg / 8.6lb	4kg / 8.8lb
Buoyancy	120N (12.2kg / 27lb)	130N (13.8kg / 30lb)	150N (16kg / 35lb)	180N (18.3kg / 38lb)	200N (21kg / 46lb)

Prestige SLS WH	XXS	XS	S	M	L
Weight	3.3kg / 7.3lb	3.4kg / 7.5lb	3.5kg / 7.7lb	3.85kg / 8.5lb	3.9kg / 8.6lb
Buoyancy	100N (10.8kg / 24lb)	120N (12.2kg / 27lb)	130N (13.8kg / 30lb)	150N (16kg / 35lb)	180N (18.3kg / 38lb)

ACCESSORIES

BCD Attachment Kit	415178	Page 34
Tank Strap Set For Doubles	415090	Page 33

HYBRID AT

Code: **417334**

- FOLDABLE BACKPACK
- AIRTRIM FOR FAST AND INTUITIVE BUOYANCY CONTROL
- MRS PLUS MODULAR INTEGRATED WEIGHT SYSTEM



TECHNICAL FEATURES

Hybrid AT	XS/S	M/L	XL
Weight	3.9kg / 8.6lb	4kg / 8.8lb	4.2kg / 9.2lb
Buoyancy	145N (14.8kg / 32.6lb)	200N (21kg / 46lb)	235N (24kg / 52.9lb)

ACCESSORIES

BCD Attachment Kit	415178	Page 34
--------------------	--------	---------

ROCK**NEW**Code: **417263**

- RESISTANT TO THE MOST EXTREME CONDITIONS
- GREAT WEARABILITY THANKS TO ENVELOPING SHOULDER STRAPS
- ANATOMICAL POCKETS, CUT TO MINIMISE WATER RESISTANCE DURING MOVEMENT
- POCKETS INCLUDE AN INTERNAL ELASTIC STRAP FOR ACCESSORY CLIPS
- PADDED BACKPLATE
- STRATEGICALLY POSITIONED STEEL D-RINGS

**PRIME**Code: **417364**

- IDEAL FOR THOSE WHO WANT TO GET STARTED WITH THEIR DIVING ADVENTURE
- STANDARD BCD
- EXCELLENT BUOYANCY AND FIT
- LIGHT, STRONG AND DURABLE DENIER 420
- STOWAGE FOR OCTOPUS AND PRESSURE GAUGE
- MONOPLATE BACKPACK
- 2 LARGE CARGO POCKETS
- UPGRADEABLE INTEGRATED WEIGHT SYSTEM

**TECHNICAL FEATURES**

Rock	XS	S	M	L	XL
Weight	2.6kg / 5.7lb	2.7kg / 5.9lb	2.8kg / 6.2lb	2.85kg / 6.2lb	2.85kg / 6.2lb
Buoyancy	140N [14.2kg / 31.3lb]	150N [16kg / 35lb]	160N [16.3kg / 35.9lb]	200N [21kg / 46lb]	235N [24kg / 52.9lb]

ACCESSORIES

Trim Weight	417964	Page 33
Tank Strap Set For Doubles	415090	Page 33

TECHNICAL FEATURES

Prime	XS	S	M	L	XL
Weight	2.5kg / 5.5lb	2.6kg / 5.7lb	2.8kg / 6.2lb	2.8kg / 6.2lb	2.9kg / 6.4lb
Buoyancy	140N [14.2kg / 31.3lb]	150N [16kg / 35lb]	160N [16.3kg / 35.9lb]	200N [21kg / 46lb]	235N [24kg / 52.9lb]

ACCESSORIES

Tank Strap Set For Doubles	415090	Page 33
Standard Weight System - Small	417963	Page 33
Standard Weight System - Large	417962	Page 33

SCUBA RANGER

Code: **417227**

- KID/JUNIOR BCD WITH A DEDICATED BACKPACK
- 2 COMFORTABLE VELCRO POCKETS
- SPECIALLY DESIGNED OCTOPUS AND PRESSURE GAUGE POCKETS
- OPTIONAL TRIM WEIGHTS TO BE PLACED ON TANK STRAP
- TANK BAND: DEDICATED ADAPTABLE SHORTER TANK BAND TO FIT SMALLER TANKS
- 1 SIZE FITS ALL, FROM 8 – 12 YEARS, THANKS TO A DEDICATED ADJUSTMENT SYSTEM



TECHNICAL FEATURES

Scuba Ranger	3XS
Weight	1.8kg / 3.9lb
Buoyancy	70N (7.8kg / 17lb)

ACCESSORIES

Trim Weight	417964	Page 33
Weight Pocket Scuba Ranger	417965	Page 32

WEIGHT POCKET SCUBA RANGER

Code: **417959 - 1kg / 2lb (PAIR)**

- EXPANDS THE CAPABILITY OF THE SCUBA RANGER BC
- RELEASEABLE WEIGHT POCKETS FIT INTO CARGO POCKETS FOR EASY ACCESS
- CAPACITY 1 KG / 2LBS



MAGNETIC CONNECTOR

NEWCode: **415804**

- SIMPLE AND SECURE
- FAST AND EASY MAGNETIC CONNECTION
- SINGLE-HANDED USE
- 360° FREE-SWIVELLING
- SAFE UNLOCKING, EVEN WITH A FULL LOAD
- DESIGNED TO ATTACH TO ALL BCV D-RINGS
- HIGH-QUALITY, STURDY MATERIALS
- SAFELY SECURES A VARIETY OF EQUIPMENT
- HOLDING STRENGTH = 60 KG / 132 LBS



BK

YL



Independent magnetic connection



Simple, quick and safe to unlock



360° rotating, free-tilting ball head

SLS SLIDE & LOCK SYSTEM

Code: **417959 - SMALL: 4kg / 9lb (PAIR)***Code: **417960 - LARGE: 6kg / 13lb (PAIR)***

- STURDY ZIPPERED POCKET FOR QUANTUM BCD'S
- EASY TO SLIDE INTO POCKET
- VISUAL AID TO SEE IF SYSTEM IS PROPERLY ENGAGED
- SAFEST SYSTEM AVAILABLE
- EASY TO USE WITH THICK GLOVES



* Patented

STANDARD WEIGHT SYSTEM

Code: **417963 - SMALL: 4kg / 9lbs (PAIR)**

Code: **417962 - LARGE: 6kg / 13lbs (PAIR)**

- ADD-ON TO UPGRADE BCD WITH STANDARD BUCKLE WEIGHT SYSTEM
- ZIPPERED POCKET
- EASY USE WITH THICK GLOVES



MRS PLUS

Code: **417955 - SMALL: 4kg / 9lb (PAIR)**

Code: **417954 - LARGE: 6kg / 13lb (PAIR)**

- ZIPPERED POCKET
- INTERNAL VELCRO FOR MULTIPLE SECTIONS



KIT MRS PLUS

Code: **417958 (PAIR)**

- OPTIONAL FOR UPGRADING BCDs WITH MRS PLUS
- EASY TO INSTALL
- ZIPPERED POCKET
- INTERNAL VELCRO FOR MULTIPLE SECTIONS
- LARGE WEIGHT CAPACITY: 6KG / 13LBS



TRIM WEIGHT

Code: **417964 (PAIR)**

- EASY TO INSTALL ON TANK BAND
- DOUBLE LOOP TO FIT PERFECTLY ON THE BAND
- PERFECT BUOYANCY
- LESS WEIGHT ON THE BELT
- WEIGHT CAPACITY: 2KG EACH



TANK STRAP SET FOR DOUBLES

Code: **415090**

- ALLOWS TWIN TANKS UP TO 2 X 12L / 2 X 80CUFT ON SELECTED BCDs



CROTCH STRAP

Code: **415744♦**

- CAN BE USED WITH BACKMOUNTED BCD'S
- ULTIMATE STABILITY



LANYARD STAINLESS SPIRAL WITH RING

Code: **415732**

- STAINLESS STEEL SPIRAL CABLE
- PROVIDES EXTENSION MORE THAN 50 CM/20 IN
- QUICK RELEASE BUCKLE
- TO AVOID LOOSE ACCESSORIES



LANYARD SPIRAL WITH RING

Code: **415717**

- SPIRAL CABLE PROVIDES MORE THAN 50 CM/20 IN EXTENSION
- STAINLESS STEEL RING
- QUICK RELEASE BUCKLE



LANYARD OPEN LOOP

Code: **415722**

- MULTI FUNCTIONAL LANYARD WITH OPEN LOOP
- THE LOOP ALLOWS WIDE ATTACHMENT FUNCTIONALITY
- MALE/FEMALE QUICK RELEASE BUCKLE



LANYARD MALE/FEMALE

Code: **415716**

- MULTI FUNCTIONAL
- PLUG IN AND USE WITH MOST STANDARD BUCKLE SYSTEMS
- FAST LEASH OPENING FOR SIMPLE ATTACHMENT



STANDARD RETRACTOR

Code: **415715**

- STAINLESS STEEL CABLE
- HEAVY DUTY HOOKS ON BOTH SIDES
- MORE THAN 60 CM/23,5 IN WHEN EXTENDED



CONSOLE HOLDER WITH VELCRO

Code: **415718**

- STRONG VELCRO TO HOLD AND RELEASE WHEN NEEDED
- QUICK RELEASE SYSTEM USED FOR CONSOLE AND OCTOPUS
- QUICK ADJUSTING ROPE LEASH FOR FLEXIBLE FASTENING



HOSE RETAINER

Code: **415157**

- HEAVY DUTY HOOKS
- SWIVEL SOLUTION
- TWO POSITIONS TO HANG HOSES



BCD ATTACHMENT KIT

Code: **415178** ♦

- IDEAL SOLUTION FOR YOUR EXTENSION POLE
- EASY TO INSTALL
- FITS ONTO MARES BCD'S



TECHNICAL SPECIFICATIONS



mares

BCD		Magellan	Dragon SLS	Kaila SLS	Bolt SLS	Quantum SLS	Prestige SLS		Hybrid AT	Rock	Prime	Scuba Ranger
Code		417226	417223	417363	417362	417357	417224	417225	417334	417263	417364	417227
Sizes		XXS/XS - S/M - L/XL	XS - S - M - L - XL	XXS - XS - S - M - L	XS - S - M - L - XL	XS - S - M - L - XL	XS - S - M - L - XL	XXS - XS - S - M - L	XS/S - M/L - XL	XS - S - M - L - XL	XS - S - M - L - XL	3XS
Fusion Bladder			■						■			
Classic Bladder						■		■		■	■	■
Backmounted		■			■							
Ergo Inflator		■	■		■	■	■			■	■	■
Airtrim									■			
Monoplate Backpack			■		■	■	■			■	■	■
Foldable Backpack		■							■			
Suspension System									■			
Material		Cordura® 420	Cordura® 420		Cordura® 420	Cordura® 420	Cordura® 420		Cordura® 420	Cordura® 420	Cordura® 420	Cordura® 420
D-rings	Stainless steel		5		6	6		2		6		
	Aluminium	4							6			
	Heavy-duty Technopolymer	1				3		4			5	2
Weight	Size L	2.3kg / 5.3lb	4.5kg / 9.9lb	3.9kg / 8.6lb	4.5kg / 9.9lb	3.9kg / 8.6lb	4kg / 8.8lb	2.85kg / 6.2lb	2.8kg / 6.2lb			
Buoyancy	3XS											70N (7.8kg / 17lb)
	XXS	180N (18.5kg / 41lb)		110N (10.8kg / 24lb)				100N (10.8kg / 24lb)				
	XS	180N (18.5kg / 41lb)	130N (14.1kg / 31lb)	130N (14.1kg / 31lb)	200N (21kg / 46lb)	120N (12.2kg / 27lb)	120N (12.2kg / 27lb)	120N (12.2kg / 27lb)	145N (14.8kg / 32.6lb)	140N (14.2kg / 31.3lb)	140N (14.2kg / 31.3lb)	
	S	180N (18.5kg / 41lb)	150N (15.5kg / 34lb)	150N (15.5kg / 34lb)	200N (21kg / 46lb)	130N (13.8kg / 30lb)	130N (13.8kg / 30lb)	130N (13.8kg / 30lb)	145N (14.8kg / 32.6lb)	150N (16kg / 35lb)	150N (16kg / 35lb)	
	M	180N (18.5kg / 41lb)	180N (18.8kg / 41lb)	180N (18.8kg / 41lb)	200N (21kg / 46lb)	150N (16kg / 35lb)	150N (16kg / 35lb)	150N (16kg / 35lb)	200N (21kg / 46lb)	160N (16.3kg / 35.9lb)	160N (16.3kg / 35.9lb)	
	L	180N (18.5kg / 41lb)	200N (20.4kg / 45lb)	200N (20.4kg / 45lb)	200N (21kg / 46lb)	180N (18.3kg / 38lb)	180N (18.3kg / 38lb)	180N (18.3kg / 38lb)	200N (21kg / 46lb)	200N (21kg / 46lb)	200N (21kg / 46lb)	
	XL	180N (18.5kg / 41lb)	230N (23.9kg / 53lb)		200N (21kg / 46lb)	200N (21kg / 46lb)	200N (21kg / 46lb)	200N (21kg / 46lb)	235N (24kg / 52.9lb)	235N (24kg / 52.9lb)	235N (24kg / 52.9lb)	

WEIGHT POCKETS													
BCD		Magellan	Dragon SLS	Kaila SLS	Bolt SLS	Quantum SLS	Prestige SLS		Hybrid AT	Rock	Prime	Scuba Ranger	
SLS	417959 (small - max 4 kg)	-	XS - S	XXS - XS - S	XS - S - M	XS - S	XS - S	XXS - XS - S	-	-	-	-	
	417960 (large - max 6 kg)		M - L - XL	M - L	L - XL	M - L - XL	M - L - XL	M - L					
MPS Plus	417955 (small - max 4 kg)		-						XS/S	-	-	-	
	417954 (large - max 6 kg)								M/L - XL				
Standard Weight System	417963 (small - max 4 kg)	XXS/XS - S/M	-									Optional	-
	417962 (large - max 6 kg)	L/XL											
Weight Pocket Scuba Ranger 417965												Optional	



2024

SUITS

◇ Please note that some sizes/colors are only available while stocks last

FLEXA GRAPHENE

Code: **412078 Man**

Code: **412079 She Dives**

- MAXIMUM THERMAL COMFORT IN THE MOST CRITICAL AREAS THANKS TO THE SOFT AND WARM FABRIC LINING WITH THE ADDITION OF GRAPHENE THAT HOLDS IN BODY HEAT
- SOFT AND FLEXIBLE HORIZONTAL WATERPROOF MASTERSEAL REAR ZIP
- ZIPPERS AT THE ANKLES
- SUPRATLEX KNEE PADS
- HOOD LINED WITH GLIDESKIN FOR A BETTER SEAL AND QUICK DRAINAGE
- S-SEAL TECHNOLOGY TO ENSURE BETTER THERMAL COMFORT
- POP OUT POCKET DESIGN
- GRIP AREA ON THE WRISTS FOR FASTENING INSTRUMENTS
- EASY TO PUT ON AND TAKE OFF THANKS TO THE ULTRASTRETCH NEOPRENE



TECHNICAL FEATURES

Thickness	7mm											
Fabric Type	Ultrastretch Neoprene											
Man sizes		2	3	3L	3W	4	4L	4W	5	5W	6	7
She Dives sizes	1	2	3	3L	3W	4	4L	4W	5			

DETAILS



Versatile pop-out pocket



Thermal Graphene lining

ICE SKIN

NEW

Code: **412102 Man**
Code: **412103 She Dives**

- WATERPROOF T-ZIP ZIPPER
- MADE IN ELASTIC NEOPRENE FOR MAXIMUM COMFORT
- PREFORMED CUT FOR OPTIMAL FIT
- INTEGRATED POCKET WITH ZIPPER
- COMFORTABLE AND THERMAL PROTECTIVE INTERNAL LINING
- NECK, WRIST AND ANKLE SEALS IN GLIDE SKIN FOR MAXIMUM SEAL
- PREFORMED HOOD INCLUDED
- REINFORCED KNEEPADS
- GRIP AREA ON THE WRISTS FOR FASTENING INSTRUMENT



TECHNICAL FEATURES

Thickness	7mm						
Fabric Type	Ultrastretch Neoprene						
Man sizes		2	3	4	5	6	7
She Dives sizes	1	2	3	4	5		

DETAILS



Grip area on the wrists for fastening instrument

Waterproof T-Zip zipper

FLEXA Z-THERM

Code: **412367 Man**

Code: **412368 She Dives**

- THE ULTIMATE EXPRESSION OF SEMIDRY SUITS:
DONNING/DOFFING, INCLUDING CLOSING OF ZIPPER, CAN BE DONE AUTONOMOUSLY
- DIAGONAL G-LOCK FRONT ZIP WITH INSIDE FLAPS TO INCREASE THERMAL COMFORT AND SKIN PROTECTION IN THE ZIP AREA
- 100% ULTRASTRETCH WITH STRATEGICALLY PLACED PANELS AND SPECIAL CUT.
- TRILASTIC CONCEPT FOR A BETTER FIT IN THE MOST CRITICAL AREAS (WAIST + NECK/BACK + ARMPIT)
- INNOVATIVE TELESCOPIC SYSTEM: GREAT SIZE CUSTOMIZATION THROUGH CROTCH ADJUSTMENT
- INCREASED THERMAL COMFORT IN THE MOST CRITICAL AREAS AND INCREASED WAIST AND LUMBAR COMFORT
- COMPACT, STRETCHY POCKET INTEGRATED IN THE SUIT ON THE RIGHT THIGH



TECHNICAL FEATURES

Thickness	7mm							
Fabric Type	Ultrastretch Neoprene							
Man sizes		2	3	4	5	6	7	8
She Dives sizes	1	2	3	4	5			

DETAILS



Telescopic system



Diagonal zipper

SEAL SKIN

Code: **412369 Man**

Code: **412370 She Dives**

- THE REVOLUTION IN COLD WATER SUITS
- INCREASED THERMAL COMFORT WITH S-SEAL TECHNOLOGY
- GLIDESKIN WRISTS AND ANKLES
- ZIPPERS ON ANKLES
- COMFORTABLE NECK CLOSURE
- SUPRATLEX KNEEPAD
- EASY DONNING AND DOFFING THANKS TO ULTRASTRETCH NEOPRENE
- INSTRUMENT GRIP AREA ON BOTH WRISTS
- INTEGRATED BUCKLE ON THE LEG FOR HOOD ATTACHMENT OR ATTACHMENT OF THE DEDICATED SMART POCKET (SOLD SEPARATELY)



TECHNICAL FEATURES

Thickness	6mm							
Fabric Type	Ultrastretch Neoprene							
Man sizes		2	3	4	5	6	7	8
She Dives sizes	1	2	3	4	5	6		

DETAILS



Silver Back Zip



Smart Pocket Retainer

FLEXA

8-6-5 mm

Code: 412337 Man

Code: 412339 She Dives

5-4-3 mm

Code: 412338 Man

Code: 412340 She Dives

3-2-2 mm

Code: 412348 Man

Code: 412349 She Dives

- THE ULTIMATE EXPRESSION OF TRILASTIC MATERIAL DESIGN
- VARIED THICKNESSES STRATEGICALLY PLACED IN DIFFERENT AREAS OF THE BODY
- NEW SOFT ERGONOMIC CUSTOM CLOSURE
- BACK AND SHOULDERS COMFORT SYSTEM: AN ADDITIONAL LAYER OF NEOPRENE STITCHED IN THE BACK FOR ADDED COMFORT AND PROTECTION
- FRONT ZIP WITH SMOOTH NEOPRENE FLAP FOR GREATER COMFORT AND ISOLATION
- INTEGRATED BUCKLE ON THE LEG FOR HOOD ATTACHMENT OR ATTACHMENT OF THE DEDICATED SMART POCKET (SOLD SEPARATELY)
- INSTRUMENT GRIPS ON BOTH WRISTS



TECHNICAL FEATURES

Thickness	8.6.5mm / 5.4.3mm / 3.2.2mm							
Fabric Type	Ultrastretch Neoprene							
Man sizes		2	3	4	5	6	7	8
She Dives sizes	1	2	3	4	5	6		

DETAILS



Shoulder color changes with suit thickness



412341 - Smart Pocket (Sold separately)

PIONEER

7 mm

Code: **412346 Man**

Code: **412347 She Dives ♦**

5 mm

CODE: **412344 Man**

Code: **412345 She Dives**

- NON-RUBBER CUSTOM CLOSURE
- ZIPPERS ON THE ANKLES (ONLY ON THE 7 MM VERSION) MAKE DONNING AND DOFFING EFFORTLESS
- THE HOOD VENTING SYSTEM ASSISTS THE RELEASE OF AIR, OPTIMIZING EQUALIZATION AND COMFORT
- NEW NECK CLOSURE WITH ANTI-ABRASION VELCRO PREVENTS WETSUIT DAMAGE
- INSTRUMENT GRIPS ON BOTH WRISTS
- HOOD KEEPER D-RING ON THE RIGHT LEG
- KNEEPAD IN ANTI-ABRASIVE MATERIAL



TECHNICAL FEATURES

Thickness	7mm / 5mm							
Fabric Type	Neoprene & Ultrastretch Neoprene							
Man sizes		2	3	4	5	6	7	8
She Dives sizes	1	2	3	4	5	6		

DUAL

Code: **412375 Man ♦**

Code: **412376 She Dives ♦**

- TRADITIONAL COMBINATION OF A LONG JOHN AND A JACKET
- THICKEST NEOPRENE AREA CONCENTRATED ON CHEST AND BACK AREAS WHERE THERMAL PROTECTION IS MOST NEEDED
- GLIDESKIN WRIST AND ANKLE SEALS
- LEAVES ARMS AND LEGS WITH A FEELING OF FREEDOM AND MOBILITY
- STRATEGICALLY PLACED ELASTIC INSERTS
- INSTRUMENT GRIP AREA ON BOTH WRISTS
- KNEEPAD IN ANTI-ABRASIVE MATERIAL



TECHNICAL FEATURES

Thickness	5mm							
Fabric Type	Neoprene							
Man sizes		2	3	4	5	6	7	8
She Dives sizes	1	2	3	4	5	6		

REEF

Code: **412382 Man**

Code: **412383 She Dives**

- NEW MODERN DESIGN WITH SHOULDER GRIP AREA
- COOL, STRETCHY AND IDEAL FOR TEMPERATE WATER
- ERGONOMIC, COMFORTABLE VELCRO CLOSURE AND BACK ZIP PULLER
- WRIST, ANKLE AND NECK SEALS ENRICHED WITH AQUASTOP FINISH



CORAL

Code: **412386 Man** ♦

Code: **412387 She Dives**

- COMFORTABLE SECOND SKIN FOR TROPICAL DIVES
- EASY DONNING AND DOFFING
- CAN ALSO BE WORN AS AN UNDERSUIT
- ELASTIC BANDS ON WRISTS AND ANKLES FOR BETTER FIT ALONE OR UNDER A SUIT
- METALITE FABRIC INSIDE WITH HEAT RETAINING EFFECT



TECHNICAL FEATURES

Thickness	3mm							
Fabric Type	Neoprene							
Man sizes		2	3	4	5	6	7	8
She Dives sizes	1	2	3	4	5	6		

TECHNICAL FEATURES

Thickness	0.5mm							
Fabric Type	Neoprene							
Man sizes		2	3	4	5	6	7	8
She Dives sizes	1	2	3	4	5	6		

FLEXA CORE

Code: **412342 Man**

Code: **412343 She Dives**

- ULTRA-ELASTIC SHORTY WITH ATTACHED HOOD FOR GREATER THERMAL COMFORT
- COMPLETES THE FAMILY OF FLEXA SUITS, BUT CAN ALSO BE USED WITH ANY MARES SUIT
- CAN BE USED AS A STAND-ALONE PRODUCT
- INTEGRATED BUCKLE ON THE LEG FOR HOOD ATTACHMENT OR ATTACHMENT OF A CUSTOMIZED POCKET (SOLD SEPARATELY)



2ND SKIN SHORTY

Code: **412371 Man**

Code: **412372 She Dives**

- MADE WITH METALITE (HEAT REFLECTING AND HEAT RETAINING PROPERTIES)
- BEST WORN UNDERNEATH THE STEAMER
- EXTREMITIES IN GLIDE SKIN ON THE LEGS, TOGETHER WITH THE ERGONOMIC NECK CLOSURE AND THE 0,5 MM HOOD, CREATE AN EXTREMELY WATER RESISTANT SHORTY
- CAN ALSO BE USED AS A SNORKELING SUIT



TECHNICAL FEATURES

Thickness	4mm							
Fabric Type	Ultrastretch Neoprene							
Man sizes		2	3	4	5	6	7	8
She Dives sizes	1	2	3	4	5	6		

TECHNICAL FEATURES

Thickness	1.5mm							
Fabric Type	Ultrastretch Neoprene / Metalite Inside							
Man sizes		2	3	4	5	6	7	8
She Dives sizes	1	2	3	4	5	6		

REEF SHORTY

Code: **412384 Man**

Code: **412385 She Dives**

- COOL, STYLISH, LIGHTWEIGHT AND EXCELLENT FOR WARM WATER DIVES AND LONG SNORKELING SESSIONS
- HIGH LEVEL OF FINISH ON ALL DETAILS INCLUDING NECK CUSTOM CLOSURE AND BACK ZIP PULLER
- ERGONOMIC COMFORTABLE VELCRO CLOSURE AND BACK ZIP PULLER
- AQUASTOP FINISH ON ARMS AND THIGHS



TECHNICAL FEATURES

Thickness	2.5mm							
Fabric Type	Neoprene							
Man sizes		2	3	4	5	6	7	8
She Dives sizes	1	2	3	4	5	6		

FLEXA VEST

Code: **412537 Man**

Code: **412538 She Dives**

- INCREASES HEAT RETENTION IN COLD WATER DIVING
- IDEAL FOR WEARING UNDER FLEXA SUITS
- LOW COMPRESSION NEOPRENE ON THE TOP OF THE HEAD



TECHNICAL FEATURES

Thickness	3mm							
Fabric Type	Ultrastretch Neoprene							
Man sizes		2	3	4	5	6	7	8
She Dives sizes	1	2	3	4	5	6		

GOLD SKIN

Code: **412411 Man ♦**

Code: **412412 She Dives**

- NEOPRENE WITH OUTER COVERING AND OPEN-CELL INTERIOR WITH GOLD SKIN COATING



TECHNICAL FEATURES

Thickness	2mm							
Fabric Type	Neoprene - Gold Skin coated interior							
Man sizes		2	3	4	5	6	7	8
She Dives sizes	1	2	3	4	5			

SCUBA RANGER

Code: **412373 Jacket**

Code: **412374 Long John**

- DEDICATED KID'S TWIN SUIT: LONG-SLEEVED, HOODED JACKET AND LONG JOHN (SOLD SEPARATELY)
- JACKET AND LONG JOHN CAN BE WORN TOGETHER OR SEPARATELY ACCORDING TO WATER TEMPERATURE
- DEDICATED DESIGN AND COLOR FOR KIDS: SHOULDERS AND ZIPPERS IN LIME
- VARIED THICKNESSES STRATEGICALLY PLACED IN DIFFERENT AREAS OF THE BODY FOR COMFORT AND FREEDOM OF MOVEMENT
- EASY DONNING AND DOFFING



TECHNICAL FEATURES

Thickness	5mm			
Fabric Type	Neoprene			
Sizes	-3	-2	-1	0
Ages*	8Y	10Y	12Y	14Y

* Ages indicated in the table are purely for reference

THERMO GUARD SHORTY

Code: **412536 BL (Man)** ♦

Code: **412536 AQ (She Dives)** ♦

Code: **412536 YL (Junior)** ♦

- ALWAYS HANDY
- EXTREMELY VERSATILE PRODUCT THAT CAN BE USE AS A FIRST LAYER OR AS A STANDALONE IN WARM WATERS
- METALITE FABRIC INSIDE
- THE PERFECT CHOICE FOR SWIMMING POOLS OR SNORKELING
- JUNIOR SIZES WITH DEDICATED GRAPHICS AVAILABLE



UPF 50+

TECHNICAL FEATURES

Thickness	1.5mm										
Fabric Type	Neoprene / Metalite Inside										
Man sizes (BL)					2	3	4	5	6	7	8
She dives sizes (AQ)				1	2	3	4	5	6		
Junior sizes (YL)	-3	-2	-1	0							

THERMO GUARD

LONG SLEEVE

Code: **412550 Man** ♦

Code: **412554 She Dives** ♦

SHORT SLEEVE

Code: **412549 Man** ♦

Code: **412553 She Dives**

SHORTS

Code: **412534 Man**

Code: **412535 She Dives** ♦

- BODY CORE COMFORT FOR ALL WATER SPORTS
- EASY TO WEAR AND SMOOTH ON YOUR SKIN
- METALITE COATING HELPS RETAIN HEAT FOR SUPERIOR WARMTH
- FLAT STITCHING FOR COMFORTABLE CONTACT WITH YOUR BODY



UPF 50+

TECHNICAL FEATURES

Thickness	0.5mm							
Fabric Type	Neoprene / Metalite Inside							
Man sizes		XS	S	M	L	XL	XXL	3XL
She Dives sizes	XXS	XS	S	M	L	XL	XXL	

RASH GUARD UPF BLOCK 80+Code: **412413 Man BL** ♦Code: **412414 She Dives LIL** ♦Code: **412415 Junior YL** ♦

- LONG-SLEEVED RASH GUARD UPF BLOCK 80+ AVAILABLE IN A MAN'S, WOMAN'S AND JUNIOR VERSION WITH DEDICATED CUT
- COOL, LIGHTWEIGHT MATERIAL
- FAST DRYING
- FLAT SEAM CONSTRUCTION FOR COMFORT

RASH GUARD**LONG SLEEVE**Code: **412551 Man**Code: **412555 She Dives****SHORT SLEEVE**Code: **412552 Man**Code: **412556 She Dives****SHORTS**Code: **412547 Man**Code: **412548 She Dives**

- FOR ALL KINDS OF WATER SPORTS
- COOL, LIGHTWEIGHT MATERIAL
- FAST DRYING
- FLAT SEAM CONSTRUCTION FOR COMFORT

**UPF 80+****TECHNICAL FEATURES**

Thickness	-						
Fabric Type	Nylon / Spandex						
Man sizes		XS	S	M	L	XL	XXL
She Dives sizes	XXS	XS	S	M	L	XL	XXL
Sizes Junior			S	M	L	XL	

UPF 60+**TECHNICAL FEATURES**

Thickness	-						
Fabric Type	Polyester / Spandex						
Man sizes		XS	S	M	L	XL	XXL
She Dives sizes	XXS	XS	S	M	L	XL	XXL

RASH GUARD LOOSE FIT

LONG SLEEVE

Code: **412539 Man LM / Man BL** ♦

Code: **412541 She Dives LIL / She Dives AQ**

SHORT SLEEVE

Code: **412540 Man LM / Man BL**

Code: **412542 She Dives LIL / She Dives AQ**

- BE COOL AND PROTECTED
- LOOSE FIT STYLE
- NEW VIBRANT COLORS
- FAST DRYING
- IDEAL AS AN UNDERGARMENT OR BY ITSELF
- FLAT SEAM CONSTRUCTION FOR COMFORT



UPF 50+

TECHNICAL FEATURES

Thickness	-							
Fabric Type	Nylon / Spandex							
Man sizes		XS	S	M	L	XL	XXL	3XL
She Dives sizes	XXS	XS	S	M	L	XL	XXL	

TRILASTIC STEAMER

Code: **412545 Man** ♦

Code: **412546 She Dives**

- SNORKELING WITHOUT WORRIES
- PROTECTS ALMOST YOUR ENTIRE BODY SURFACE FROM SOLAR RAYS OR OCCASIONAL SEA ENCOUNTERS
- CAN BE USED AS THE PERFECT LAYER UNDER A RENTAL SUIT
- STIRRUPS EQUIPPED FOR SECURE PLACEMENT



UPF 50+

TECHNICAL FEATURES

Thickness	-							
Fabric Type	Polyester / Spandex							
Man sizes		XS	S	M	L	XL	XXL	3XL
She Dives sizes	XXS	XS	S	M	L	XL	XXL	

PHOTOSUIT

Code: **412525**

- IDEAL FOR DIVE PHOTOGRAPHY
- TO BE WORN OVER A WETSUIT
- 4 COLORS AVAILABLE



UPF 50+

TECHNICAL FEATURES

Thickness	-		
Fabric Type	Polyester / Spandex		
Sizes Unisex	2	3	4

RASH GUARD KID**LONG SLEEVE**Code: **412543 Boy**Code: **412544 Girl****SHORT SLEEVE**Code: **412559 Boy**Code: **412560 Girl**

- COOL, LIGHTWEIGHT MATERIAL
- FAST DRYING
- FLAT SEAM CONSTRUCTION FOR COMFORT
- DEDICATED KID CUT

**RASH GUARD JUNIOR****LONG SLEEVE**Code: **412500 Boy**Code: **412501 Girl****SHORT SLEEVE**Code: **412506 Boy**Code: **412507 Girl**

- COOL, LIGHTWEIGHT MATERIAL
- FAST DRYING
- FLAT SEAM CONSTRUCTION FOR COMFORT
- DEDICATED JUNIOR CUT

**UPF 50+****TECHNICAL FEATURES**

Thickness	-				
Fabric Type	Polyester / Spandex				
Sizes	XS	S	M	L	XL
Ages*	2/3	3/4	4/5	5/6	6/7

UPF 50+**TECHNICAL FEATURES**

Thickness	-				
Fabric Type	Polyester / Spandex				
Sizes	XS	S	M	L	XL
Ages*	8/9	9/10	10/11	11/12	12/13

* Ages indicated in the table are purely for reference

ULTRA SKIN

MAN

Code: **412394 Steamer**Code: **412389 Long Sleeve**Code: **412393 Short Sleeve**Code: **412391 Sleeveless with Hood**Code: **412392 Sleeveless without Hood**Code: **412398 Shorts**Code: **412423 Long Pants**

SHE DIVES

Code: **412420 Steamer**Code: **412397 Long Sleeve**Code: **412419 Short Sleeve ♦**Code: **412399 Sleeveless with Hood**Code: **412418 Sleeveless without Hood ♦**Code: **412390 Shorts ♦**Code: **412424 Long Pants**

- INNOVATIVE UNDERSUIT WITH THERMAL COMFORT PROPERTIES
- ULTRASKIN TECHNOLOGY COMBINES 3 DIFFERENT LAYERS: FLEECE INSIDE FOR THE BEST COMFORT, A WINDPROOF AND BREATHABLE MEMBRANE AND A STRETCHY LAYER OUTSIDE FOR THE PERFECT FIT AND FREEDOM OF MOVEMENT
- SUITABLE AS A WETSUIT OR DRY SUIT UNDERSUIT
- A FULL RANGE OF STYLES AND ACCESSORIES TO MEET EVERYONE'S NEEDS, IN MALE AND FEMALE VERSIONS



UPF 50+

TECHNICAL FEATURES

Thickness	-						
Fabric Type	Outer: Nylon/Elastan - Mid: PU Membrane - Inner: Polyester/Elastan						
Man sizes		S	M	L	XL	XXL	3XL
She Dives sizes	XS	S	M	L	XL	XXL	

ULTRA SKIN ACCESSORIES

GLOVES

Code: 412728



TECHNICAL FEATURES

Thickness	-					
Sizes	XS	S	M	L	XL	XXL

SOCKS

Code: 412642



TECHNICAL FEATURES

Thickness	-						
Sizes	XS	S	M	L	XL	XXL	3XL


LONG HOOD

Code: 412825



TECHNICAL FEATURES

Thickness	-						
Sizes	XS	S	M	L	XL	XXL	3XL



FLEXA FIT 6.5Code: **412725****TECHNICAL FEATURES**

Thickness	6,5 mm					
Sizes	XXS	XS	S	M	L	XL

FLEXA FIT 5Code: **412724****TECHNICAL FEATURES**

Thickness	5 mm					
Sizes	XXS	XS	S	M	L	XL

SEAL SKINCode: **412727****TECHNICAL FEATURES**

Thickness	5.3 mm					
Sizes	XXS	XS	S	M	L	XL

FLEXA CLASSICCode: **412723****TECHNICAL FEATURES**

Thickness	3 mm					
Sizes	XXS	XS	S	M	L	XL

FLEXA TOUCHCode: **412726****TECHNICAL FEATURES**

Thickness	2 mm		
Sizes	XS/S	M/L	XL/XXL

AMARACode: **412722****TECHNICAL FEATURES**

Thickness	2 mm					
Sizes	XXS	XS	S	M	L	XL

FLEXA DS 6.5Code: **412638****TECHNICAL FEATURES**

Thickness	6,5 mm						
Sizes	5	6	7	8	9	10	11

FLEXA DS 5Code: **412637****TECHNICAL FEATURES**

Thickness	5 mm											
Sizes	5	6	7	8	9	10	11	12	13			

SEAL SKINCode: **412640****TECHNICAL FEATURES**

Thickness	5 mm							
Sizes	5	6	7	8	9	10	11	12

CLASSIC NGCode: **412634****TECHNICAL FEATURES**

Thickness	5 mm											
Sizes	3	4	5	6	7	8	9	10	11	12	13	

EQUATOR BOOTSCode: **412636****TECHNICAL FEATURES**

Thickness	2 mm											
Sizes	3	4	5	6	7	8	9	10	11	12	13	

PURE BOOTSCode: **412639****TECHNICAL FEATURES**

Thickness	2 mm											
Sizes	3	4	5	6	7	8	9	10	11	12	13	

CLASSIC SOCK

Code: **412635**



TECHNICAL FEATURES

Thickness	3 mm					
Sizes	XXS	XS	S	M	L	XL

FLEXA HOOD

Code: **412823**



TECHNICAL FEATURES

Thickness	6-4-3 mm					
Size	XS	S	M	L	XL	

SMART POCKET

Code: **412341**

- CAN BE INSTALLED ON ALL NEW MARES SUITS FEATURING THE INTEGRATED SMART POCKET SYSTEM VIA AN EASY AND INTUITIVE CLIP SYSTEM
- INTEGRATED GRAPHIC PERFECTLY MATCHES ALL MARES SUITS
- GRIP PROTECTION SYSTEM TO AVOID LOOSENING WHEN DIVING OR DAMAGE TO THE SUIT



NEOPRENE GLUE

Code: **415108**

- IDEAL FOR URGENT AND QUICK WETSUIT REPAIRS
- MADE IN COMPLIANCE WITH LATEST REGULATIONS
- 20ML



MINERAL TALCUM

Code: **415748 Desk Exhibitor (6pcs)**

- HIGH QUALITY TALCUM TO PROTECT LATEX AND RUBBER PARTS
- IDEAL FOR MAINTENANCE AND THE CARE OF DRYSUITS AND WETSUITS
- MAKES DONNING SUITS EASIER
- PREVENTS IRRITATION
- 125G



TIZIP LUBRICANT STICK

Code: **415728**

- FOR SEMI-DRY AND DRY TIZIP
- TO PREVENT DRYING
- TO INCREASE DURABILITY






Suit	Flexa Graphene		Ice Skin		Flexa Z-Therm		Seal Skin		Flexa					
Model	Man	She Dives	Man	She Dives	Man	She Dives	Man	She Dives	Man	She Dives	Man	She Dives	Man	She Dives
Code	412078	412079	412102	412103	412367	412368	412369	412370	412337	412339	412338	412340	412348	412349
Thickness	7mm		7mm		7mm		6mm		8.6.5mm		5.4.3mm		3.2.2mm	
Sizes	2-3-3L-3W-4-4L-4W-5-5W-6-7	1-2-3-3L-3W-4-4L-4W-5	2-3-4-5-6-7	1-2-3-4-5	2-3-4-5-6-7-8	1-2-3-4-5	2-3-4-5-6-7-8	1-2-3-4-5-6	2-3-4-5-6-7-8	1-2-3-4-5-6	2-3-4-5-6-7-8	1-2-3-4-5-6	2-3-4-5-6-7-8	1-2-3-4-5-6
For cold water	■		■		■		■		■		■		■	
For temperate water											■			
For warm water													■	
Back Protection System									■		■		■	
Instruments Grip	■		■		■		■		■		■		■	
Masterseal Zip	■		■										■	
G-Lock Zipper					■									
S-Lock Zipper							■							
Zipper on Ankles	■						■							
Double Cone	■						■							
Graphene Plush	■													
Thermo Plush			■						■		■		■	
Hood Included	■		■		■		■						■	
Hood Keeper							■		■		■		■	
Smart Pocket							■		■		■		■	
Integrated Pocket	■		■		■									



Suit	Pioneer		Dual		Reef		Coral		Scuba Ranger	
Model	Man	She Dives	Man	She Dives	Man	She Dives	Man	She Dives	Jacket	Long John
Code	412346	412347	412344	412345	412375	412376	412382	412383	412386	412387
Thickness	7mm		5mm		5mm		3mm		0.5mm	
Sizes	2-3-4-5-6-7-8	1-2-3-4-5-6	2-3-4-5-6-7-8	1-2-3-4-5-6	2-3-4-5-6-7-8	1-2-3-4-5-6	2-3-4-5-6-7-8	1-2-3-4-5-6	-3- -2- -1-0	
For cold water	■									
For temperate water			■		■				■	
For warm water							■		■	
Instruments Grip	■		■		■					
Zipper on Ankles	■								■	
Double Cone	■									
Hood Included	■		■						■	
Hood Keeper	■		■							

SIZE CHARTS




WETSUIT 5 +/- MAN

IT	2	3	3W	3L	4	4W	4L	5	5W	5L	6	7	8
EU	S	M	MW	MLO	ML	MLW	MLLO	L	LW	LLO	XL	2XL	3XL
USA		S	SW	ST	M	MW	MT	L	LW	LT	XL	XXL	XXXL
1	175/5'9"	178/5'10"	178/5'10"	181/5'11"	181/5'11"	181/5'11"	184/6"	184/6"	184/6"	187/6'2"	187/6'2"	190/6'3"	193/6'4"
2	93/37"	97,5/38"	101,5/40"	97,5/38"	101,5/40"	105,5/42"	101,5/40"	105,5/42"	110/43"	105,5/42"	110/43"	114/45"	118/46"
3	73/29"	77,5/31"	81,5/32"	77,5/31"	81,5/32"	86/34"	81,5/32"	86/34"	90/35"	86/34"	90/35"	94/37"	98/39"
4	91/36"	95,5/38"	99,5/39"	95,5/38"	99,5/39"	104/41"	99,5/39"	104/41"	108/43"	104/41"	108/43"	112/44"	116/46"

WETSUIT 3 +/- MAN

IT	2	3	4	5	6	7	8
EU	S	M	ML	L	XL	2XL	3XL
USA		S	M	L	XL	XXL	XXXL
1	176/5'9"	179/5'10"	182/6"	185/6'1"	188/6'2"	191/6'3"	194/6'4"
2	92/36"	96,5/38"	100,5/40"	105/41"	109/43"	113,5/45"	117,5/46"
3	71,5/28"	75,5/30"	80/32"	84/33"	88,5/35"	92,5/36"	97/38"
4	91/36"	95/37"	99,5/39"	103,5/41"	108/43"	112/44"	116/46"




WETSUIT 5 +/- SHE DIVES

IT	1	2	3	3W	3L	4	4W	4L	5	6	7
EU	XS	S	M	MW	MLO	L	LW	LLO	XL	2XL	3XL
USA	4	6	8	8W	8T	10	10W	10T	12	14	16
1	164/5'5"	167/5'6"	170/5'7"	170/5'7"	173/5'8"	173/5'8"	173/5'8"	176/5'9"	176/5'9"	179/5'10"	182/6"
2	77,5/31"	81,5/32"	85,5/34"	89,5/35"	85,5/34"	89,5/35"	95,3/37"	89,5/35"	95,3/37"	97,5/38"	91/36"
3	67/26"	71/28"	75/30"	79/31"	75/30"	79/31"	83/33"	79/31"	83/33"	87/34"	91/36"
4	84/33"	88/35"	92/36"	96/38"	92/36"	96/38"	100/39"	96/38"	100/39"	104/41"	108/43"

WETSUIT 3 +/- SHE DIVES

IT	1	2	3	4	5	6	7
EU	XS	S	M	L	XL	2XL	3XL
USA	4	6	8	10	12	14	16
1	163/5'4"	166/5'6"	169/5'7"	172/5'8"	175/5'9"	178/5'10"	181/5'10"
2	75/30"	79/31"	83/33"	87/34"	91/36"	95/37"	99/39"
3	66/26"	70/28"	74/29"	78/31"	82/32"	86/34"	90/35"
4	82/32"	86/34"	90/36"	94/37"	98/39"	102/40"	106/42"



SCUBA RANGER

	-3	-2	-1	0
1	119 / 47"	129 / 50"	140 / 55"	150 / 59"
2	59 / 23"	64 / 25"	70 / 27"	75 / 30"
3	55 / 21"	59 / 23"	63 / 24"	67 / 26"
4	65 / 26"	73 / 29"	77 / 30"	85 / 33"


THERMO GUARD SHORTY UNISEX

IT	EU	CHEST	WAIST	HIPS	TOLERANCE
-3	8 A	56 / 22"	52 / 20"	66 / 26"	± 2 / ± 0.8"
-2	10 A	61 / 24"	56 / 22"	75 / 30"	± 2 / ± 0.8"
-1	12 A	67 / 26"	60 / 24"	79 / 31"	± 2 / ± 0.8"
0	14 A	73 / 29"	65 / 26"	87 / 34"	± 2 / ± 0.8"
1	XS	86 / 34"	65 / 26"	85 / 33"	± 2 / ± 0.8"
2	S	90 / 35"	70 / 28"	89 / 35"	± 2 / ± 0.8"
3	M	94 / 37"	74 / 29"	94 / 37"	± 2 / ± 0.8"
4	L	99 / 39"	78 / 31"	98 / 39"	± 2 / ± 0.8"
5	XL	103 / 41"	82 / 32"	102 / 40"	± 2 / ± 0.8"
6	XXL	107 / 42"	86 / 34"	106 / 42"	± 2 / ± 0.8"
7	3XL	111 / 44"	91 / 36"	111 / 44"	± 2 / ± 0.8"

NEOPRENE BOOTS


	EUROPE	USA	JAPAN
4XS	34/35	3	-
3XS	35/36	4	-
2XS	36/37	5	23 cm
XS	38	6	24 cm
S	39/40	7	25 cm
M	40/41	8	26 cm
L	41/42	9	27 cm
XL	43	10	28 cm
2XL	44/45	11	29 cm
3XL	45/46	12	-
4XL	47	13	-

SIZE CHARTS



ULTRASKIN MAN

	S	M	L	XL	2XL	3XL
1	170.5-178	173-180.5	175.5-183	178-185.5	180.5-188	183-190.5
	5'7"-5'10"	5'8"-5'11"	5'9"-6"	5'10"-6'1"	5'11"-6'2"	6'-6'3"
2	97	104	110	116	122	128
	38.2"	40.9"	43.3"	45.7"	48"	50.4"
3	88	95	101	107	113	119
	34.6"	37.4"	39.8"	42.1"	44.5"	46.8"
4	100	107	113	119	125	131
	39.4"	42.1"	44.5"	46.8"	49.2"	51.6"
5	51	53	56	59	62	65
	20.1"	20.9"	22"	23.2"	24.4"	25.6"



ULTRASKIN SHE DIVES

	XS	S	M	L	XL	2XL	3XL
US	4	6	8	10	12	14	16
1	152.5-160	157.5-165	162.5-170	167.5-175.5	172.5-180.5	177.5-185.5	183 / 190.5
	5'-5'3"	5'2"-5'5"	5'4"-5'7"	5'6"-5'9"	5'8"-5'11"	5'10"-6'1"	6' / 6'3"
2	88	94	100	106	112	119	125
	34.6"	37"	39.4"	41.7"	44.1"	47"	49.2"
3	68	74	80	86	93	99	105
	26.7"	29.1"	31.5"	33.8"	36.6"	39"	41.3"
4	96	102	109	114	121	127	133
	37.7"	40.1"	42.9"	44.9"	47.6"	50"	52.4"
5	49	52	55	57	60	62	65
	19.3"	20.5"	21.6"	22.4"	23.6"	24"	25.6"

ULTRASKIN ACCESSORIES

SOCKS	XS	S	M	L	XL	2XL	3XL
SHOE SIZE FEMALE (AU/US)	4-5	6-7	8-9	10-11	12-13		
SHOE SIZE MALE (AU/US)			6-7	8-9	10-11	12-13	14-15
EUROPE MALE/FEMALE	37-38	39	40-41	42	43-44	45-46	47-48

GLOVES	XS	S	M	L	XL	2XL
	19.5	20.5	21.5	22.5	23.5	24.5
PALM CIRCUMFERENCE	7.5"	8"	8.5"	9"	9.5"	10"

How to measure gloves: measure circumference of your hand around your palm.

HOOD	XS	S	M	L	XL	2XL	3XL
	46.5-48.5	49-51	51.5-53.5	54-56	56.5-58.5	59-61	61.5-63.5
FOREHEAD	18.3-19"	19.2-20"	20.7-21"	21.3-22"	22.2-23"	23.2-24"	24.2-25"



FINS

◇ Please note that some sizes/colors are only available while stocks last

AVANTI PURE

Code: 410027



- A 2-MATERIAL, OPEN HEEL FIN
- CAN BE USED BAREFOOT OR WITH MARES PURE BOOTIES
- SOFT AND COMFORTABLE FOOT POCKET
- ERGONOMIC HEEL PAD (PATENT PENDING) MINIMIZES PRESSURE ON THE ACHILLES' HEEL
- SPECIAL BUNGEE STRAP FOR MAXIMUM COMFORT DURING USE, WHEN DONNING AND DOFFING
- BUNGEE GUIDES SO THE STRAP IS ALWAYS PLACED IN THE RIGHT POSITION

COLOR VARIATIONS



TECHNICAL FEATURES

Sizes	XXS	SM	ML	LXL
Fit	30/34	35/38	39/43	44/47
Blade	27cm 10.6in	29.5cm 11.6in	32cm 12.6in	34.5cm 13.6in

DETAILS



Soft, comfortable footpocket



Bungee guides to avoid footpocket pivoting



Ergonomic heel pad



Interchangeable bungee strap

AVANTI HC PRO

Code: 410347



- SOFT ERGONOMIC FOOT POCKET WITH LATERAL INSERTS
- HYPERCHANNEL-INDUCED THRUST EFFECT WITH AN INCREASED PERFORMANCE/ EFFORT RATIO
- RIDGES ON THE BACK OF THE BLADE: REINFORCE THE BLADE WHILE OPTIMIZING PIVOTING GEOMETRY
- OVERMOLDING ON THE BACK RIB FURTHER OPTIMIZES THRUST AND PERFORMANCE

COLOR VARIATIONS



TECHNICAL FEATURES

Sizes	036	038	040	042	044	046
Blade	32.5cm 12.8in	34.5cm 13.5in	36cm 14.2in	38cm 15in	40cm 15.7in	42cm 16.5in

DETAILS



Footpocket with lateral inserts



Ridges on the back



2 wider channels for increased thrust



Hyperchannel

AVANTI HC

Code: 410346

- SOFT ERGONOMIC FOOT POCKET WITH LATERAL INSERTS
- HYPERCHANNEL-INDUCED THRUST EFFECT WITH AN INCREASED PERFORMANCE/EFFORT RATIO
- RIDGES ON THE BACK OF THE BLADE: REINFORCE THE BLADE WHILE OPTIMIZING PIVOTING GEOMETRY



COLOR VARIATIONS



TECHNICAL FEATURES

Sizes	036	038	040	042	044	046
Blade	32.5cm 12.8in	34.5cm 13.5in	36cm 14.2in	38cm 15in	40cm 15.7in	42cm 16.5in

DETAILS



Footpocket with lateral inserts



Overmolded ridges on the back



2 wider channels for increased thrust



Hyperchannel

EXCITE / EXCITE PRO

Code: **410025 Excite** ♦Code: **410026 Excite Pro**

- INNOVATIVE MATERIALS FOR A MORE HARMONIOUS THRUST
- ENHANCED CHANNEL THRUST
- EXCITE: OPTIMIZED FOR LOW FATIGUE
- EXCITE PRO: OPTIMIZED FOR MAXIMUM THRUST
- COLOR COORDINATED BUNGEE STRAP



X-STREAM

Code: **410019** ♦

- BUNGEE STRAP
- RIDDLED FOOT POCKET AVOIDS "PARACHUTE EFFECT"
- NEXT GENERATION OPB
- TRI-MATERIAL BLADE CONSTRUCTION REDUCES TURBULENCE
- CHANNEL THRUST TECHNOLOGY



COLOR VARIATIONS EXCITE



YL

BL

COLOR VARIATIONS EXCITE PRO



GR

COLOR VARIATIONS



RD

YL

BL

TBK

WH

JPK*

TECHNICAL FEATURES

Sizes	XS	S	R	XL
Fit	34/37	37/41	41/44	44/48
Blade	36cm 14.1in	39cm 15.3in	40cm 15.7in	40cm 15.7in

TECHNICAL FEATURES

Sizes	XS	S	R	XL
Fit	34/37	37/41	41/44	44/48
Blade	34.5cm 13.6in	36cm 14.2in	37cm 14.6in	38cm 15in

* ABS Buckle

AVANTI EXCEL

Code: **410316**

- ANATOMICAL FOOT POCKET
- WHALE TAIL DESIGN FOR POWERFUL FOOT-BLADE POWER TRANSMISSION
- TRI-MATERIAL BLADE WITH CHANNEL THRUST TECHNOLOGY



VOLO RACE

Code: **410313**

- ANATOMICAL FOOT POCKET
- OPB SYSTEM FOR EASY KICKING EFFICIENCY
- CHANNEL THRUST TECHNOLOGY



COLOR VARIATIONS



TECHNICAL FEATURES

Sizes	034	036	038	040	042	044	046
Blade	29.5cm 11.6in	30cm 11.8in	31cm 12.2in	32cm 12.6in	33cm 13in	34cm 13.4in	35.5cm 14in

COLOR VARIATIONS



TECHNICAL FEATURES

Sizes	036	038	040	042	044	046
Blade	33.5cm 13.2in	33.5cm 13.2in	36.5cm 14.5in	37cm 14.6in	39.5cm 15.6in	39.5cm 15.6in

AVANTI QUATTRO +

Code: 410003

- BUNGEE STRAP
- HI-FLEX MATERIAL OPTIMIZES BLADE'S EFFICIENCY
- 4 CHANNELS FOR GREATER THRUSTING POWER
- STABILIZING TRIM TABS



AVANTI QUATTRO POWER

Code: 410301

- ANATOMICAL FOOT POCKET
- RUBBERIZED SIDE RIBS
- 4 CHANNELS FOR GREATER THRUSTING POWER
- LONG BLADE, IDEAL FOR BOTH SCUBA AND APNEA



COLOR VARIATIONS



TECHNICAL FEATURES

Sizes	S	R	XL
Fit	37/41	41/44	44/48
Blade	37cm 14.6in	38cm 15in	39cm 15.3in

COLOR VARIATIONS



TECHNICAL FEATURES

Sizes	040	042	044
Blade	44cm 17.3in	45.5cm 17.9in	45.5cm 17.9in

AVANTI SUPERCHANNEL OH

Code: **410012**

- BUNGEE STRAP
- ANATOMICAL OPEN HEEL FOOT POCKET
- 3 CHANNEL DESIGN FOR ADDED PROPULSION
- RUGGED AND DURABLE CONSTRUCTION



COLOR VARIATIONS



TECHNICAL FEATURES

Sizes	S	R	XL
Fit	37/41	41/44	44/48
Blade	35cm 13.8in	37cm 14.6in	37cm 14.6in

AVANTI SUPERCHANNEL FF

Code: **410317**

- ORTHOPEDIC FOOT POCKET
- TECRALENE BLADE FOR SUPERIOR PERFORMANCE AND DURABILITY
- 3 CHANNEL DESIGN FOR ADDED PROPULSION



COLOR VARIATIONS



TECHNICAL FEATURES

Sizes	036	038	040	042	044	046
Blade	32cm 12.6in	33cm 13in	34cm 13.4in	35.5cm 14in	36.5cm 14.5in	37cm 14.6in

AVANTI TRE

Code: **410302**

- ORTHOPEDIC FOOT POCKET
- 3 CHANNELS FOR MAXIMUM THRUST
- MID-SIZE BLADE WITH DURABLE CONSTRUCTION
- STABILIZING TRIM TABS



COLOR VARIATIONS



YL

BL

BK

TECHNICAL FEATURES

Sizes	036	038	040	042	044	046
Blade	31cm 12.2in	33cm 13in	34cm 13.4in	36cm 14.2in	36.5cm 14.5in	37.5cm 14.8in

BUNGEE STRAP

Code: **415363 (PAIR)**

- SMART ALTERNATIVE TO STEEL SPRING STRAPS
- 3 SIZES: XS/S - R - XL
- 5 COLOR OPTIONS: BK-WH-BL-YL-LM
- 2 EXTENSIONS FOR A BETTER FIT
- ERGONOMIC HEEL COVER
- WIDE LOOP TO BE USED EVEN WITH THICK GLOVES



ABS PLUS BUCKLES

Code: **415337 (PAIR)**

- USER FRIENDLY BUCKLE SYSTEM
- EASY DONNING AND DOFFING WITH THICK GLOVES
- CAN BE MOUNTED ON ALL MARES OPEN HEEL FINs



FIN STRAP

Code: **415120**

- UNIVERSAL FIN STRAP FOR OPEN HEEL FINs
- WIDTH: 30 MM/1.2 IN - LENGTH: 460 MM/18.1 IN
- HIGH QUALITY VULCANIZED RUBBER MATERIAL



TECHNICAL SPECIFICATIONS



mares

Fins	Avanti Pure	Avanti HC Pro	Avanti HC	Excite Pro	Excite	X-Stream	Avanti Excel	Volo Race	Avanti Quattro +	Avanti Quattro Power	Avanti Superchannel OH	Avanti Superchannel FF	Avanti Tre
Code	410027	410347	410346	410026	410025	410019	410316	410313	410003	410301	410012	410317	410302
Sizes	XXS SM ML LXL	036 038 040 042 044 046	036 038 040 042 044 046	XS S R XL	XS S R XL	XS S R XL	034 036 038 040 042 044 046	036 038 040 042 044 046	S R XL	040 042 044	S R XL	036 038 040 042 044 046	036 038 040 042 044 046
Colors	● BL ○ WH ● YL	● BKB ● BKR ● BKY ○ WHG ○ WHP	● BL ○ GR ● YL	● GR	● BL ○ YL	● BL ● JPK** ● RD ● TBK ○ WH ○ YL	● BL ○ SI ● YL	● BGR ● BL ● YL	● BK ● BL ● FL ● LM ○ WH ○ YL	● BK	● BK ● BL ● YL	● BL ● RD ○ WH ○ YL	● BK ● BL ● YL
OPB - Optimized Pivoting Blade				■		■		■					
Channel Thrust	■	■	■	■		■	■	■	■	■	■	■	■
Tri-Material Construction		■				■	■						
Thermoplastic Rubber / Technopolymers				■		■	■	■					
Thermoplastic Rubber / Tecralene	■	■	■						■	■	■	■	■
Blade* Open Heel (Size R) Full Foot (Size 42)	Length 32cm 12.6in	38cm 15in	38cm 15in	40cm 15.7in		37cm 14.6in	33cm 13in	37cm 14.6in	38cm 15in	45.5cm 17.9in	37cm 14.6in	35.5cm 14in	36cm 14.2in
Thrust Area	550cm² 85.2in²	750cm² 116.2in²	750cm² 116.2in²	800cm² 124in²		750cm² 116.3in²	560cm² 86.8in²	680cm² 105.4in²	780cm² 120.9in²	960cm² 148.8in²	730cm² 113.1in²	650cm² 100.7in²	680cm² 105.4in²
Weight one fin without buckles (Size R or 42)	0.6kg 1.4lb	0.7kg 1.5lb	0.7kg 1.5lb	0.9kg 2lb		0.7kg 1.5lb	0.6kg 1.3lb	0.7kg 1.5lb	0.9kg 2lb	1kg 2.2lb	0.9kg 2lb	0.7kg 1.5lb	0.6kg 1.3lb

* From end of footpocket to end of blade
** ABS Buckle



MASKS & SNORKELS

◇ Please note that some sizes/colors are only available while stocks last

CHROMA UP

Code: **411066**

- TRI-MATERIAL FRAME WITH SOFT INSERT
- INCREASED OPTICAL CONE AND FIELD OF VISION TOWARDS THE TOP
- QUICK RELEASE LENS SYSTEM: NEW SMART MECHANISM (PATENT PENDING) TO REPLACE LENSES WITHOUT THE USE OF TOOLS
- MONO SILICONE SKIRT



COLOR VARIATIONS



WHKBK



BKYBK



BLWCL


ACCESSORIES

Optical lens	code 411193: from -1,0 to -7,0 and +1,5 to +3,0
--------------	---


DETAILS



Chrome plated inserts



Soft overmolding



Quick release lens system



Low profile frame for an extended field of vision

X-VISION ULTRA LIQUIDSKIN

Code: **411052** ♦Code: **411052 - Mirrored lenses**

- ULTRA CLEAR SKIRT (CLYLWCYL, CLBLWCBL)
- MIRRORED GOLD LENSE INCREASES VISIBILITY IN CLOUDY WATERS (GOGRKGRK)
- MIRRORED SILVER LENSE REDUCES THE REFLECTION OF SHALLOW WATER OR SANDY SEABED (SIGRKGRK)
- NEW BI-SILICONE SKIRT CONTOURED FOR ENHANCED FIT AND COMFORT
- LOW DRAG DESIGN
- SMALL RIBS AROUND NOSE TO RELIEVE PRESSURE
- FIELD OF VISION 20% WIDER THAN PREVIOUS VERSION
- X-SHAPED BI-SILICONE STRAP



X-VISION CHROME LIQUIDSKIN

Code: **411065**

- CHROME PLATED FRAME
- NEW BI-SILICONE SKIRT CONTOURED FOR ENHANCED FIT AND COMFORT
- LOW DRAG DESIGN
- SMALL RIBS AROUND NOSE TO RELIEVE PRESSURE
- X-SHAPED BI-SILICONE STRAP



COLOR VARIATIONS



COLOR VARIATIONS



ACCESSORIES

Optical lens	code 411194: from -1.0 to -7.0 and +1.5 to +3.0 (excludes Mirrored versions) ♦
--------------	--

ACCESSORIES

Optical lens	code 411194: from -1.0 to -7.0 and +1.5 to +3.0 ♦
--------------	---

X-VISIONCode: **411053**

- ULTRA-CLEAR SILICONE
- LOW DRAG DESIGN
- SMALL RIBS AROUND NOSE TO RELIEVE PRESSURE
- FIELD OF VISION 20% WIDER THAN PREVIOUS VERSION
- X-SHAPED SILICONE STRAP
- OPTICAL LENSES AVAILABLE

**X-VISION MID 2.0**Code: **411067**

- BI-MATERIAL FRAME
- MEDIUM SIZED SILICONE SKIRT
- WIDE VIEWING ANGLE
- OPTICAL LENSES AVAILABLE

**COLOR VARIATIONS**

YLWCL


WHKBK

WHCCL

LMKBK

BLWCL

BK7BK

COLOR VARIATIONS

BKWBK

BLWCL

PKWCL

ACCESSORIES

Optical lens	code 411194: from -1.0 to -7.0 and +1.5 to +3.0 ◊
--------------	---

ACCESSORIES

Optical lens	code 411186 from +1.5 to +3.0 and code 411187 from -1.0 to -6.0
--------------	---

ONE VISION

Code: **411046** ♦

Code: **411047 Sunrise** ♦

- SILICONE SKIRT
- LOW DRAG DESIGN
- SMALL RIBS AROUND NOSE TO RELIEVE PRESSURE
- SINGLE LENS DESIGN
- X-SHAPED SILICONE STRAP
- SUNRISE VERSION AVAILABLE



COMET

Code: **411059**

- MONOLENS MASK FOR CHILDREN
- SILICONE SKIRT
- AMPLE FIELD OF VISION
- LIGHTWEIGHT
- COMFORTABLE DETACHABLE BUCKLES



COLOR VARIATIONS



BK7BK RDKBK WBLCL WHKBK WYLCL WSICL

COLOR VARIATIONS SUNRISE



RDKBK WBLCL

COLOR VARIATIONS



BLWBL LMCL PKWPK YLCL

X-WIRECode: **411068**

- BI-MATERIAL FRAME WITH SOFT, WIRED PORTION
- SOFT WIRE PROVIDES SKIRT SUPPORT AND ENHANCES GRIP WHEN FITTING MASK
- EXTREMELY COMFORTABLE SILICONE SKIRT SUITED TO A VARIETY OF FACE SHAPES™



GRYBK

GRRBK

WHGBK

BLGCL

GRYCL

PURE WIRECode: **411069**

- INTERCHANGEABLE, BI-MATERIAL FRAME
- SOFT WIRED SKIRT PORTION PROVIDES SUPPORT AND ENHANCES GRIP WHEN FITTING MASK
- EXTREMELY COMFORTABLE SILICONE SKIRT SUITED TO A VARIETY OF FACE SHAPES

**COLOR VARIATIONS**

GRYBK

GRRBK

WHGBK

BLGCL

GRYCL

PURE WIRE FRAMECode: **415103**

- INTERCHANGEABLE, BI-MATERIAL FRAME
- FOR CUSTOMIZING THE PURE WIRE MASK
- SOFT, WIRED PORTION PROVIDES SUPPORT AND ENHANCES GRIP WHEN FITTING THE MASK

**COLOR VARIATIONS**

GRY

GRR

WHG

BLG

GRL

WHP

ESSENCE LIQUIDSKIN

Code: **411031**

- BI-SILICONE SKIRT FOR UNMATCHED COMFORT
- LIGHT AND FOLDABLE, ALSO IDEAL AS SPARE MASK
- AMPLE FIELD OF VISION
- X-SHAPED BI-SILICONE STRAP
- SINGLE LENS DESIGN



COLOR VARIATIONS



CLBL

BKGR

CLWH

TROPICAL

Code: **411246**

- FRAMELESS SILICONE MASK
- ULTRA COMFORTABLE SKIRT
- BUCKLES WITH SOFT SILICONE BUTTONS



COLOR VARIATIONS



YLYL

BLBL

RDRD

WHWH

PKPK

BKBK





CLCL

JUNOCode: **411056**

- FRAMELESS MONOLENS MASK
- SILICONE SKIRT
- SAME STYLE AS THE JUPITER BUT WITH A REGULAR SKIRT FIT
- PIVOTING BUCKLE ON SKIRT
- GREAT FIELD OF VISION

**JUPITER**Code: **411057**

- FRAMELESS MONOLENS MASK
- SILICONE SKIRT
- SAME STYLE AS THE JUNO BUT WITH AN "XL" SKIRT FIT FOR BIGGER FACES
- PIVOTING BUCKLE ON SKIRT
- GREAT FIELD OF VISION

**COLOR VARIATIONS****COLOR VARIATIONS**

I3Code: **411040**Code: **411042 Sunrise**

- SILICONE SKIRT
- SMALL RIBS AROUND NOSE TO RELIEVE PRESSURE
- GREAT PERIPHERAL VISION
- X-SHAPED SILICONE STRAP
- SUNRISE VERSION AVAILABLE

**COLOR VARIATIONS**

BWHCL BBKKBK BRDBK

COLOR VARIATIONS SUNRISE

BWHCL BBKKBK BRDBK

SPYDER**NEW**Code: **411074**

- FRAME WITH SOFT WIRED NOSE BRIDGE FOR ENHANCED GRIP WHEN FITTING THE MASK AND EQUALIZING
- EXTREMELY COMFORTABLE SILICONE SKIRT
- GUSSETS AT THE SIDE OF THE NOSE TO FACILITATE EQUALIZING

**COLOR VARIATIONS**

WHKKBK RDKKBK WHBCL

SEALHOUEETTECode: **411058** ♦

- BI-LENS MASK
- SILICONE SKIRT
- REDUCED DISTANCE BETWEEN LENSES AND EYES
- AMPLE FIELD OF VISION
- LIGHTWEIGHT
- SOFT SILICONE BUCKLES
- BUCKLES ON SKIRT

**X-FREE**Code: **411060**

- OVERMOLDED FRAME AND ANATOMICAL SILICONE SKIRT
- MINIMUM DISTANCE BETWEEN LENS AND EYES
- AMPLE FIELD OF VISION
- LIGHTWEIGHT
- ERGONOMIC MASK STRAP BUCKLES FOR EASY OPERATION
- EMBOSSED GRIP AREA ON THE NOSE FOR PERFECT FIT

**COLOR VARIATIONS**

YLBK


RDBK

LMBK

WHBK

WHBL

RDWH



BKWH

PKWH

COLOR VARIATIONS

WHBK

YLBK

LMBK

BLWH

PKWH


TANA

Code: **411055**

- SILICONE SKIRT
- SOFT TOUCH INSERTS ON THE FRAME FOR GRIP
- LIGHTWEIGHT
- SIDE GUSSETS AT THE NOSE TO FACILITATE EQUALIZING



COLOR VARIATIONS



EDGE

Code: **411070**

- STREAMLINED BI-MATERIAL FRAME
- SOFT AREAS FOR ENHANCED GRIP WHEN FITTING THE MASK
- STURDY, DURABLE CONSTRUCTION
- INTEGRATED BUCKLES ON FRAME
- EXTREMELY COMFORTABLE SILICONE SKIRT SUITED TO A VARIETY OF FACE SHAPES



COLOR VARIATIONS



PURE EDGE

Code: **411071**

- STREAMLINED BI-MATERIAL FRAME
- SOFT AREAS FOR ENHANCED GRIP WHEN FITTING THE MASK
- STURDY, DURABLE CONSTRUCTION
- INTEGRATED BUCKLES ON FRAME
- EXTREMELY COMFORTABLE SILICONE SKIRT SUITED TO A VARIETY OF FACE SHAPES



COLOR VARIATIONS



OPERACode: **411019** ♦

- SILICONE SKIRT
- STURDY AND DURABLE CONSTRUCTION
- OVAL SHAPED SILICONE STRAP
- OPTICAL LENSES AVAILABLE

**COLOR VARIATIONS**

RYLCL



RBLCL



TBK BK

MASK STRAP LIQUIDSKINCode: **415115 White**Code: **415116 Black**

- MASK STRAP FOR LIQUIDSKIN MASKS
- WIDTH : 14MM / 0.55IN - LENGTH: 580MM / 22.8IN
- BI-SILICONE MATERIAL

**MASK STRAP**Code: **415105 Clear**Code: **415106 Black**

- UNIVERSAL MASK STRAP
- WIDTH : 14MM / 0.55IN - LENGTH: 560MM / 22IN
- SILICONE MATERIAL

**STRAP COVER**Code: **412901**Code: **412902 She Dives**

- ONE SIZE FITS ALL
- SOFT NEOPRENE MASK STRAP COVER
- HELPS TO KEEP THE MASK STRAP IN PLACE
- HIGH COMFORT
- TANGLE-FREE DIVE

**ANTIFOG**Code: **415101**

- GEL TO PREVENT MASK LENSES FROM FOGGING UP
- OPEN/CLOSE CAP WITH BRUSH
- MADE IN COMPLIANCE WITH LATEST REGULATIONS
- 60ML

**ACCESSORIES**

Optical lens

code 411182: from -1 to -6 ♦

REBEL DRY

Code: **411487**

- 100% DRY TOP
- SLIDING SNORKEL KEEPER
- CORRUGATED SILICONE HOSE AND MOUTHPIECE
- EXHAUST VALVE
- SUITABLE FOR DIVING OR EXTENDED SNORKELING SESSIONS
- UNPARALLELED BREATHING COMFORT DUE TO THE INCREASED INTERNAL VOLUME OF THE BOTTOM HOUSING



COLOR VARIATIONS



BKLM BKBL BKRD BKYL BKWH WHRD WHPK WHBK

REBEL SPLASH

Code: **411488**

- SEMIDRY TOP WITH ANTI SPLASH
- SLIDING SNORKEL KEEPER
- CORRUGATED SILICONE HOSE AND MOUTHPIECE
- EXHAUST VALVE
- SUITABLE FOR DIVING OR EXTENDED SNORKELING SESSIONS
- UNPARALLELED BREATHING COMFORT DUE TO THE INCREASED INTERNAL VOLUME OF THE BOTTOM HOUSING



COLOR VARIATIONS



BKWH BKPK WHRD WHBK

REBEL FLEX

Code: **411489**

- SLIDING SNORKEL KEEPER
- CORRUGATED SILICONE HOSE AND MOUTHPIECE
- EXHAUST VALVE
- SUITABLE FOR DIVING OR EXTENDED SNORKELING SESSIONS
- UNPARALLELED BREATHING COMFORT DUE TO THE INCREASED INTERNAL VOLUME OF THE BOTTOM HOUSING



COLOR VARIATIONS



BKWH BKBL WHLM WHYL


ERGO DRY

Code: **411481**

- 100% DRY TOP
- SLIDING SWIVEL SNORKEL KEEPER
- CORRUGATED SILICONE HOSE AND MOUTHPIECE
- EXHAUST VALVE
- SUITABLE FOR DIVING OR EXTENDED SNORKELING SESSIONS



COLOR VARIATIONS



ERGO SPLASH

Code: **411480**

- SEMIDRY TOP WITH ANTI-SPLASH
- SLIDING SWIVEL SNORKEL KEEPER
- CORRUGATED SILICONE HOSE AND MOUTHPIECE
- EXHAUST VALVE
- SUITABLE FOR DIVING OR EXTENDED SNORKELING SESSIONS



COLOR VARIATIONS



ERGO FLEX

Code: **411482**

- SLIDING SWIVEL SNORKEL KEEPER
- CORRUGATED SILICONE HOSE AND MOUTHPIECE
- EXHAUST VALVE
- SUITABLE FOR DIVING OR EXTENDED SNORKELING SESSIONS



COLOR VARIATIONS



SNORKEL @

Code: **411479**

- ERGONOMIC SHAPE
- ROLL UP, COMPACT DESIGN
- FITS IN A BCD POCKET OR CAN BE ATTACHED TO A BC
- ALL SILICONE DESIGN FOR FLEXIBILITY AND DURABILITY
- TUBE TOP DESIGN MADE TO PREVENT WATER ENTRY WHILE SNORKELING
- IDEAL FOR TRAVELLING



COLOR VARIATIONS



BK WH

PRO FLEX

Code: **411460**

- BI-MATERIAL SOFT CONSTRUCTION
- CURVED, ERGONOMIC STRUCTURE
- NO AIRFLOW INTERRUPTIONS TO REDUCE NOISE AND VIBRATIONS
- SLIDING KEEPER
- SILICONE MOUTHPIECE FOR EXTENDED USE



PLUTO

Code: **411486**

- 100% DRY TOP SNORKEL DEDICATED TO JUNIORS
- SLIDING SNORKEL KEEPER
- SILICONE MOUTHPIECE
- EXHAUST VALVE
- WHISTLE ON BOTTOM AS SAFETY DEVICE



COLOR VARIATIONS



WHLM WHYL BL PK

TECHNICAL SPECIFICATIONS

Mask	Chroma Up	X-Vision Ultra Liquidskin		X-Vision Chrome Liquidskin	X-Vision	X-Vision Mid 2.0	One Vision		Comet	X-Wire	Pure Wire
Code	411066	411052 Regular	411052 Mirrored	411065	411053	411067	411046 Regular	411047 Sunrise	411059	411068	411069
Colors	<ul style="list-style-type: none"> ● BKBYK ● BLWCL ● WHKBK 	<ul style="list-style-type: none"> ● CLBLWBLW ● CLBLWCBL ● CLGRKGRK ● CLPKWPWK ● CLRDKRDK ● CLWHKWHK ● CLYLKYLK ● CLYLWCYL 	<ul style="list-style-type: none"> ● GGRKGRK ● SIGRKGK 	<ul style="list-style-type: none"> ● CLWHKWHK ● CLYLKYLK 	<ul style="list-style-type: none"> ● BK7BK ● BLWCL ● LMKBK ● WHKBK ● YLWCL 	<ul style="list-style-type: none"> ● BKWBK ● BLWCL ● PKWCL 	<ul style="list-style-type: none"> ● BK7BK ● RDKBK ● WBLCL ● WHKBK ● WSICL ● WYLCL 	<ul style="list-style-type: none"> ● RDKBK ● WBLCL 	<ul style="list-style-type: none"> ● BLWBL ● LMCL ● PKWPK ● YLCL 	<ul style="list-style-type: none"> ● BLGCL ● GRRBK ● GRYBK ● GRYCL ● WHGBK 	<ul style="list-style-type: none"> ● BLGCL ● GRRBK ● GRYBK ● GRYCL ● WHGBK
Liquidskin		■		■							
Sunrise								■			
Monolens							■		■		■
Bilens	■	■			■					■	
Tri-Comfort		■		■	■		■				
Optical lens (optional)	code 411193: from -1,0 to -7,0 and +1,5 to +3,0	code 411194 0: from -1,0 to -7,0 and +1,5 to +3,0	NO	code 411194 0: from -1,0 to -7,0 and +1,5 to +3,0	code 411194 0: from -1,0 to -7,0 and +1,5 to +3,0	code 411186 from +1,5 to +3,0 and code 411187 from -1,0 to -6,0	NO	NO	NO	NO	NO

Mask	Essence Liquidskin	Tropical	Juno	Jupiter	I3		Spyder	Sealhouette	X-Free	Tana	Edge	Pure Edge	Opera
Code	411031	411246	411056	411057	411040 Regular	411042 Sunrise	411074	411058	411060	411055	411070	411071	411019
Colors	<ul style="list-style-type: none"> ● BKGR ● CLBL ○ CLWH 	<ul style="list-style-type: none"> ● BKBB ● BLBL ○ PKPK ○ RDOR ○ WHWH ● YLYL 	<ul style="list-style-type: none"> ● BLWH ● LMBK ○ PKCL ● RDBK ● RDWH ● WHBK ○ WHBL ○ WHCL 	<ul style="list-style-type: none"> ● BKWH ● BLBK ● RDWH ● WHBK 	<ul style="list-style-type: none"> ● BBKKB ● BRDBK ● BWHCL 	<ul style="list-style-type: none"> ● BBKKB ● BRDBK ● BWHCL 	<ul style="list-style-type: none"> ● RDKBK ● WHBCL ● WHKBK 	<ul style="list-style-type: none"> ● BKWH ● LMBK ○ PKWH ● RDBK ● RDWH ● WHBK ● WHBL ● YLBK 	<ul style="list-style-type: none"> ● BLWH ● LMBK ○ PKWH ● WHBK ● YLBK 	<ul style="list-style-type: none"> ● BLKCL ● BLWCL ● LBWWH ○ PKWWH ● PUWWH ● RDKBK ● YLKCL 	<ul style="list-style-type: none"> ● BWGCL ● GWBBK ● YWGCL 	<ul style="list-style-type: none"> ● BKLKB ● BKWBK ● BKYBK ● WBLCL 	<ul style="list-style-type: none"> ● RBLCL ● RYLCL ● TBKKB
Liquidskin	■												
Sunrise						■							
Monolens	■	■	■	■	■							■	
Bilens							■	■	■	■	■		■
Tri-Comfort					■								
Optical lens (optional)	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	code 411182: from -1 to -6,0

Snorkel	Rebel Dry	Rebel Splash	Rebel Flex	Ergo Dry	Ergo Splash	Ergo Flex	Snorkel @	Pro Flex	Pluto
Code	411487	411488	411489	411481	411480	411482	411479	411460	411486
Colors	<ul style="list-style-type: none"> ● BKBL ● BKLM ● BKRD ● BKWH ● BKYL ● WHBK ○ WHPK ● WHRD 	<ul style="list-style-type: none"> ● BKPK ● BKWH ● WHBK ● WHRD 	<ul style="list-style-type: none"> ● BKBL ● BKWH ● WHLM ● WHYL 	<ul style="list-style-type: none"> ● BK ● BLM ● BRD ● BWH ● BYL ○ CL ● JPK ● RBL ● RYL ○ WH 	<ul style="list-style-type: none"> ● BK ○ CL ● RBL ● RYL 	<ul style="list-style-type: none"> ● BK ● RBL ● RD ● RYL 	<ul style="list-style-type: none"> ● BK ○ WH 	<ul style="list-style-type: none"> ● BK 	<ul style="list-style-type: none"> ● BL ● PK ● WHLM ● WHYL
Dry Top	■			■					■
Purge Valve	■	■	■	■	■	■			■




ACCESSORIES

EOS 20RZ W/LOCK

Code: 415688

- 2300 LUMENS
- MAGNETIC ADJUSTABLE FOCUS
- 100 MINUTES OF BURN TIME (MAX POWER)
- IN-HOUSE RECHARGEABLE BATTERY
- USB RECHARGEABLE CABLE
- LED CHARGE INDICATOR
- WIDE LIGHT BEAM
- MAGNETIC MULTIFUNCTION SWITCH WITH SAFETY LOCK
- FOUR OPTIONS: ON, LOW, FLASH, OFF
- ONE-HAND USE
- TUBULAR HANDLE
- ADJUSTABLE WRIST STRAP
- PADDED CASE WITH ZIP




TECHNICAL FEATURES

Bulb	3 Cree XP-L LED Chip		
Switch Mode	High	Low	Flash/SOS
Led lumens (25°)	2300	690	/
Burn time (min)	100	180	310
Color Temperature	5700-7800		
Light beam (1m distance)	Hot Spot (12°)		Corona (75°)
(mm/in)	230 / 9.0		1550 / 61
Rechargeable Batteries	1 x ICR26800		
Time to charge	7h (5V1A adapter) / 14h (PC 500mA)		
Total length	206mm / 8.1in		
Head diameter	62mm / 2.4in		
Body diameter	37mm / 1.5in		
Weight with batteries	594g / 20.9oz		
Max. operation depth	120m / 393ft		

EOS 15RZ

Code: 415689

- 1504 LUMENS
- MAGNETIC ADJUSTABLE FOCUS
- 125 MINUTES OF BURN TIME (MAX POWER)
- IN-HOUSE RECHARGEABLE BATTERY
- USB RECHARGEABLE CABLE
- LED CHARGE INDICATOR
- WIDE LIGHT BEAM
- MAGNETIC MULTIFUNCTION SWITCH WITH SAFETY LOCK
- FOUR OPTIONS: ON, LOW, FLASH, OFF
- ONE-HAND USE
- TUBULAR HANDLE
- ADJUSTABLE WRIST STRAP
- PADDED CASE WITH ZIP



TECHNICAL FEATURES

Bulb	3 Cree XP-G2 LED Chip		
Switch Mode	High	Low	Flash/SOS
Led lumens (25°)	1504	500	/
Burn time (min)	125	185	180
Color Temperature	5800 + 7300		
Light beam (1m distance)	Hot Spot (12°)		Corona (75°)
(mm/in)	230 / 9.0		1550 / 61
Rechargeable Batteries	1 x ICR26650		
Time to charge	6h (5V1A adapter) / 12h (PC 500mA)		
Total length	189mm / 7.4in		
Head diameter	62mm / 2.4in		
Body diameter	37mm / 1.5in		
Weight with batteries	553g / 19.5oz		
Max. operation depth	120m / 393ft		

EOS 10RZ

Code: 415690

- 1010 LUMENS
- MAGNETIC ADJUSTABLE FOCUS
- 135 MINUTES OF BURN TIME (MAX POWER)
- IN-HOUSE RECHARGEABLE BATTERY
- USB RECHARGEABLE CABLE
- LED CHARGE INDICATOR
- WIDE LIGHT BEAM
- MAGNETIC MULTIFUNCTION SWITCH WITH SAFETY LOCK
- FOUR OPTIONS: ON, LOW, FLASH, OFF
- ONE-HAND USE
- TUBULAR HANDLE
- ADJUSTABLE WRIST STRAP
- PADDED CASE WITH ZIP



TECHNICAL FEATURES

Bulb	1 Cree XM-L2 LED Chip		
Switch Mode	High	Low	Flash/SOS
Led lumens (25°)	1010	365	/
Burn time (min)	135	255	240
Color Temperature	5800 ~ 7300		
Light beam (1m distance)	Hot Spot (12°)		Corona (75°)
(mm/in)	220 / 8.6		1550 / 61
Rechargeable Batteries	1 x ICR26650		
Time to charge	6h (5V1A adapter) / 12h (PC 500mA)		
Total length	186mm / 7.3in		
Head diameter	57mm / 2.2in		
Body diameter	37mm / 1.5in		
Weight with batteries	537g / 18.8oz		
Max. operation depth	120m / 393ft		

EOS 5RZ

Code: 415691

- 503 LUMENS
- ADJUSTABLE FOCUS
- 105 MINUTES OF BURN TIME (MAX POWER)
- IN-HOUSE RECHARGEABLE BATTERY
- USB RECHARGEABLE CABLE
- LED CHARGE INDICATOR
- WIDE LIGHT BEAM
- MAGNETIC MULTIFUNCTION SWITCH WITH SAFETY LOCK
- FOUR OPTIONS: ON, LOW, FLASH, OFF
- ONE-HAND USE
- TUBULAR HANDLE
- ADJUSTABLE WRIST STRAP
- PADDED CASE WITH ZIP



TECHNICAL FEATURES

Bulb	1 Cree XP-G2 LED Chip		
Switch Mode	High	Low	Flash/SOS
Led lumens (25°)	503	165	/
Burn time (min)	105	270	220
Color Temperature	5800 ~ 7300		
Light beam (1m distance)	Hot Spot (12°)		Corona (75°)
(mm/in)	220 / 8.6		1550 / 61
Rechargeable Batteries	1 x ICR18650		
Time to charge	4h 30' (5V1A adapter) / 6h (PC 500mA)		
Total length	164mm / 6.4in		
Head diameter	43mm / 1.7in		
Body diameter	29mm / 1.1in		
Weight with batteries	280g / 9.8oz		
Max. operation depth	120m / 393ft		

EOS 3RZ

Code: 415692

- 320 LUMENS
- ADJUSTABLE FOCUS
- 55 MINUTES OF BURN TIME (MAX POWER)
- IN-HOUSE RECHARGEABLE BATTERY
- USB RECHARGEABLE CABLE
- LED CHARGE INDICATOR
- WIDE LIGHT BEAM
- MAGNETIC MULTIFUNCTION SWITCH WITH SAFETY LOCK
- FOUR OPTIONS: ON, LOW, FLASH, OFF
- ONE-HAND USE
- TUBULAR HANDLE
- ADJUSTABLE WRIST STRAP
- PADDED CASE WITH ZIP



TECHNICAL FEATURES

Bulb	1 Cree XPE LED Chip		
Switch Mode	High	Low	Flash/SOS
Led lumens (25°)	320	105	/
Burn time (min)	55	120	130
Color Temperature	6700 ÷ 7800		
Light beam (1m distance)	Hot Spot (12°)		Corona (75°)
(mm/in)	220 / 8.6		1550 / 61
Rechargeable Batteries	1x ICR14500		
Time to charge	3h (5V1A adapter) / 3h (PC 500mA)		
Total length	137mm / 5.4in		
Head diameter	35mm / 1.3in		
Body diameter	23mm / 0.9in		
Weight with batteries	152g / 5.3oz		
Max. operation depth	120m / 393ft		

EOS STROBE

Code: 415693

- 450 LUMENS
- 360° HIGH VISIBILITY
- 15/20 HOURS OF BURN TIME
- IN-HOUSE RECHARGEABLE BATTERY
- USB RECHARGEABLE CABLE
- LED CHARGE INDICATOR
- MAGNETIC, ROTATIONAL SWITCH
- TWO OPERATING MODES: ON, STROBE
- ANODIZED ALUMINUM HOUSING
- ADJUSTABLE STRAP
- PADDED CASE WITH ZIP



TECHNICAL FEATURES

Bulb	1 Cree XPE LED Chip	
Switch Mode	High	Flash/SOS
Led lumens (25°)	450	/
Burn time (min)	300	1500
Color Temperature	5800 ÷ 7300	
Light beam (1m distance)	Diffused light	
Flash rate (p/min)	120	
Rechargeable Batteries	1 x ICR26650	
Time to charge	6h (5V1A adapter) / 12h (PC 500mA)	
Total length	170mm / 6.6in	
Head diameter	39mm / 1.6in	
Body diameter	34mm / 1.4in	
Weight with batteries	245g / 8.6oz	
Max. operation depth	120m / 393ft	

EOS 10RW

Code: 415686

- CREE LED 1053 LUMENS
- WIDE LIGHT BEAM
- EXCELLENT FOR VIDEO AND PHOTOGRAPHY
- VISUAL BATTERY INDICATOR
- MULTIFUNCTION SWITCH
- FOUR OPTIONS: ON, LOW, SOS, OFF
- VERY COMPACT AND LIGHTWEIGHT
- IN-HOUSE RECHARGEABLE BATTERY
- USB CHARGER CABLE
- LED CHARGE INDICATOR
- ADJUSTABLE WRIST STRAP
- PADDED CASE WITH ZIP



TECHNICAL FEATURES

Bulb	XM-L2		
Switch Mode	High	Low	Flash/SOS
Led lumens (25°)	1000	500	1000
Burn time (min)	90	150	240
Color Temperature	5800 - 7300		
Light beam (1m distance)	Wide Spot (120°)		
(mm/in)	2500 / 98.4		
Rechargeable Batteries	1x ICR18650		
Time to charge	300min		
Total length	148.1mm / 5.8in		
Head diameter	28mm / 1.1in		
Body diameter	26mm / 1.0in		
Weight with batteries	178g / 6.3oz		
Max. operation depth	100m / 328ft		

EOS 10R

Code: 415687

- CREE LED 1053 LUMENS
- POWERFUL LIGHT BEAM
- VISUAL BATTERY INDICATOR
- MULTIFUNCTION SWITCH
- FOUR OPTIONS: ON, LOW, SOS, OFF
- HANDY AND COMPACT
- LED CHARGE INDICATOR
- IN-HOUSE RECHARGEABLE BATTERY
- USB CHARGER CABLE
- ADJUSTABLE WRIST STRAP
- PADDED CASE WITH ZIP



TECHNICAL FEATURES

Bulb	XM-L2		
Switch Mode	High	Low	Flash/SOS
Led lumens (25°)	1000	500	1000
Burn time (min)	90	150	240
Color Temperature	5800 - 7300		
Light beam (1m distance)	Hot Spot (12°)		
(mm/in)	220 / 8.6		
Rechargeable Batteries	1x ICR18650		
Time to charge	300min		
Total length	158.7mm / 6.2in		
Head diameter	28mm / 1.1in		
Body diameter	26mm / 1in		
Weight with batteries	188.5g / 6.6oz		
Max. operation depth	100m / 328ft		

TORCH ADAPTER

Code: 415179

- TURN THE TORCH INTO A VIDEO LIGHT
- DESIGNED FOR FLEXIBLE ARM
- A QUICK, EASY AND RELIABLE SOLUTION
- 3 SIZES (S/21 MM - M/27MM - L/34 MM)
- STAINLESS STEEL WITH RUBBER PROTECTION



EOS 10RW - VIDEO SET

Code: 415685

- COMPLETE SET FOR VIDEO MAKING AND PHOTOGRAPHY
- COMPACT AND LIGHTWEIGHT
- 2 EOS 10RW TORCHES
- USB CHARGER CABLES
- ALUMINUM TRAY FOR ATTACHING VIDEO CAMERA
- FLEXIBLE ARMS WITH CONNECTIONS FOR EOS 10RW
- DEDICATED PADDED CASE WITH ZIP
- CAMERA NOT INCLUDED



SOFT GOODMAN HANDLE

Code: 415180

- ADJUSTABLE HAND STRAP TO BE USED EVEN WITH THICK GLOVES
- SAFETY WRIST STRAP FOR A PERFECT FIT
- DOUBLE ADJUSTABLE VELCRO STRAPS
- CAN BE USED WITH ALL EOS LIGHTS
- RELIABLE AND STURDY MATERIAL
- ADDITIONAL D-RING TO SECURE THE TORCH



MARKER BEAM

Code: 415711

- FLASHING LIGHT STICK
- SAFETY LEASH WITH STOP
- LR 44 BATTERIES



CRUISE BACKPACK PRO

Code: 415464

- TELESCOPING HANDLE
- LARGE STURDY WHEELS
- EXTERNAL FIN POCKETS WITH DRAINAGE SYSTEM
- ADJUSTABLE EXTERNAL COMPRESSION STRAPS
- BICOLOR, ULTRALIGHT BUCKLES
- AIR MESH HANDLE
- PADDED SHOULDER STRAPS
- INTEGRATED FRONT POCKETS WITH ZIP
- SIDE HANDLES
- A.T.O. - AIR TRAVEL OPTIMIZED



TECHNICAL FEATURES

Dimensions (LxWxH)	Unit Net Weight	Volume
47 x 32 x 81cm / 18.5 x 12.5 x 32in	5kg / 11lb	128l / 7811in³

CRUISE BACKPACK

Code: 415465

- TELESCOPING HANDLE
- LARGE STURDY WHEELS
- EXTERNAL FIN POCKETS WITH DRAINAGE SYSTEM
- ADJUSTABLE EXTERNAL COMPRESSION STRAPS
- BICOLOR, ULTRALIGHT BUCKLES
- AIR MESH HANDLE
- PADDED SHOULDER STRAPS
- INTEGRATED FRONT POCKETS WITH ZIP
- SIDE HANDLES
- A.T.O. - AIR TRAVEL OPTIMIZED



TECHNICAL FEATURES

Dimensions (LxWxH)	Unit Net Weight	Volume
40 x 31 x 80cm / 16 x 12 x 31.5in	4.4kg / 9.7lb	100l / 6071in³

CRUISE BACKPACK ROLLER

Code: 415466

- EASY TO FOLD AND STOW
- LARGE STURDY WHEELS
- EXTERNAL FIN POCKETS WITH DRAINAGE SYSTEM
- ADJUSTABLE EXTERNAL COMPRESSION STRAPS
- BICOLOR, ULTRALIGHT BUCKLES
- AIR MESH HANDLE
- PADDED SHOULDER STRAPS
- INTEGRATED FRONT POCKETS
- LIGHTWEIGHT
- A.T.O. - AIR TRAVEL OPTIMIZED



TECHNICAL FEATURES

Dimensions (LxWxH)	Unit Net Weight	Volume
47 x 32 x 81cm / 18.5 x 12.5 x 32in	3kg / 6.6lb	128l / 7811in³

CRUISE BUDDY

Code: 415467

- TELESCOPING HANDLE
- WIDE WHEEL BASE FOR STABILITY
- ADJUSTABLE EXTERNAL COMPRESSION STRAPS
- TWO AIR MESH HANDLES
- INTEGRATED FRONT POCKETS WITH ZIPPERS
- ADJUSTABLE INTERNAL TIE-DOWN STRAPS
- BICOLOR, ULTRALIGHT BUCKLES
- BUSINESS CARD WINDOWS
- LIGHTWEIGHT
- A.T.O. - AIR TRAVEL OPTIMIZED



TECHNICAL FEATURES

Dimensions (LxWxH)	Unit Net Weight	Volume
43 x 27 x 75cm / 17 x 10.5 x 29.5in	3.5kg / 7.7lb	87l / 5309in³

CRUISE BACKPACK DRY

Code: 415540♦

- ULTRA LIGHTWEIGHT
- COMPLETELY WATERTIGHT
- LARGE INTERNAL VOLUME
- ADJUSTABLE, PADDED AND REMOVABLE SHOULDER STRAPS
- ULTRALIGHT BUCKLES



TECHNICAL FEATURES

Dimensions (LxWxH)	Unit Net Weight	Volume
42 x 33 x 79cm / 16.5 x 13 x 31in	1.1kg / 2.4lb	108l / 6590in³

CRUISE CAPTAIN

Code: 415472

- TELESCOPING HANDLE
- WIDE WHEEL PLACEMENT
- EXPANDABLE POCKET WITH ZIPPER
- INTEGRATED FRONT POCKET
- WIDE INTERNAL MESH POCKET
- COMPRESSION STRAPS WITH BICOLOR, ULTRALIGHT BUCKLES
- TOP AND LATERAL SIDE AIR MESH HANDLES
- A.T.O. - AIR TRAVEL OPTIMIZED



TECHNICAL FEATURES

Dimensions (LxWxH)	Unit Net Weight	Volume
36 x 22 x 55cm / 14 x 8.5 x 22in	2.8kg / 6.2lb	42l / 2563in³

CRUISE BACKPACK MESH DELUXE

Code: 415476

- STURDY PVC MESH NET
- ADJUSTABLE SHOULDER AND STERNUM STRAP
- LATERAL ZIP AND STURDY HANDLE
- BOTTOM PROTECTION
- INTERNAL POCKET
- WIDE EXTERNAL POCKET
- BOTTOM EXTENSION WITH DRAINAGE HOLE
- DRAWSTRING CLOSURE



TECHNICAL FEATURES

Dimensions (LxWxH)	Unit Net Weight	Volume
41 x 41 x 75cm / 16 x 16 x 29.5in	1.2kg / 2.6lb	123.5l / 7536in³

CRUISE BACKPACK MESH ELITE

Code: 415477

- CAN BE FOLDED INTO A SMALL BAG WITH HANDLE
- LIGHTWEIGHT
- INTEGRATED SOFT HANDLE
- BOTTOM PROTECTION
- INTERNAL POCKET
- WIDE EXTERNAL POCKET
- BOTTOM EXTENSION WITH DRAINAGE HOLE
- ADJUSTABLE SHOULDER STRAPS



TECHNICAL FEATURES

Dimensions (LxWxH)	Unit Net Weight	Volume
39 x 39 x 74cm / 15.5 x 15.5 x 29in	0.5kg / 1.1lb	114l / 6956in³

♦ While stocks last

CRUISE QUICK PACK

Code: 415598◊

- CAN BE FOLDED INTO A SMALL BAG WITH HANDLE
- WATER REPELLENT COATING
- INTERNAL POCKET
- MESH COVER WITH DRAWSTRING CLOSURE
- EXTREMELY LIGHTWEIGHT



TECHNICAL FEATURES

Dimensions (LxWxH)	Unit Net Weight	Volume
80 x 39 x 37cm / 31.5 x 15.5 x 14.5in	0.9kg / 2lb	116l / 7079in³

CRUISE X-STRAP

Code: 415469

- EASY TO FOLD
- TWO LARGE INTEGRATED POCKETS
- BICOLOR, ULTRALIGHT BUCKLES
- NEOPRENE HANDLES
- ADJUSTABLE, PADDED AND REMOVABLE SHOULDER STRAPS
- AUTO-BLOCKING ZIP
- EXTREMELY LIGHTWEIGHT



TECHNICAL FEATURES

Dimensions (LxWxH)	Unit Net Weight	Volume
76 x 31 x 33cm / 30 x 12 x 13in	1.2kg / 2.6lb	76l / 4637in³

CRUISE CLASSIC

Code: 415473

- HANDLE AND SHOULDER STRAPS
- EXTERNAL FIN POCKET WITH BUCKLE
- ZIP POCKET FOR PERSONAL BELONGINGS
- STURDY AND LIGHTWEIGHT
- REINFORCED BOTTOM



TECHNICAL FEATURES

Dimensions (LxWxH)	Unit Net Weight	Volume
76 x 29 x 36cm / 30 x 11.5 x 14in	2kg / 4.4lb	79l / 4821in³

CRUISE POOL

Code: 415468

- EXTREMELY LIGHTWEIGHT
- EXTERNAL ZIP POCKET
- REINFORCED BOTTOM
- WIDE, LONG STRAP



TECHNICAL FEATURES

Dimensions (LxWxH)	Unit Net Weight	Volume
69 x 26 x 29cm / 27 x 10 x 11in	0.7kg / 1.5lb	50l / 3057in³

CRUISE JOURNEY

Code: 415470

- STYLISH DESIGN
- A NEW CONCEPT FOR DAILY USE, THE OFFICE AND LEISURE
- ADJUSTABLE PADDED SHOULDER STRAPS
- DEDICATED LAPTOP POCKET WITH ZIP
- MULTIUSE ZIPPERED POCKETS
- EXPANDABLE SIDE POCKET
- BICOLOR , ULTRALIGHT BUCKLES
- SHOE COMPARTMENT
- WIDE STRAP TO ALLOW FOR ATTACHMENT TO A TELESCOPIC HANDLE
- CARRYING HANDLE
- ULTRALIGHT MATERIAL
- A.T.O. - AIR TRAVEL OPTIMIZED



TECHNICAL FEATURES

Dimensions (LxWxH)	Unit Net Weight	Volume
31 x 20 x 56cm / 12.2 x 8 x 22in	1.2kg / 2.6lb	35l / 2135in³

CRUISE DRY D55

Code: 415451

- DRY 55L DUFFLE BAG
- DOUBLE CLOSURE SYSTEM
- LARGE INTERNAL VOLUME
- HAND STRAP & ADJUSTABLE SHOULDER STRAP
- STURDY 500D TARPULIN
- IDEAL FOR WATERSPORTS AND OUTDOOR ACTIVITIES
- SVHC FREE MATERIAL



TECHNICAL FEATURES

Dimensions (LxWxH)	Unit Net Weight	Volume
60 x 30 x 55cm / 23.5 x 12 x 21.5in	0.9kg / 2lb	55l / 3356in³

CRUISE BEACH

Code: 415506

- ADJUSTABLE SHOULDER STRAP
- CARRY HANDLE
- TWO OUTER POCKETS WITH ZIP CLOSURE
- MESH AREAS FOR BETTER AIR CIRCULATION
- LARGE OPENING FOR EASY ACCESS
- EXTREMELY LIGHT
- IDEAL FOR SNORKELING



TECHNICAL FEATURES

Dimensions (LxWxH)	Unit Net Weight	Volume
73 x 27 x 17cm / 28.7 x 10.6 x 6.7in	0.43kg / 0.95lb	31l / 1891in³

CRUISE DRY MBP15

Code: 415450

- MODULAR 15L BACKPACK
- ROLL NECK & BUCKLE CLOSURE SYSTEM
- ADJUSTABLE, PRE-SHAPED SHOULDER STRAPS
- PADDED BACKPACK
- ADJUSTABLE CHEST AND WAIST STRAPS
- REMOVABLE LAPTOP AND GADGET SLEEVE
- REMOVABLE MESH POCKET
- STURDY 500D TARPULIN
- IDEAL FOR WATERSPORTS AND OUTDOOR ACTIVITIES
- SVHC FREE MATERIAL



TECHNICAL FEATURES

Dimensions (LxWxH)	Unit Net Weight	Volume
40 x 12 x 65cm / 16 x 5 x 25.5in	1.2kg / 2.6lb	15l / 915in³

CRUISE DRY T

T35
Code: 415452
T25
Code: 415453
T10
Code: 415454
T5
Code: 415455

- DRY BAG TUBULAR AVAILABLE IN FOUR SIZES AND COLORS
- COLOR & SIZE SYSTEM
- ADJUSTABLE SHOULDER STRAP
- QUICK CLOSURE SYSTEM
- STURDY 500D TARPULIN
- IDEAL FOR WATERSPORTS AND OUTDOOR ACTIVITIES
- SVHC FREE MATERIAL



CRUISE DRY ATTACK TITAN

Code: **415524**

- HEAT SEALED BAG WITHOUT STITCHING
- 500D TARPULIN, STURDY AND LIGHTWEIGHT
- FOLDABLE WITH A LARGE INTERNAL VOLUME
- ADJUSTABLE HANDLES
- SIDE DRAIN VALVE



TECHNICAL FEATURES

Dimensions (LxWxH)	Unit Net Weight	Volume
90 x 46 x 35cm / 35.4 x 18.1 x 13.7in	1.7kg / 3.7lb	144L / 8787in³

CRUISE DRY BP75 ULTRALIGHT

Code: **415460**

- ROLLING CLOSURE SYSTEM
- ADJUSTABLE, PADDED SHOULDER STRAPS
- ADJUSTABLE WAIST STRAPS
- STURDY, LIGHTWEIGHT 210D POLYESTER
- FRONT POCKET WITH WATERPROOF ZIPPER
- IDEAL FOR WATER SPORTS AND OUTDOOR ACTIVITIES
- SVHC FREE MATERIALS



TECHNICAL FEATURES

Dimensions (LxWxH)	Unit Net Weight	Volume
41 x 22.5 x 83cm / 16.1 x 8.8 x 32.6in	0.40kg / 0.89lb	75l / 4577in³

CRUISE DRY BP18 LIGHT

Code: **415480**

- IDEAL FOR WATERSPORTS AND OUTDOOR ACTIVITIES
- STYLISH DESIGN, AVAILABLE IN TWO COLORS
- AIR CROSSOVER SYSTEM: BETTER AIR CIRCULATION IN THE BACK AREA
- ROLLING CLOSURE SYSTEM
- STURDY AND LIGHTWEIGHT
- FRONT POCKET WITH DRY ZIP
- ADJUSTABLE, PRE-SHAPED, COLORED SHOULDER STRAPS
- ADJUSTABLE CHEST STRAPS



AQ

BL

CRUISE DRY ULTRALIGHT

T-ULTRALIGHT 25L

Code: **415461**

T-ULTRALIGHT 10L

Code: **415462**

T-ULTRALIGHT 5L

Code: **415463**

- REINFORCED, LIGHTWEIGHT POLYESTER
- QUICK CLOSURE SYSTEM
- HEAT-SEALED STITCHING
- FULLY WATERPROOF
- EXCELLENT FOR WATER SPORTS
- IDEAL FOR OUTDOOR ACTIVITIES
- AVAILABLE IN THREE DIFFERENT SIZES
- SVHC FREE MATERIALS



CRUISE CARPET

Code: 415478

- DOUBLE USE BAG
- DRY CARPET FOR DONNING AND DOFFING DIVE GEAR
- QUICK AND EASY TO FOLD
- DRAWSTRING CLOSURE
- EXTREMELY LIGHTWEIGHT



TECHNICAL FEATURES

Dimensions [D]	Unit Net Weight	Volume
140cm / 55in	0.8kg / 1.7lb	75l / 4577in³

CRUISE MESH

Code: 415576

- FULL MESH
- TO STORE SCUBA DIVING OR FREE DIVING EQUIPMENT
- CAN BE FOLDED INTO A ROUND BAG WITH HANDLE



CRUISE DIVER

Code: 415475

- ADJUSTABLE SHOULDER STRAP
- DEDICATED POCKET FOR COMPUTER AND INTERFACE
- MOBILE PHONE POCKET
- MANY PLACES FOR ELECTRONIC DEVICES
- KEY HOLDER
- CARD HOLDER



CRUISE REG

Code: 415471

- ADJUSTABLE SHOULDER STRAP
- INTERNAL ZIPPED MESH POCKET
- VELCRO STRAPS TO ATTACH REGULATORS
- BUSINESS CARD POCKET
- COLORED, MICRO-INJECTED ZIPPER PULLERS W/MARES LOGO



TECHNICAL FEATURES

Dimensions [LxWxH]	Unit Net Weight	Volume
26x10x36 cm / 10"x4"x14"	0,25 kg / 0.55 lb	9.4 l / 573 cu.in.

MESH BAG

Code: 415515

- PRACTICAL AND COMPACT MESH SACK
- EASY TO CARRY AND FOR RINSING EQUIPMENT
- IDEAL FOR SNORKELING



CRUISE PEARL

Code: 415474

- VELCRO CLOSURE SYSTEM
- TO STORE AND PROTECT YOUR MASK
- CAN BE ATTACHED TO BELT
- DEDICATED ANTIFOG POCKET



Bag	Cruise Backpack Pro	Cruise Backpack	Cruise Backpack Roller	Cruise Buddy	Cruise Backpack Dry	Cruise Captain	Cruise Backpack Mesh Deluxe	Cruise Backpack Mesh Elite	Cruise Quick Pack
Code	415464	415465	415466	415467	415540	415472	415476	415477	415598
Dimensions [LxWxH]	47 x 32 x 81cm 18.5 x 12.5 x 32in	40 x 31 x 80cm 16 x 12 x 31.5in	47 x 32 x 81cm 18.5 x 12.5 x 32in	43 x 27 x 75cm 17 x 10.5 x 29.5in	42 x 33 x 79cm 16.5 x 13 x 31in	36 x 22 x 55cm 14 x 8.5 x 22in	41 x 41 x 75cm 16 x 16 x 29.5in	39 x 39 x 74cm 15.5 x 15.5 x 29in	80 x 39 x 37cm 31.5 x 15.5 x 14.5in
Unit Net Weight	5kg / 11lb	4.4kg / 9.7lb	3kg / 6.6lb	3.5kg / 7.7lb	1.1kg / 2.4lb	2.8kg / 6.2lb	1.2kg / 2.6lb	0.5kg / 1.1lb	0.9kg / 2lb
Volume	128l / 7811in³	100l / 6071in³	128l / 7811in³	87l / 5309in³	108l / 6590in³	42l / 2563in³	123.5l / 7536in³	114l / 6956in³	116l / 7079in³
A.T.O. Air Travel Optimized	■	■	■	■	■	■			
Heavy Duty Wheels	■	■	■	■		■			
Backpack System	■	■	■		■		■	■	
Foldable System			■					■	■



Bag	Cruise X-Strap	Cruise Classic	Cruise Pool	Cruise Journey	Cruise Beach	Cruise Dry Attack Titan	Cruise Carpet	Cruise Reg	Cruise Mesh
Code	415469	415473	415468	415470	415506	415524	415478	415471	415576
Dimensions [LxWxH]	76 x 31 x 33cm 30 x 12 x 13in	76 x 29 x 36cm 30 x 11.5 x 14in	69 x 26 x 29cm 27 x 10 x 11in	31 x 20 x 56cm 12.2 x 8 x 22in	73 x 27 x 17cm 28.7 x 10.6 x 6.7in	90 x 46 x 35cm 35.4 x 18.1 x 13.7in	140cm 55in	26 x 10 x 36cm 10 x 4 x 14in	95.3 x 38.1 x 38.1cm 37.5 x 15 x 15in
Unit Net Weight	1.2kg / 2.6lb	2kg / 4.4lb	0.7kg / 1.5lb	1.2kg / 2.6lb	0.43kg / 0.95lb	1.7kg / 3.7lb	0.8kg / 1.7lb	0.25kg / 0.55lb	0.67kg / 1.48lb
Volume	76l / 4637in³	79l / 4821in³	50l / 3057in³	35l / 2135in³	31l / 1891in³	144L / 8787in³	75l / 4577in³	9.4l / 573in³	108.5l / 6623in³
A.T.O. Air Travel Optimized	■	■	■						
Backpack System	■			■					
Foldable System							■		■



Dry Bag	T5	T10	T25	T35	BP18 Light	T5 Ultralight	T10 Ultralight	T25 Ultralight	BP75 Ultralight
Code	415455	415454	415453	415452	415480	415463	415462	415461	415460
Density	500D Polyurethane	500D Polyurethane	500D Polyurethane	500D Polyurethane	Body: 210D Polyurethane, Bottom: 420D Polyurethane	75D Polyester	75D Polyester	210D Polyester	210D Polyurethane
Dimension [DxH]	16.5cm x 29cm 6.5in x 11.4in	19.5cm x 33.5cm 7.7in x 13.2in	25.5cm x 56.5cm 10in x 22.2in	25.5cm x 69cm 10in x 27.2in	23cm x 60cm 9in x 23.6in	15cm x 48cm 5.9in x 18.9in	20cm x 35cm 7.8in x 13.7in	24cm x 57.5cm 9.4in x 22.6in	41 x 22.5 x 83cm 16.1 x 8.8 x 32.6in
Unit Net Weight	0.14kg / 0.31lb	0.17kg / 0.38lb	0.35kg / 0.77lb	0.40kg / 0.89lb	0.40kg / 0.89lb	0.05kg / 0.11lb	0.06kg / 0.13lb	0.11kg / 0.24lb	0.40kg / 0.89lb
Volume	5l / 305in³	10l / 610in³	25l / 1525in³	35l / 2136in³	18l / 1098in³	5l / 305in³	10l / 610in³	25l / 1525in³	75l / 4577in³

FORCE PLUS

Code: 415626

- SOFT OVERMOLDED ERGONOMIC HANDLE
- FITS ON MARES BCDS, BAGS AND HOSES
- EASY RELEASE SYSTEM, EVEN WITH GLOVES



TECHNICAL FEATURES

Blade	Stainless Steel - PVD Coated
Blade length	100mm / 3.9in

FORCE NANO PLUS

Code: 415627

- SOFT OVERMOLDED ERGONOMIC HANDLE
- FITS ON MARES BCDS, BAGS AND HOSES
- EASY RELEASE SYSTEM, EVEN WITH GLOVES



TECHNICAL FEATURES

Blade	Stainless Steel - PVD Coated
Blade length	65mm / 2.6in

COMPACT REEL

Code: 415349

- FOLDABLE HANDLES
- DOUBLE ENDED CARABINER
- 30M / 100 FT LINE



SAFETY STOP MARKER

Code: 415708

- 3-5M SAFETY/DECO STOP BUOY
- HIGH VISIBILITY ORANGE COLOR
- LARGE INTERNAL VOLUME
- HD CONSTRUCTION AND STRONG BRASS HOOK



STANDARD MARKER

Code: 415709

- HIGHLY VISIBLE EGG SHAPE
- ONE PIECE CONSTRUCTION WITH INTEGRATED FLAG
- TWO-CHAMBER CONSTRUCTION FOR SAFETY AND AN UPRIGHT POSITION
- 20 M ROPE
- VARIOUS HOOKS



TORPEDO

Code: 415721

- LOW-DRAG TOPEDO SHAPE FOR EASY TOWING
- HIGH VISIBILITY ORANGE COLOR
- TWO-CHAMBER CONSTRUCTION FOR SAFETY AND AN UPRIGHT POSITION
- 20M ROPE
- SIX UNIVERSAL ADJUSTMENT CONNECTORS



DIVER MARKER BUOY - ALL IN ONE

Code: 415753

- 180CM HEIGHT
- 5CM / 2" SOLAS REFLECTIVE TAPE
- EXTREMELY LIGHTWEIGHT
- "DIVER BELOW" REFLECTIVE WRITING
- INTEGRATED MESH POCKET FOR SPOOL
- 20M / 66FT SPOOL INCLUDED
- STAINLESS STEEL D-RING
- DOUBLE ENDER STAINLESS STEEL CARABINER
- ORAL INFLATE CONNECTOR FOR LP BCD HOSE
- OVER PRESSURE RELEASE VALVE
- VELCRO CLOSURE SYSTEM



DIVER'S ALERT MARKER

Code: 415743

- 180CM TALL AND 15CM WIDE FOR HIGH VISIBILITY
- SOLAR REFLECTIVE TAPE
- AUTOMATIC SEAL SYSTEM
- ORAL INFLATION CONNECTOR FOR LP BCD HOSE
- PRESSURE RELEASE VALVE
- DEDICATED POCKET FOR LIGHT
- STAINLESS STEEL DRING



COMPACT

Code: 415742

- ORANGE DIVER MARKER BUOY
- 10M LINE
- 300G -2/3 LB SHAPED LEAD WEIGHT
- NYLON SACK WITH CARABINER



STANDARD INFLATABLE

Code: 415707

- HIGH VISIBILITY ORANGE COLOR
- FOLDING BAG WITH HOOK
- 20M ROPE AND VARIOUS HOOKS
- INTEGRATED WEIGHTS FOR PROPER SURFACE FLotation
- FITS IN BCD POCKET



UNIVERSAL HANGER

Code: **415177**

- HOLDS UP TO 15 DIFFERENT ITEMS
- UNIQUE MARES DESIGN
- STURDY AND ROBUST
- EQUIPMENT PERFECTLY ORGANIZED



WEIGHT BELT

Code: **415122**

- QUICK RELEASE PLASTIC BUCKLE



LIQUID PATCH

Code: **415181 BK / GR**

- IDEAL FOR REPAIRING HOLES AND SMALL CUTS
- CAN BE USED ON NEOPRENE, BC VESTS, DRY SUITS AND MORE
- AVAILABLE IN BLACK AND GREY
- EASY TO USE, JUST THREE STEPS
- FLEXIBLE AND ELASTIC
- 20G



SCUBA CLEAN

Code: **415905 Desk Exhibitor (12pcs)**

- MARES SANITIZER FOR ALL SCUBA GEAR
- TRIPLE ACTION: FUNGICIDE, BACTERICIDE AND VIRUCIDE
- OFFERS TOTAL DISINFECTION, CLEANLINESS AND SANITIZATION
- COMPATIBLE WITH PLASTIC, NYLON, NEOPRENE AND METAL
- 125ML



DRYSUIT HANGER

Code: **415713**

- PERFECT FOR DRY SUITS WITH BOOTS
- BETTER VENTILATION BECAUSE THE DRY SUIT IS UPSIDE DOWN
- STURDY AND SIMPLE TO USE



STAINLESS STEEL BELT

Code: **415123**

- QUICK RELEASE STAINLESS STEEL BUCKLE



SILICONE GREASE

Code: **415102**

- IDEAL FOR MAINTENANCE AND TO LUBRICATE O-RINGS
- MADE IN COMPLIANCE WITH LATEST REGULATIONS
- 20 ML



SHELLS

- SHOCKPROOF CASE
- STURDY ZIPPER
- MARES MICRO-INJECTED LABEL
- SILVER PIPING

SHELL **REGULATOR**

code: **415866**

- PERFECT SIZE FOR STORING REGULATORS
- DEDICATED HANDLE FOR EASY CARRYING



SHELL **OVAL**

code: **415864**

- PERFECT FOR TORCHES, MASKS AND MORE



SHELL **ROUND**

code: **415865**

- IDEAL FOR DIVE COMPUTERS



AIR NOZZLE

Code: **415724**

- EASY TO USE
- QUICK CONNECTION AND DISCONNECTION FROM LP INFLATOR HOSE
- USE AIR TO CLEAN AND DRY
- NOT ONLY FOR SCUBA EQUIPMENT



DIVING BOX

Code: **415516 (4 pcs)**

- TO STORE, PROTECT AND CARRY DIVING EQUIPMENT
- SIZES: 82X42X38CM
- 130L CAPACITY
- REMOVABLE HANDLE
- RELIABLE WHEELS
- STURDY MATERIAL



PERSONAL DRY BOX

Code: **415727**

- LANYARD FOR TRANSPORTATION
- DRY SEAL FOR WATERTIGHT CLOSURE
- SLEEK DESIGN
- SMALL AND DURABLE



MAGNETIC SHAKER

Code: **415172**

- SPECIAL MAGNETIC SYSTEM
- TO PREVENT UNWANTED AND IRRITATING NOISE
- LIGHTWEIGHT AND EASY TO STORE
- EASY TO USE WITH JUST A SIMPLE DOWNWARD MOVEMENT



UNDERWATER SLATE

Code: **415719**

- BRIGHT WHITE WRITING SLATE
- COMPACT SIZE: 12 X 15CM
- HOOK SYSTEM TO ATTACH TO YOUR BCD
- QUICK RELEASE BUCKLE
- STANDARD REPLACEABLE PENCIL WITH SILICONE TUBE



TANKS

Code: **415087 10L Single Valve**

Code: **415088 12L Single Valve**

Code: **415089 15L Double Valve**

- SINGLE PIECE CONSTRUCTION IN STEEL ALLOY
- 3 SIZES : 10L, 12L AND 15L
- MEETS REQUIREMENTS OF DIRECTIVE 2014/68EU
- INT/DIN VALVE CONNECTION
- RUBBER BOOT
- OPTIONAL SECOND CONNECTION FOR 10L AND 12L SINGLE VALVE



Code	415087	415088	415089
Volume	10 liters	12 liters	15 liters
Valve	Single		Double
Weight	13.5kg / 29.6lb	16.5kg / 36.5lb	20kg / 44.1lb
Height	67cm / 26.4in	61cm / 24.0in	71cm / 28in
Diameter	18cm / 7.0in	22cm / 8.6in	
Operating pressures	232 bar		
Material	Heat-treated steel		
Internal coating	Phosphate coating and anti-corrosion treatment		
Black external coating	Soft touch polyurethane coating		

TANK NETS

Code: **415749 10L YL**

Code: **415731 12L BL**

Code: **415730 15L BK**

- HIGH QUALITY NYLON
- VARIOUS COLORS & SIZES
- 10L/YELLOW, 12L/BLUE AND 15L/BLACK



VALVE 2ND CONNECTION

NEW

Code: **45200439 - Left**

- INT/DIN VALVE CONNECTION
- OPTIONAL FOR 10 AND 12 LITER TANK VALVES



DIVER TOOL KIT

Code: **415726**

- IDEAL FOR TROUBLE-SHOOTING ON DIVING EQUIPMENT
- 20 TOOLS INCLUDING SPANNERS, SCREWDRIVERS, PLIERS, ALLEN KEYS AND MORE
- HANDY SIZE ZIPPERED CASE
- EASY STORAGE



MULTI TOOLS

Code: **415701 Multi Tools Pro**

Code: **415703 Multi Tools Tech**

- TWO VERSIONS FOR ALL NEEDS
- TECH: VARIOUS SPANNERS AND SCREWDRIVERS
- PRO: VARIOUS SPANNERS AND ALLEN WRENCHES
- HIGH QUALITY STAINLESS STEEL WITH NICKEL COATING
- EASY TO USE
- EXCLUSIVE MARES DESIGN
- OVERMOLDED HANDLE WITH MARES LOGO



Multi Tools Pro



Multi Tools Tech

JACKET

Code: **449127** ♦



TECHNICAL FEATURES

	Unisex
Size	XS · S · M · L · XL · XXL
Characteristics	Waterproof / Refolding hood

HOODED SWEATER

Code: **449129** ♦



TECHNICAL FEATURES

	Unisex
Size	XS · S · M · L · XL · XXL
Characteristics	100% cotton

POLO

Code: **449130** ♦



TECHNICAL FEATURES

	Unisex
Size	XS · S · M · L · XL · XXL
Characteristics	100% cotton

T-SHIRT

Code: **449128** ♦



TECHNICAL FEATURES

	Unisex
Size	XS · S · M · L · XL · XXL
Characteristics	100% cotton

♦ While stocks last

REGULATORS

DFC - DYNAMIC FLOW CONTROL:
Minimizes intermediate pressure drop during inhalation thus maximizing gas delivery, especially under extreme conditions.

AST - AUTO SEALING TECHNOLOGY:
Pneumatic dry system, protects against water entering the 1st stage.

OPD - OPTIMIZED PORT DESIGN:
Ensures that the pressure gauge's hose is always pointing downwards, regardless of first stage orientation.

TWIN POWER SYSTEM:
Flow control manages the delivery rate of your gas, from natural breathing to power breathing. The former is the traditional way of breathing a Mares regulator, (VAD) while the latter (VAD+) provides an extra push when you need it.

VAD - VORTEX ASSISTED DESIGN:
The air bypass tube delivers air to the mouthpiece creating a swirling vortex with a low pressure area in the center that keeps the diaphragm down during inhalation, for very sensitive and easy breathing at all depths.

ADJUSTABLE BREATHING COMFORT:
Allows the diver to change the second stage spring load which affects the breathing resistance.

PAD - PNEUMATICALLY ASSISTED DESIGN:
The second stage is accomplished by routing medium pressure air to the backside of the valve to help counteract the force of the spring. This allows the valve to open with less effort.

MESH GRID:
Patented design which reduces the impact of water flow onto the second stage diaphragm, thus eliminating free flows even in strong currents.

METAL TECHNOLOGY:
Outstanding mechanical reliability and high thermal conductivity make our metal 2nd stages extremely long lasting and ideal for cold water dives. The high thermal conductivity of metal reduces also the dry mouth feeling during the dive.

FLUID DYNAMIC DEFLECTOR:
Receives and properly directs the airflow from the bypass tube to the mouthpiece.

SUPERFLEX LP HOSE:
Extreme light weight and exceptional softness guarantee the maximum freedom of movement.

INSTRUMENTS

LCD COLOR DISPLAY:
State-of-the-art smartphone technology applied to dive computers (320 x 240 pixels / 262.144 colors).

FULL DOT MATRIX:
The next generation of dive computer displays: exceptional resolution allowing for total flexibility. The best user interface, the best dive display, no compromises.

SEGMENT / MATRIX AREA DISPLAY:
The perfect compromise between sharpness (segments) and flexibility (dot matrix) at a reasonable price.

SEGMENT DISPLAY:
Needle-sharp information combined and intelligent placement of information for easiest readability.

GAS INTEGRATED:
Provides all relevant gas related information such as tank pressure, time to reserve, and gas consumption resulting in a significant increase in safety.

GAS SWITCHING:
Setting the computer to include one or more oxygen enriched - gases (up to 99%) in addition to your main gas; allow you to benefit from shorter decompression times by switching gases during the dive.

MINERAL GLASS (TEMPERED):
Superior scratch resistance and improved readability in all diving conditions and viewing angles.

BCD'S

FUSION BLADDER:
Combines features of backmounted and classic bladder. High lift capacity, unrestricted movement and a comfortable position on the surface characterize this type of bladder.

BACKMOUNTED:
Aircell separated from the harness, resulting in unrestricted freedom of movement.

ERGO INFLATOR:
The standard inflation and deflation control device used in sanctioned training programs. Intuitive use and secure grip.

AIRTRIM:
Patented technology for easiest and precise buoyancy control in all positions and conditions. The control device is always at hand and placed in the most ergonomic position.

MONOPLATE BACKPACK:
Ideal for travelling thanks to its reduced dimensions and its marked weight reduction compared to a traditional backpack. Integrated rubber pads provide secure grip of the tank and carrying comfort.

SUSPENSION SYSTEM:
Inspired by the design of modern hiking backpacks, the system avoids direct contact between body and tank support.

SUITS

ULTRASTRETCH NEOPRENE:
Top of the range neoprene which delivers superior comfort during diving as well as when donning and doffing.

BACK PROTECTION SYSTEM:
Ergonomically shaped neoprene cushion between back and tank support for improved wearing comfort and extra warmth in a zone which is usually cold sensitive.

G-LOCK ZIPPER:
Soft, flexible waterproof zip ensures maximum freedom of movement and optimum thermal comfort.

S-LOCK ZIPPER:
Soft, flexible waterproof zip ensures maximum freedom of movement. Thermal comfort is increased by the zip coating which limits water entry.

MASTERSEAL ZIP:
Extremely sturdy and durable dry zipper. The new soft and flexible Masterseal zip ensures maximum freedom of movement and optimum thermal protection.

DOUBLE CONE:
The Double Cone System minimize the water flowin the most critical sealing areas like wrist and ankles.

THERMO PLUSH:
Extremely soft internal layer in the chest area to keep the upper part of the body warm. Thermo plush is durable and dries fast.

FINS

RIDDLED FOOT POCKET:
The perforations prevent stagnating water flow from slowing you down. Eliminating this "parachute effect" you'll slide faster through the water. Furthermore the openings eliminate any suction effect, making doffing easier.

OPB - OPTIMIZED PIVOTING BLADE:
Allows the blade to maintain an optimal angle throughout the kicking cycle, whereas traditional fins achieve this only during a small portion of the cycle. OPB produces a constant thrust, which minimizes fatigue and produces fluid movement through the water.

CHANNEL THRUST:
Soft longitudinal inserts allow a controlled deformation of the fin blade while kicking. This channel shape moves a greater amount of water resulting in more thrust for the same effort.

TRI-MATERIAL CONSTRUCTION:
3 specific materials for maximum elasticity, high durability and resistance to aging. The result is superior performance in all diving conditions.

MASKS & SNORKELS

LIQUIDSKIN:
Patented Technology. The exclusive Bi-Silicone technology uses two different types of silicone: a firmer portion for support structure and a softer portion for contact with your face. It is 45% softer for unparalleled comfort and 270% more elastic for a perfect fit.

SUNRISE:
The Sunrise masks are dedicated to the Asian market and wider faces because of the special geometry of the skirt.

TRI-COMFORT:
Small horizontal ribs between the frame and the skirt in the area around the nose. These ribs absorb and redistribute the pressure exerted by the frame onto the skirt, with a resulting increase in comfort.

OPTICAL LENSES:
Mares offers corrective lenses for most models. In addition to the negative diopters, for some models also positive diopters are available. Mares design makes it quick and easy to install lenses.

ACCESSORIES

LIGHTS

MAGNETIC SWITCH:
The external magnetic switch protects the light from flooding. High reliability ensured by the complete absence of o-ring.

ADJUSTABLE FOCUS:
The focus can be adjusted during the dive by a simple rotation. It allows for a change in the light beam between 12° and 75°.

IN-HOUSE RECHARGEABLE BATTERY:
Rechargeable batteries are standard. The system allows recharging without removing the batteries from the flashlight.


BAGS

ATO - AIR TRAVEL OPTIMIZED:
The choice of extremely lightweight and resilient materials, in addition to the overall attention to details, make these products ideal for the travelling diver.

HEAVY DUTY WHEELS:
All Mares bags include rugged and durable construction wheels, secured with stainless steel screws.

BACKPACK SYSTEM:
Ergonomically designed shoulder straps are included and stored in an appropriate pocket.

FOLDABLE SYSTEM:
The product can be folded into itself in less than one minute to store it in small space.



2024

EXTENDED RANGE





BREATHING SYSTEMS

Mares regulators have been tested and certified in compliance with EC directive 89/686/EEC and/or European Regulation 2016/425 according to the EN 250: 2014 standard and EN13949 (Nitrox regulators).
All Mares Nitrox regulators are compatible with oxygen mixes up to 100% O2 and are equipped with a dedicated connection in conformity with European standard EN144-3.

28XR - HR - FULL SM TEK SET

Code: **416409**

THIS SET INCLUDES:

- 2 X HR SECOND STAGES
- 2 X 28XR FIRST STAGES
- 2 X MIFLEX XT-TECH HOSES (60 cm-210 cm)
- 2 X SHORT MIFLEX XT-TECH SIDEMOUNT INFLATOR HOSES (20 cm)
- 1M OF 4MM BUNGEE
- 2 X PRESSURE GAUGES

FIRST STAGE

- FULL SHINY CHROME METAL BODY
- NATURAL DFC ON ALL LP PORTS
- BALANCED DIAPHRAGM AND ENVIRONMENTALLY SEALED "TBP" (TWIN BALANCED PISTON)
- ENVIRONMENTALLY SEALED AST FOR UNDERWATER REMOVAL
- 4 LP PORTS ON SWIVEL TURRET
- 1 ADDITIONAL 5TH LP IN-LINE PORT
- 2 SYMMETRICAL HP PORTS WITH A 10° PORT ANGLE FOR PERFECT HP HOSE POSITIONING
- DIN ONLY - 300 BAR
- LIGHTWEIGHT <790G

SECOND STAGE:

- FOR STAGE, SIDEMOUNT, MAIN BACKMOUNT, BACK-UP BACKMOUNT OR "HARD BREATHING" BACKMOUNT USE
- ADJUSTABLE BREATHING COMFORT
- SIMPLE, PERFORMING, ULTRALIGHT TECHNOLOGY BODY
- PAD - PNEUMATICALLY ASSISTED DESIGN
- OVERSIZED PURGE BUTTON
- MIFLEX XT-TECH HOSE
- CAN BE OPENED AND CLEANED OR FIXED UNDERWATER



TECHNICAL FEATURES

HR	Technopolymer second stage	Pneumatically assisted valve
Flow Rate (STP)	560l/min - 20cuft/min	
Weight (without hose)	225g - 8oz	
Hose length	60cm / 24in - 210cm / 7ft	

25XR - DR FULL TEK SETCode: **416402**

THIS SET INCLUDES:

- 2 X DR SECOND STAGES
- 2 X 25XR FIRST STAGES
- 2 X HOSES (60 cm-210 cm)
- 1 X NECK REGULATOR BUNGEE
- 1 X DEAD BOLT SNAP

- HIGH-PERFORMANCE SECOND STAGE
- MESH GRID
- STABLE FLOW WITHOUT EXCESSIVE POSITIVE-PRESSURE BREATHING (VAD - VORTEX ASSISTED DESIGN)
- NO NEED FOR USER ADJUSTMENTS
- COMPACT AND RUGGED ALL-METAL BODY MADE FROM HIGH-IMPACT CHROME AND NICKEL-PLATED BRASS
- SLIGHTLY NEGATIVELY BUOYANT
- STRONG AND RESISTANT, IDEAL FOR SCOOTERING, DEEP, COLD AND WRECK DIVING
- COVER DESIGN DISPERSES WATER FLOW AND REDUCES FREE FLOW (MESH GRID DESIGN)
- EASY-TO-PUSH PURGE
- CARBON/TITANIUM PU COATED MIFLEX HOSE:
 - STRONGER RESISTANCE TO CUTS, ABRASIONS, BURSTING AND UV - LESS FLOATING
 - ENVIRONMENTALLY SEALED
 - FLEXIBLE AND COMFORTABLE
- ACHIEVED NORSOK U-101 WORK OF BREATHING REQUIREMENTS AT THE DEPTH OF 200 M AT A BREATHING RATE OF 62,5 L/MIN WHILE USING A BREATHING MIX OF 3% OXYGEN IN HELIUM (AS PER NORSOK U-101)

**TECHNICAL FEATURES**

DR	All-metal (nickel and chrome plated brass) second stage	Standard downstream valve
Flow Rate (STP)	620l/min - 22ft³/min	
Weight (without hose)	269g / 9.6oz	
Hose length	60cm / 24in - 210cm / 7ft	

25XR - CR FULL TEK SETCode: **416403**

THIS SET INCLUDES:

- 2 X CR SECOND STAGES
- 2 X 25XR FIRST STAGES
- 2 X HOSES (60 cm-210 cm)
- 1 X NECK REGULATOR BUNGEE
- 1 X DEAD BOLT SNAP

- HIGH-PERFORMANCE SECOND STAGE
- SOFT COVER
- STABLE FLOW WITHOUT EXCESSIVE POSITIVE-PRESSURE BREATHING (VAD - VORTEX ASSISTED DESIGN)
- NO NEED FOR USER ATTACHMENTS
- SLIGHTLY NEGATIVELY BUOYANT
- COVER DESIGN DISPERSES WATER FLOW AROUND THE SECOND-STAGE DIAPHRAGM AND REDUCES FREE FLOW
- EASY-TO-PUSH PURGE
- CAN BE OPENED UNDER WATER - IDEAL FOR CAVE AND COLD WATER DIVING
- CARBON/TITANIUM PU COATED MIFLEX HOSE:
 - STRONGER RESISTANCE TO CUTS, ABRASIONS, BURSTING AND UV - LESS FLOATING
 - ENVIRONMENTALLY SEALED
 - FLEXIBLE AND COMFORTABLE
- ACHIEVED NORSOK U-101 WORK OF BREATHING REQUIREMENTS AT THE DEPTH OF 320 M AT A BREATHING RATE OF 62,5 L/MIN WHILE USING A BREATHING MIX OF 1,6% OXYGEN IN HELIUM (AS PER NORSOK U-101)

**TECHNICAL FEATURES**

CR	Technopolymer second stage	Standard downstream valve
Flow Rate (STP)	560l/min - 20ft³/min	
Weight (without hose)	193g / 7oz	
Hose length	60cm / 24in - 210cm / 7ft	

28XR - HRCode: **416410**

FIRST STAGE:

- FULL SHINY CHROME METAL BODY
- NATURAL DFC ON ALL LP PORTS
- BALANCED DIAPHRAGM AND ENVIRONMENTALLY SEALED "TBP" (TWIN BALANCED PISTON)
- ENVIRONMENTALLY SEALED AST FOR UNDERWATER REMOVAL
- 4 LP PORTS ON SWIVEL TURRET
- 1 ADDITIONAL 5TH LP IN-LINE PORT
- 2 SYMMETRICAL HP PORTS WITH A 10° PORT ANGLE FOR PERFECT HP HOSE POSITIONING
- DIN ONLY - 300 BAR
- LIGHTWEIGHT <790G

SECOND STAGE:

- FOR STAGE, SIDEMOUNT, MAIN BACKMOUNT, BACK-UP BACKMOUNT OR "HARD BREATHING" BACKMOUNT USE
- ADJUSTABLE BREATHING COMFORT
- SIMPLE, PERFORMING, ULTRALIGHT TECHNOPOLYMER BODY
- PAD - PNEUMATICALLY ASSISTED DESIGN
- OVERSIZED PURGE BUTTON
- MIFLEX XT-TECH HOSE
- CAN BE OPENED AND CLEANED OR FIXED UNDERWATER

VR 2ND STAGECode: **416408 - NR: black - air**Code: **416408 - NX: green - O2**

- THE FIRST VERTICAL SECOND STAGE EVER
- EXCELLENT BREATHING POSITION
- INTEGRATED SAGITTAL VAD (S-VAD)
- OVERSIZED SILICONE PURGE BUTTON
- FREEDOM OF MOVEMENT IN ALL POSITIONS
- IDEAL FOR STAGE DECOMPRESSION, TRAVEL GAS AND SIDEMOUNT CONFIGURATION
- CAN BE MOUNTED ON THE RIGHT AS WELL AS THE LEFT SIDE
- "UNDER THE SHOULDER" HOSE POSITION
- EASY-TO-PUSH PURGE
- CARBON/TITANIUM PU COATED MIFLEX HOSE:
 - STRONGER RESISTANCE TO CUTS, ABRASIONS, BURSTING AND UV - LESS FLOATING
 - ENVIRONMENTALLY SEALED
 - FLEXIBLE AND COMFORTABLE

Spare parts, to be used only in first/second stage combinations carrying a CE certification. The assembly, check and any necessary adjustments must be done by a Mares Lab Authorized Service Center.

**TECHNICAL FEATURES**

HR	Technopolymer second stage	Pneumatically assisted design
Flow Rate (STP)	560l/min - 20cuft/min	
Weight (without hose)	225g / 8oz	
Hose length	75cm / 30in	

TECHNICAL FEATURES

VR	Technopolymer second stage	Standard downstream valve
Flow Rate (STP)	560l/min - 20ft ³ /min	
Weight (without hose)	199g / 7oz	
Hose length	110cm / 43.3in	

HR 2ND STAGECode: **416412 - NR: black - air**Code: **416412 - NX: green - O2**

- FOR STAGE, SIDEMOUNT, MAIN BACKMOUNT, BACK-UP BACKMOUNT OR "HARD BREATHING" BACKMOUNT USE
- ADJUSTABLE BREATHING COMFORT
- SIMPLE, PERFORMING, ULTRALIGHT TECHNOLOGY BODY
- PAD - PNEUMATICALLY ASSISTED DESIGN
- OVERSIZED PURGE BUTTON
- MIFLEX XT-TECH HOSE
- CAN BE OPENED AND CLEANED OR FIXED UNDERWATER

**TECHNICAL FEATURES**

HR	Technopolymer second stage	Pneumatically assisted valve
Flow Rate (STP)	560l/min - 20cuft/min	
Weight (without hose)	225g / 8oz	
Hose length	110cm / 43.3in	

28XR 1ST STAGECode: **416411 - NR: air - G5/8**Code: **416411 - NX: O2 - M26**

THE 28XR IS A TECHNICAL FIRST STAGE IDEAL FOR:

- SIDEMOUNT REGULATORS
- BACKMOUNT REGULATORS
- STAGE REGULATORS
- FULL SHINY CHROME METAL BODY
- NATURAL DFC ON ALL LP PORTS
- BALANCED DIAPHRAGM AND ENVIRONMENTALLY SEALED "TBP" (TWIN BALANCED PISTON)
- ENVIRONMENTALLY SEALED AST FOR UNDERWATER REMOVAL
- 4 LP PORTS ON SWIVEL TURRET
- 1 ADDITIONAL 5TH LP IN-LINE PORT
- 2 SYMMETRICAL HP PORTS WITH A 10° PORT ANGLE FOR PERFECT HP HOSE POSITIONING
- DIN ONLY - 300 BAR
- LIGHTWEIGHT <790G

**TECHNICAL FEATURES**

28XR	All-metal (nickel and chrome plated brass) first stage	Twin balanced piston mechanism
Flow Rate at end of one 210cm/7ft long low pressure hose (STP)	1200l/min - 41cuft/min	
Static intermediate pressure (0-300bar/4350psi supply pressure)	9.8 - 10.2bar / 142 - 148psi	
High pressure ports	2 [7/16" UNF]	
Low pressure ports	5 [3/8" UNF]	
Weight	DIN: 760g / 27oz	

25XR AST 1ST STAGECode: **416400 - Left**Code: **416400 - Right**

- COMPACT, SOLID ONE-PIECE BODY
- 2 LP PORTS (3/8" UNF) ALL ANGLED DOWNWARD
- 1 HP PORT (7/16" UNF) WITH IPD - INTERCHANGEABLE PORT DESIGN
- PERFECT, SNAG-FREE LP HOSE POSITIONING
- DFC - DYNAMIC FLOW CONTROL
- ACT VALVE - ADVANCED COATING TECHNOLOGY
- ENVIRONMENTAL DRY SYSTEM: KEEPS WATER OUT OF THE MAIN SPRING CHAMBER, PREVENTS ICE BUILDUP, KEEPS SILT AND CONTAMINATION OUT
- DIN ONLY
- COLD WATER KIT
- TRIMIX, HELIOX, HELITROX
- EXTREME DEPTH, ENGAGED DIVES & MIXED GAS DIVING (HELIUM, O₂, NITROGEN)
- FOR TWINSET USE BUT EQUALLY SUITABLE FOR SINGLE OR STAGE CYLINDER CONFIGURATIONS
- DUAL CONFIGURATION: FITS ALL CERTIFYING AGENCIES FROM RSTC TO DIR DIVERS AND ALL XR USES INCLUDING CAVE
- MINIMIZED RISK OF ACCIDENTAL SNAGGING, NO HOSE KINKING AND EASIER ACCESS TO THE MANIFOLD VALVES
- AST - AUTO SEALING TECHNOLOGY
 - KEEPS THE FIRST STAGE DRY. RELIABILITY WITHOUT COMPROMISE
 - THE SYSTEM IS AUTOMATICALLY ACTIVATED BY AIR
 - TESTED WITH OXYGEN AND COLD TEMPERATURES IN DEMANDING ENVIRONMENTS
 - PATENTED SYSTEM

Spare parts, to be used only in first/second stage combinations carrying a CE certification. The assembly, check and any necessary adjustments must be done by a Mares Lab Authorized Service Center.

**TECHNICAL FEATURES**

25XR	All-metal (nickel and chrome plated brass) first stage	Balanced diaphragm mechanism
Flow Rate at end of one 210cm/7ft long low pressure hose (STP)	1200l/min - 42ft ³ /min	
Static intermediate pressure (0-300bar/4350psi supply pressure)	8.8-9.4 bar / 127-136 psi	
Dynamic Flow Control (DFC)	Up to 9.9 bar / 144 psi	
High pressure ports	1 (7/16" UNF)	
Low pressure ports	2 (3/8" UNF)	
Of which DFC ports	1	
Weight	DIN : 758 g / 27 oz	

R2 1ST STAGECode: **416407 - NR: air - G5/8**Code: **416407 - NX: O₂ - M26**

- VERY SIMPLE AND RELIABLE
- STURDY AND COMPACT
- EASY TO CLEAN AND MAINTAIN
- DIN ONLY
- AST - AUTO SEALING TECHNOLOGY
 - KEEPS THE FIRST STAGE DRY. RELIABILITY WITHOUT COMPROMISE
 - THE SYSTEM IS AUTOMATICALLY ACTIVATED BY AIR
 - TESTED WITH OXYGEN AND COLD TEMPERATURES IN DEMANDING ENVIRONMENTS
 - PATENTED SYSTEM

Spare parts, to be used only in first/second stage combinations carrying a CE certification. The assembly, check and any necessary adjustments must be done by a Mares Lab Authorized Service Center.

**TECHNICAL FEATURES**

R2	All-metal (nickel and chrome plated brass) first stage	Piston mechanism
Flow Rate at end of one 210cm/7ft long low pressure hose (STP)	1200l/min - 42ft ³ /min	
Static intermediate pressure (0-300bar/4350psi supply pressure)	9.8 - 10.5bar @ 230bar / 142 - 152 @ 3300psi 7.8 - 8.5bar @ 30bar / 113 - 123psi @ 450psi	
Dynamic Flow Control (DFC)	Up to 11.5bar / 167psi	
High pressure ports	1 (7/16" UNF)	
Low pressure ports	4 (3/8" UNF)	
Of which DFC ports	1	
Weight	DIN: 431g / 15oz	

HOSES

46201394	3/8"	RUBBER	60 cm / 24 in
46201477			110 cm / 43 in
46201393			210 cm / 83 in
47201191	3/8"	MIFLEX XT-TECH	20 cm / 8 in
46201680			60 cm / 24 in
46201681			110 cm / 43 in
46201682			210 cm / 83 in

2ND STAGE LP SWIVEL CONNECTOR **NEW**

Code: **416413**

- LOW PRESSURE HOSE ADAPTER - 360° SWIVEL
- GOES BETWEEN A REGULATOR HOSE AND 2ND STAGE
- IDEAL FOR A LEFT SIDEMOUNT REGULATOR
- MORE COMFORT ON WAIST-MOUNTED DECO AND STAGE TANKS
- REDUCES JAW FATIGUE
- ALLOWS A WIDER RANGE OF HEAD MOVEMENT



OVER PRESSURE RELIEF VALVE

Code: **416404**

- STANDARD LP PORT THREAD, 3/8 UNF
- SET TO 13BAR, NOMINALLY, WITH +/- 0.5BAR TOLERANCE
- CHROME PLATED BRASS
- STANDARD REGULATOR SPRING



NECK REGULATOR BUNGEE

Code: **415763**

- ATTACHES EASILY TO ANY REGULATOR 2ND STAGE MOUTHPIECE
- ALLOWS REGULATOR TO HANG CLOSE UNDER THE CHIN
- DURABLE, SHAPE RETAINING SILICONE



BK



YL

INSTRUMENT SPG52

Code: **414600 - 56cm hose - BAR**Code: **414600 - 56cm hose - PSI**Code: **414601 - 15cm Miflex - BAR**Code: **414601 - 15cm Miflex - PSI**Code: **414602 - 15cm Miflex Oxygen - BAR**Code: **414602 - 15cm Miflex Oxygen - PSI**

- SPG WITH GRADUATION RANGE 0-360 BAR, 0-5000 PSI
- SINGLE READING
- TEMPERED GLASS
- LUMINESCENT "GLOW IN THE DARK" SCREEN
- AIR OR 100% OXY (OXY CLEAN)
- CERTIFIED ACCORDING TO EN 250
- DOUBLE CHROME, MIRROR-PLATED CASE TREATMENT
- BRASS HOUSING WITH TEMPERED GLASS FOR EXTREME DURABILITY
- COPPER BERYLLIUM BOURDON TUBE MECHANISM THAT NEVER GOES OUT OF CALIBRATION EVEN WITH HARD KNOCKS
- PREFERRED FOR ITS SIMPLICITY BY MANY TECHNICAL DIVERS WHO FOLLOW DIR TRAINING PHILOSOPHY



TECHNICAL FEATURES

Weight	210g	7.40oz
Diameter	52mm	2in

SINGLE TANK BAND SET

Code: **417541**

- DEDICATED TO ALL OUR SINGLEMOUNT SETS
- FITS ALL DIAMETERS OF STANDARD TANKS
- INCLUDES: 2 X 52CM WIDE HEAVY DUTY STRAPS WITH 2 STAINLESS STEEL BUCKLES



STAGE RIGGING SET

Code: **417518**

- THE MOST MODULAR SYSTEM FOR CARRYING STAGE TANKS
- FITS ALL DIAMETERS OF STANDARD TANKS
- FITS STAGES OF ALL LENGTHS
- INCLUDES: 2 LARGE STAINLESS STEEL DEAD BOLT SNAPS, ADJUSTABLE TANK BAND WITH STAINLESS STEEL BUCKLE AND HI-RESISTANCE CORD



ELASTIC STAGE TANK STRAP

Code: **417515 7L ♦**

Code: **417515 10L ♦**

Code: **417515 15L ♦**

- 1 PAIR OF ELASTIC LOOP TANK STRAPS
- 2.5 CM WIDE WITH WEBBING PULLER
- 3 SIZES:
 - 6" FOR 6" DIAMETER TANK
 - 7" FOR 7" DIAMETER TANK
 - 8" & 8.5" DIAMETER TANKS



RUBBER STAGE TANK STRAP

Code: **417527 - 6"**

Code: **417527 - 7"**

- 1 PAIR OF RUBBER LOOP TANK STRAPS
- 2.5 CM WIDE WITH WEBBING PULLER
- 6" FOR 6" DIAMETER TANK (17 CM RUBBER LOOP)
- 7" FOR 7", 8" & 8.5" DIAMETER TANKS (23 CM RUBBER LOOP)





BUOYANCY SYSTEMS

XR-REC SILVER SINGLE BACKMOUNT SET

NEW

Code: **417559**

A COMPLETE MOUNTED SET INCLUDING:

- 16 LITER STANDARD SINGLE TANK SILVER DONUT
 - 3 mm SILVER ALU BACK PLATE
 - 6 mm SILVER ALU D-RINGS
 - SS316 SILVER BUCKLE
 - STANDARD WEBBING HARNESS
 - LEFT SHOULDER MILSPEC 2-POINT, QUICK-RELEASE, SILVER ALU BUCKLE
 - 2 TANK STRAPS WITH SILVER SS316 BUCKLES
 - UPPER CENTRAL HANDLE
 - NEW X-REC BACK-SHOULDERS PADDING
 - BLACK, FLAT-HEAD BOLT SCREWS
 - 2 REMOVABLE SIDE WEIGHT POCKETS WITH D-RINGS, CLOSED WITH VELCRO (ONE INCLUDES A LOWER EXTENSION POCKET)
-
- A SINGLE BACKMOUNT SET THAT INCLUDES EVERYTHING YOU NEED TO ENTER THE WORLD OF XR DIVING
 - ONE SIZE FITS ALL (FULLY ADJUSTABLE HARNESS)
 - PERFECT FOR TRAVELLING



HEAVY DUTY HARNESS

Code: **417501 - Complete**

WEBBING

- 3.5 m WEBBING WITH CENTER HOLE AND GROMMET
- 3 X 40 mm ELASTIC LOOP RETAINERS
- 1.5 m CROTCH STRAP

HARNESS

- 2 X BENT D-RING 50 mm STAINLESS STEEL
- 2 X STRAIGHT D-RING 50 mm STAINLESS STEEL
- 4 X 3-BAR SLIDES NORMAL STAINLESS STEEL
- 2 X 3-BAR SLIDES TOOTHED STAINLESS STEEL
- 1 X WAIST BUCKLE STAINLESS STEEL

CROTCH STRAP

- 2 X STRAIGHT D-RINGS 50 mm STAINLESS STEEL
- 1 X 3-BAR GLIDES 50 mm STAINLESS STEEL
- DIR - HOGARTHIAN CONFIGURATION



HEAVY DUTY MOUNTED SYSTEM

Code: **417516 - Mounted System**

- 417501 HARNESS HEAVY DUTY COMPLETE
- 417507 BACKPLATE STAINLESS STEEL 3 mm



HEAVY LIGHT HARNESS

Code: **417502 - Complete**

WEBBING

- 3.5 m WEBBING WITH CENTER HOLE AND GROMMET
- 3 X 40 mm ELASTIC LOOP RETAINERS
- 1.5 m CROTCH STRAP

HARNESS

- 2 X BENT D-RING 50 mm BLACK ALUMINUM
- 2 X STRAIGHT D-RING 50 mm BLACK ALUMINUM
- 4 X 3-BAR SLIDES NORMAL BLACK ALUMINUM
- 2 X 3-BAR SLIDES TOOTHED BLACK ALUMINUM
- 1 X SS316 STANDARD WAIST BUCKLE

CROTCH STRAP

- 2 X STRAIGHT D-RINGS 50 mm BLACK ALUMINUM
- 1 X 3-BAR GLIDES 50 mm BLACK ALUMINUM
- DIR - HOGARTHIAN CONFIGURATION



HEAVY LIGHT MOUNTED SYSTEM

Code: **417517 - Mounted System**

- 417502 HARNESS HEAVY LIGHT COMPLETE
- 417508 BACKPLATE ALUMINUM 3 mm



SIDEMOUNT BACK WEIGHT

Code: **417532**

- HOLDS UP TO 12KG
- 1200D "BULLETPROOF" BALLISTIC NYLON AND 600D POLYESTER EXTERIOR
- HEAVY DUTY COLD WATER VELCRO DUAL CLOSING SYSTEM
- ATTACHMENT GROMMETS ON TOP AND BOTTOM FOR MODULAR FIXING ON SIDEMOUNT PLATES
- 3 BACK STRAPS FOR ADJUSTABLE ATTACHMENT ON HARNESS



CARGO POCKET

Code: **417505**

- 1200D "BULLETPROOF" BALLISTIC NYLON
- LARGE MAIN VOLUME POCKET WITH ZIPPERED CLOSURE
- INTERNAL BUNGEE CORD
- INTERNAL STAINLESS STEEL D-RING
- SMALL FRONT COMPARTMENT POCKET WITH ZIPPERED CLOSURE
- 2 LARGE NYLON LOOPS TO SLIDE OVER HARNESS BELT
- 2 SMALL NYLON LOOPS TO ATTACH POCKET TO STANDARD 2" WAISTBAND
- 2 BOTTOM DRAIN GROMMETS
- CAN BE ATTACHED TO YOUR HARNESS



SIDE WEIGHT POCKET

Code: **417533**

- HOLDS UP TO 4KG
- 1200D "BULLETPROOF" BALLISTIC NYLON AND 600D POLYESTER EXTERIOR
- MODULAR - THEY CAN BE INSTALLED ON ANY MARES XR HARNESS
- CAN BE PLACED ON THE SHOULDER OR WAIST STRAPS
- HEAVY DUTY COLD WATER VELCRO SINGLE CLOSING SYSTEM
- INTEGRATED FLAT D-RING



MASK POCKET

Code: **417506**

- 1200D "BULLETPROOF" BALLISTIC NYLON
- 600D POLYESTER WEB GRID
- LARGE AND EXPANDABLE
- INNER REINFORCEMENT IN BLACK POLYURETHANE
- 1 OVERSIZED CLIP
- LONG NYLON STRAP ALLOWING FULL POCKET EXPANSION
- 1 LARGE NYLON LOOP TO SLIDE OVER HARNESS BELT
- CAN BE ATTACHED TO YOUR HARNESS



SIDEMOUNT BACK POUCH

Code: **417534**

- 1200D "BULLETPROOF" BALLISTIC NYLON AND 600D POLYESTER EXTERIOR
- POSTERIOR POUCH
- ZIPPERED FRONT
- 3 1/2 STAINLESS STEEL D-RINGS TO ATTACH FASTENING
- VERY USEFUL ACCESSORY FOR ALL SIDEMOUNT DIVERS ENABLING YOU TO STOW AWAY EVERYTHING THAT YOU WOULD NORMALLY CARRY IN YOUR POCKETS
- FAST AND EASY WATER DRAINAGE
- OUTER MESH POCKET FOR STORAGE OF SLATES, DIVE TABLES OR WETNOTES
- DOUBLE ENDERS NOT PROVIDED



RUBBER RINGS

Code: **417549**

- RUBBER SLIDING D-RING COMPATIBLE WITH ALL 50/52 mm WEBBING
- CAN BE MOVED FORWARDS (BY PINCHING TOGETHER) WHEN CYLINDERS START BECOMING MORE BUOYANT TO ALLOW FOR BETTER TRIM CONTROL
- FITS SNUGLY
- WEIGHT: 0.01KG
- OUTER DIAMETER: ~50 mm
- THICKNESS: 8 mm
- 4 PCS



TOOTHED SS316 TRIGLIDERS

Code: **417524**

- ACCESSORIES FOR ADDITIONAL CONFIGURATION
- PRECISION MACHINED FROM SS AISI 316
- FITS WITH ALL HARNESS STRAPS
- 10 PCS



BENT TOOTHED TRIGLIDERS

Code: **417552 - Alu Black**

Code: **417553 - SS316**

- REPLACES THE CLASSICAL CHEST TRIGLIDERS ALLOWING FOR THE ADDITION OF ANY BACKUP LIGHTS OR ADDITIONAL ACCESSORIES
- PRECISION MACHINED FROM SS316 OR ALU
- STRONG, DURABLE, FITS WITH ALL HARNESS STRAPS
- 2 PCS



D-RINGS SS316 FLAT

Code: **417525**

- ACCESSORIES FOR ADDITIONAL CONFIGURATION
- PRECISION MACHINED FROM SS AISI 316
- FITS WITH ALL HARNESS STRAPS
- 10 PCS



D-RINGS SS316 BENT

Code: **417526**

- ACCESSORIES FOR ADDITIONAL CONFIGURATION
- PRECISION MACHINED FROM SS AISI 316
- FITS WITH ALL HARNESS STRAPS
- 10 PCS



SF2 SS316 CLIP

Code: **417522**

- ALLOWS FREE ADJUSTMENT OF RIGHT HARNESS STRAP
- PRECISION MACHINED FROM SS316 OR ALU
- STRONG, DURABLE, LOGICAL ALTERNATIVE TO PLASTIC CLIPS
- FITS IN ALL OUR RIGID PLATES (ALU AND SS)



METAL BUCKLE ALUMINUM

Code: **417556 - Alu black**

Code: **417555 - SS316**

- MILSPEC FOR 50MM WEBBING, STRAPS AND HARNESSES
- TWO-POINT QUICK-RELEASE SAFETY CONCEPT ALLOWING A BREAK IN THE HARNESS



DONUT BLADDER SINGLE TANK

Code: **417511 - 10 kg**

Code: **417511 - 16 kg**

- DRAINS: 6 LARGE GROMMETS, 2 ON TOP AND 4 ON BOTTOM
- 1200D "BULLETPROOF" BALLISTIC NYLON AND 600D POLYESTER EXTERIOR
- HEAVY DUTY PLASTIC ZIPPER AND SLIDER WITH ELONGATED TEETH
- 4 HEAVY DUTY GROMMETS POSITIONED TO ALLOW OPTIMUM TRIM
- NEW STRETCHIER, LOW PROFILE, OVAL CORRUGATED HOSE
- NEW K-STYLE TWO-SPEED (STANDARD AND TURBO) INFLATOR WITH BRASS BUTTONS
- LEFT POSITION DOES NOT INTERFERE WITH 1ST STAGE DUMP VALVE
- LOW PROFILE DUMP VALVE
- MICRO PULLER
- TANK STABILIZER BODY SLIDE BARS
- VERY SMART AND UNIQUE DESIGN ALLOWING THE CYLINDER TO NEST INSIDE
- EXTREMELY STREAMLINED - VERY STABLE CONTINUOUS LOOP SHAPE
- SMOOTH GAS SHIFT FROM LEFT TO RIGHT
- TOP QUALITY ZIPPER: DOES NOT INTERFERE WITH THE WOVEN TEXTILE TAPE, EASY HANDLING, STRONG AND DURABLE



DONUT BLADDER TWIN TANK

Code: **417512 - 20 kg**

Code: **417512 - 24 kg**

- DRAINS: 6 LARGE GROMMETS, 2 ON TOP AND 4 ON BOTTOM
- 1200D "BULLETPROOF" BALLISTIC NYLON AND 600D POLYESTER EXTERIOR
- HEAVY DUTY PLASTIC ZIPPER AND SLIDER WITH ELONGATED TEETH
- 4 HEAVY DUTY GROMMETS POSITIONED TO ALLOW OPTIMUM TRIM
- NEW STRETCHIER, LOW PROFILE, OVAL CORRUGATED HOSE
- NEW K-STYLE TWO-SPEED (STANDARD AND TURBO) INFLATOR WITH BRASS BUTTONS
- MID POSITION DOES NOT INTERFERE WITH 1ST STAGE DUMP VALVE
- RIGHT AND LEFT MODULAR LOW PROFILE DUMP VALVE AND BLINDER
- KNOBLESS PULLER
- EXTREMELY STREAMLINED - VERY STABLE CONTINUOUS LOOP SHAPE
- SMOOTH GAS SHIFT OF AIR FROM LEFT TO RIGHT
- TOP QUALITY ZIPPER: EASY HANDLING, STRONG AND DURABLE



BACKPLATE STAINLESS STEEL

Code: **417507 - 3 mm** ♦

Code: **417507 - 6mm** ♦

- STAINLESS STEEL GRADE 316
- 13 LASER CUT AND LASER ETCHED SLOTS
- 8 SLOTS SPECIALLY DESIGNED FOR OPTIMUM POSITIONING OF THE HARNESS WEBBING
- 2 UPPER AND 2 LOWER SLOTS FOR NYLON CYLINDER BANDS SO A SINGLE CYLINDER CAN BE STRAPPED DIRECTLY
- HAVING ONLY 2 SLOTS PROVIDES ENOUGH LATERAL CYLINDER STABILITY WITHOUT WEAKENING THE STRENGTH OF THE SPINE
- 2" WIDE CROTCH STRAP SLOT
- 15 HOLES
- 3 HOLES AT THE TOP OF THE PLATE OFFER A RANGE OF HEIGHT ADJUSTMENTS FOR BUOYANCY CELLS AND CYLINDERS. IN ADDITION, A CORRESPONDING LOWER CENTER SLOT ALLOWS FOR LOWER BAND BOLTS THAT ARE MISALIGNED
- 4 UPPER AND LOWER PERIMETER HOLES ALONG EITHER SIDE AND 4 HOLES ALONG THE BOTTOM ALLOW FOR THE MOUNTING OF ACCESSORIES AND SIDE-MOUNT BUTT PLATE
- BENDED LOWER EDGES
- HIGHLY TECHNICAL PRE-SHAPE
- ULTRA-RUGGED BACKBONE
- TOTAL MODULARITY: ALL HARNESES AND ALL DONUTS/WINGS



TECHNICAL FEATURES

Thickness	3 mm	6mm
Weight	2.5kg	4kg

BACKPLATE ALUMINIUM

Code: **417508 - 3 mm**

- 6061 MARINE GRADE ANODIZED ALUMINUM ALLOY, 3 mm
- 13 LASER CUT AND LASER ETCHED SLOTS
- 8 SLOTS SPECIALLY DESIGNED FOR OPTIMUM POSITIONING OF THE HARNESS WEBBING
- 2 UPPER AND 2 LOWER SLOTS FOR NYLON CYLINDER BANDS SO A SINGLE CYLINDER CAN BE STRAPPED DIRECTLY
- HAVING ONLY 2 SLOTS PROVIDES ENOUGH LATERAL CYLINDER STABILITY WITHOUT WEAKENING THE STRENGTH OF THE SPINE
- 2" WIDE CROTCH STRAP SLOT
- 15 HOLES
- 3 HOLES AT THE TOP OF THE PLATE OFFER A RANGE OF HEIGHT ADJUSTMENTS FOR BUOYANCY CELLS AND CYLINDERS. IN ADDITION, A CORRESPONDING LOWER CENTER SLOT ALLOWS FOR LOWER BAND BOLTS THAT ARE MISALIGNED
- 4 UPPER AND LOWER PERIMETER HOLES ALONG EITHER SIDE AND 4 HOLES ALONG THE BOTTOM ALLOW FOR MOUNTING ACCESSORIES AND SIDE-MOUNT BUTT PLATE
- BENDED LOWER EDGES
- MARES XR LOGOS AND LAZER CUT SHAPED AXIS
- HIGHLY TECHNICAL PRE-SHAPE - UNPARALLELED VERSATILITY
- ULTRA-RUGGED UNFOLDABLE BACKBONE
- PUSHED TO LIMITS THROUGH INTENSE TESTING
- TOTAL MODULARITY: ALL HARNESES AND DONUTS/WINGS



TECHNICAL FEATURES

Thickness	3 mm
Weight	750g

PURE LIGHT SIDEMOUNT SET

Code: **417547**

A COMPLETE MOUNTED SET INCLUDING:

- 417536 - SIDEMOUNT PURE LIGHT BLADDER - 10 LITERS
- 417543 - SIDEMOUNT TOP ALU PLATE
- 417544 - SIDEMOUNT BOTTOM ALU PLATE
- 417545 - SIDEMOUNT TAIL ALU PLATE
- 417546 - SIDEMOUNT HIP ALU RINGS (R&L)
- 417502 - HARNESS HEAVY LIGHT COMPLETE
- 417532 - SIDEMOUNT BACK WEIGHT
- 417534 - SIDEMOUNT BACK POUCH
- 417535 - SIDEMOUNT STAGE BUNGEEES



ALUMINUM 40μ



HEAVY PURE SIDEMOUNT SET

Code: **417548**

A COMPLETE MOUNTED SET INCLUDING:

- 417542 - SIDEMOUNT HEAVY PURE BLADDER - 16 LITERS
- 417528 - SIDEMOUNT TOP SS316 PLATE
- 417529 - SIDEMOUNT BOTTOM SS316 PLATE
- 417530 - SIDEMOUNT TAIL SS316 PLATE
- 417531 - SIDEMOUNT HIP SS316 RINGS (R&L)
- 417501 - HARNESS HEAVY DUTY COMPLETE
- 417532 - SIDEMOUNT BACK WEIGHT
- 417534 - SIDEMOUNT BACK POUCH
- 417535 - SIDEMOUNT STAGE BUNGEEES



STAINLESS STEEL



SIDEMOUNT PLATES

- 6MM GRADE 316 STAINLESS STEEL
- LASER CUT AND LASER ETCHED EDGES
- HIGHLY TECHNICAL PRE-SHAPE - UNPARALLELED VERSATILITY
- ULTRA-RUGGED - PUSHED TO THE LIMITS THROUGH INTENSE TESTING
- TOTAL MODULARITY: ALL TYPES OF SIDEMOUNTING

SIDEMOUNT ALU PLATES

- ANODIZED ALUMINUM 40M
- LASER CUT AND LASER ETCHED EDGES
- HIGHLY TECHNICAL PRE-SHAPE - UNPARALLELED VERSATILITY
- ULTRA-RUGGED - PUSHED TO THE LIMITS THROUGH INTENSE TESTING
- TOTAL MODULARITY: ALL TYPES OF SIDEMOUNTING

SIDEMOUNT TOP PLATE

Code: **417528** ♦

- 460G



SIDEMOUNT TOP PLATE ALU

Code: **417543** ♦

- 76G



SIDEMOUNT BOTTOM PLATE

Code: **417529** ♦

- 400G



SIDEMOUNT BOTTOM PLATE ALU

Code: **417544** ♦

- 72G



SIDEMOUNT TAIL PLATE

Code: **417530** ♦

- 180G



SIDEMOUNT TAIL ALU PLATE

Code: **417545** ♦

- 66G



SIDEMOUNT HIP RINGS

Code: **417531 (Right & Left)** ♦

- 105G EACH



SIDEMOUNT HIP ALU RINGS

Code: **417546 (Right & Left)** ♦

- 42G EACH



SIDEMOUNT PURE LIGHT BLADDER

Code: **417536** ♦

- 10 LITERS – FULLY COMPATIBLE WITH ALL HARNESSES FROM THE RANGE
- 1200D "BULLETPROOF" BALLISTIC NYLON AND 600D POLYESTER EXTERIOR
- INNER AIR CELL: BLACK POLYURETHANE
- HEAVY DUTY PLASTIC ZIPPER AND SLIDER WITH ELONGATED TEETH - DOES NOT INTERFERE WITH WOVEN TEXTILE TAPE, EASY TO HANDLE, STRONG AND DURABLE
- FULLY MODULAR TRIM: CAVE, OPEN WATER, WRECK – COLD AND WARM WATERS
- WAVE SHAPE FOR PERFECT ENVELOPMENT OF THE BACK WEIGHT POUCH
- NO BUNGEEES COMPRESSING THE BODY ALLOWING COMFORT AND OPTIMAL TRIM
- NO CAMEL OR CAKE EFFECT WITH PRE-SHAPED INTERNAL BLADDER ALLOWING PERFECT FLAT TRIM
- REVERSIBLE LOW PROFILE DUMP VALVE / INFLATOR
- KNOBLESS PULLER
- NEW STRETCHIER, LOW PROFILE, OVAL CORRUGATED HOSE
- NEW K-STYLE TWO-SPEED (STANDARD AND TURBO) INFLATOR WITH BRASS BUTTONS
- STYLISH, DURABLE, LIGHTWEIGHT AND LONG-LASTING, FINEST QUALITY MATERIALS



SIDEMOUNT HEAVY PURE BLADDER

Code: **417542** ♦

- BEST FOR SS316 PLATES, LOCAL DIVING, COLD WATERS, HEAVY DECOMPRESSION, DEEP DIVING
- 16 LITERS – FULLY COMPATIBLE WITH ALL HARNESSES FROM THE RANGE
- 1200D "BULLETPROOF" BALLISTIC NYLON AND 600D POLYESTER EXTERIOR
- INNER AIR CELL: BLACK POLYURETHANE
- HEAVY DUTY PLASTIC ZIPPER AND SLIDER WITH ELONGATED TEETH - DOES NOT INTERFERE WITH WOVEN TEXTILE TAPE, EASY TO HANDLE, STRONG AND DURABLE
- FULLY MODULAR TRIM: CAVE, OPEN WATER, WRECK – COLD AND WARM WATERS
- WAVE SHAPE FOR PERFECT ENVELOPMENT OF THE BACK WEIGHT POUCH
- NO BUNGEEES COMPRESSING THE BODY ALLOWING COMFORT AND OPTIMAL TRIM
- NO CAMEL OR CAKE EFFECT WITH PRE-SHAPED INTERNAL BLADDER ALLOWING PERFECT FLAT
- REVERSIBLE LOW PROFILE DUMP VALVE / INFLATOR
- KNOBLESS PULLER
- NEW STRETCHIER, LOW PROFILE, OVAL CORRUGATED HOSE
- NEW K-STYLE TWO-SPEED (STANDARD AND TURBO) INFLATOR WITH BRASS BUTTONS
- STYLISH, DURABLE (RESISTANT TO SCUUFFS, TEARS AND ABRASIONS), LIGHTWEIGHT AND LONG-LASTING FINEST QUALITY MATERIALS



BACKPLATE **SOFT**

Code: **417509**

- 1200D "BULLETPROOF" BALLISTIC NYLON
- POLYURETHANE HYDRO-DRAINAGE COMFORT PADDING, 4 SLOTS
- 2 UPPER AND 2 LOWER SLOTS ACCOMMODATE NYLON CYLINDER BANDS TO STRAP SINGLE CYLINDER DIRECTLY TO THE PLATE
- 5 DOUBLE SLIDE BARS SPECIALLY POSITIONED FOR OPTIMIZED FITTING OF THE HARNESS WEBBING AND THE CROTCH STRAP
- 2 CENTERED HOLES AT THE TOP AND 2 AT THE BOTTOM OFFER A RANGE OF HEIGHT ADJUSTMENTS FOR THE BUOYANCY CELLS
- 2 MID PERIMETER HOLES ALONG EITHER SIDE AND 4 HOLES ALONG THE BOTTOM ALLOW FOR MOUNTING ACCESSORIES AND SIDE-MOUNT BUTT PLATE
- 4 D-RINGS COMPLEMENTING THE SIDE HOLES
- HIGHLY TECHNICAL SHAPE
- TOTAL MODULARITY: ALL HARNESES AND ALL DONUTS/WINGS



XR-REC BACK-SHOULDERS PADDING **NEW**

Code: **417560**

- ULTIMATE IN COMFORT AND CONVENIENCE WITHOUT SACRIFICING ANY FEATURES
- LUMBAR REINFORCEMENT
- FAST DRAINING CONCEPT
- ERGONOMIC, COMPACT SHOULDER PADS
- NON-TWISTING SHOULDER DESIGN
- COMPACT, INTEGRATED BACK SPACE TO CARRY A LIFTING DEVICE



SIDEMOUNT **STAGE BUNGEE**

Code: **417535** ♦

- INDEPENDENT BUNGEEES
- 52CM LONG PAIR OF BUNGEEES TO BE ATTACHED TO THE BACK/SHOULDER PLATE
- BOLT SNAPS ATTACHED TO THE FREE ENDS OF THE BUNGEEES
- TO BE STRETCHED AROUND THE NECK OF THE CYLINDER WITH BOLT SNAP CLIPPED ON A CHEST MOUNTED HARNESS D-RING
- CAN BE USED WITH ANY VALVES - MATCHED (LEFT & RIGHT HAND) VALVES ARE NOT REQUIRED



S.T.R.A.W.S.

Code: **417557**

- A SIMPLE, LIGHTWEIGHT, DURABLE WEIGHT POCKET, ADDED DIRECTLY ON THE TANK BANDS
- ONE SIDE, OR BETTER, TWO, ALLOW FOR ADDITIONAL WEIGHT
- SIGNIFICANTLY IMPROVES TRIM, ALLOWS TRIM FINE TUNING
- IMPROVES BACK COMFORT
- STABILIZES THE TANK



DRY SUIT INFLATION MOUNTING BAND

Code: **417503**

- INFLATION TANK MOUNTING STRAP WITH BUCKLE
- FOR MOUNTING A SMALL 0,85L OR 1L STEEL AIR OR ARGON BOTTLE DIRECTLY ON A BACK PLATE
- SUITABLE ESPECIALLY FOR COLD, DEEP, WRECK OR CAVE DIVING
- A SECONDARY BOTTLE FILLED WITH ARGON IS THE MOST COMMON METHOD USED TO INCREASE INSULATION PROPERTIES OF THERMAL GARMENTS
- PROVIDES A QUICK, SECURE AND LIGHTWEIGHT MOUNTING OPTION FOR DRY SUIT INFLATION SOURCES
- NOT AVAILABLE IN NORTH AMERICA



DEADBOLT SCREW FLATCode: **417520 - 11mm Chrome**

- STRONG, DURABLE SCREW FOR ALL ATTACHMENTS
- PRECISION MADE FROM AISI 316 GRADE STAINLESS STEEL
- 11 mm FLAT HEAD DEAD BOLT SCREW WITH O-RINGS
- ACCESSORIES FOR ADDITIONAL CONFIGURATION
- 4PCS (1PC = MALE + FEMALE + O-RINGS)
- FOR USE WITH ALUMINUM PLATES AND O-RINGS TO PREVENT ANODIZING

**DEADBOLT SCREW FLAT**Code: **417538 - 11mm Black**

- STRONG, DURABLE SCREW FOR ALL ATTACHMENTS
- PRECISION MADE FROM AISI 316 GRADE STAINLESS STEEL
- 11 mm FLAT HEAD DEAD BOLT SCREW WITH O-RINGS
- ACCESSORIES FOR ADDITIONAL CONFIGURATION
- 4PCS (1PC = MALE + FEMALE + O-RINGS)
- FOR USE WITH ALUMINUM PLATES AND O-RINGS TO PREVENT ANODIZING

**DEADBOLT SCREW ROUND**Code: **417521 - 6 mm ♦**Code: **417521 - 9 mm ♦**

- STRONG, DURABLE SCREW FOR ALL ATTACHMENTS
- PRECISION MADE FROM AISI 316 GRADE STAINLESS STEEL
- ROUNDED HEAD - 6 mm AND 9 mm
- ACCESSORIES FOR ADDITIONAL CONFIGURATION
- 4PCS (1PC = MALE + FEMALE + O-RINGS)
- FOR USE WITH ALUMINUM PLATES AND O-RINGS TO PREVENT ANODIZING

**THUMBWHEEL SS316**Code: **417523 - 28x14 mm**Code: **417523 - 28x18 mm**

- PRECISION MADE FROM AISI 316 STAINLESS STEEL
- STRONG AND DURABLE
- EASY ALTERNATIVE TO THE TRADITIONAL WINGNUT/BUTTERFLY
- KNURLED SURFACE FOR EASIER GRIP
- 28 X 14 mm AND 28 X 18 mm WITH A HOLE THROUGH THE CENTER
- 2 PCS

**ROLL OF ELASTIC THREADED BUNGEE**Code: **417554♦**

- FOR REGULATOR NECKLACE, SIDEMOUNT LOOPS, HARNESSES, TANKS AND STAGES, BACKUP LIGHTS, DRY SUITS ETC...

**TECHNICAL FEATURES**

Length	100m
Diameter	4mm - 6mm - 8mm

♦ While stocks last

STAXR SINGLE TANK ADAPTER**NEW**Code: **417561**

- FOR DIVERS WHO NEED EASY TRANSITIONING BETWEEN A SINGLE TANK AND DOUBLE TANK SETUP
- QUICK AND EASY ATTACHMENT OF A SINGLE TANK TO A BACK PLATE
- FITS PERFECTLY ON THE CYLINDER BODY
- SMALL AND COMPACT WITH A UNIQUE XR DESIGN
- MADE IN MARINE GRADE 316 STAINLESS STEEL

NOTE: STA DOES NOT INCLUDE STRAPS AND HARDWARE





INSULATION SYSTEMS

XR3 NEOPRENE

Code: **412149 Neoprene/Latex Dry Suit**
Code: **412034 Neo Socks Dry Suit**

- NEW HIGH-DENSITY, HYPER-FLEXIBLE 4MM NEOPRENE - TOUGH BUT FLEXIBLE
- LARGE, PRE-MOUNTED, COMFORTABLE, ADJUSTABLE ELASTIC SUSPENDERS
- 4 mm NEOPRENE NECK
- NEW REDEFINED, ENHANCED DESIGN, TESTED FOR SIZING, OFFERING MAXIMUM FLEXIBILITY
- 1 NEOPRENE, WIDE-ZIPPERED POCKET ON THE RIGHT LEG
- NEW HIGHLY-DURABLE KEV/XR REINFORCEMENTS FOR PROTECTION ON THE KNEES, SHOULDERS AND POSTERIOR
- BACK MOUNTED DRY ZIP - MARES XR EXCLUSIVE INLET AND OUTLET VALVES
- DRY SEAL AROUND NECK (VELCRO) AND COMPLETE COVERAGE FROM THE HOOD TO AVOID WATER EXPOSURE
- NEW 4 mm DRY SMOOTH HOOD
- NEW STRONGER MAT BAG

- 412149:**
- INTEGRATED 4 mm NEOPRENE BOOTS WITH A RIGID SOLE
 - REINFORCED BOOT INSTEP AND ADJUSTABLE VELCRO ANKLE STRAP FOR PERFECT CLOSURE
 - LATEX WRIST SEALS (ALLOWING FOR USE OF DRY GLOVES)

- 412034:**
- 4 mm SOFT NEOPRENE SOCKS
 - NEOPRENE WRIST SEALS

DETAILS



412149 - Boots with rigid sole

412034 - Neoprene socks

412149 / TECHNICAL FEATURES


Sizes	S	M	L	XL	XXL	3XL
-------	---	---	---	----	-----	-----

412034 / TECHNICAL FEATURES

Sizes	S	M	L	XL	XXL	
-------	---	---	---	----	-----	--



SIZE CHART/ XR3



	XS	S	M	L	XL	2XL	3XL
A	149/159	156/166	163/173	170/180	177/187	184/194	190/200
B	45/55	55/65	65/75	75/85	85/95	95/105	105/115
C	79/87	85/93	91/99	99/107	105/113	113/121	119/127
D	61/69	69/77	77/85	85/93	93/101	101/109	109/117
E	68/76	80/88	92/100	96/104	104/112	112/120	120/128

	XS	S	M	L	XL	2XL	3XL
F	119	126	133	140	147	154	160
G	90	96	102	110	116	124	130
H	72	80	88	96	104	112	120
I	79	91	103	107	115	123	131

	XS	S	M	L	XL	2XL	3XL
K	25	25	25	25	25	25	25
L	23,9	25	25,9	27	28	28,2	30,3
M	34	35	36	37	38	39	40

DRY-BASE UNDERGLOVES

Code: 412761 - 2mm

- DESIGNED FOR USE UNDER DRY GLOVES WHILST MAINTAINING MAXIMUM DEXTERITY
- RETAIN SOME PROTECTION IN CASE OF DRY GLOVE FAILURE OR FLOODING
- CAN BE USED WITH TRADITIONAL THINSULATE GLOVES UNDER DRY GLOVES FOR EXTREME CONDITIONS
- DOUBLE LINED, ULTRA-STRETCH NEOPRENE
- SHORT WRIST



TECHNICAL FEATURES

Thickness	2mm		
Sizes	XS/S	M/L	XL/XXL

TEK GLOVES

Code: 412760

- 3 UNCOVERED FINGERS (THUMB, INDEX, MIDDLE)
- DOUBLE-LINED NEOPRENE, WITH 2MM AMARA INSERTS
- NO VELCRO STRAP
- BEST DESIGN FOR MAINTAINING TOUCH WHEN „BLIND“ DIVING



TECHNICAL FEATURES

Thickness	2mm						
Sizes	XS	S	M	L	XL	XXL	

XR3 DRY SMOOTH HOOD

Code: 415799 - 4mm

Code: 415800 - 7mm

- HIGH-QUALITY, ULTRA-STRETCH NEOPRENE
- PERFECT ANATOMICAL FIT
- COMES AS STANDARD IN 4MM WITH THE XR3



TECHNICAL FEATURES

Thickness	4mm / 7mm			
Sizes	XS/ S	M/L	XL	XXL/4XL

DRY SUIT ROCK BOOTS

Code: 412629

- PERFECT PROTECTION FOR DRY SUITS WITH NEOPRENE SOCKS
- SUPPORT THE FEET AND REDUCE AIR MIGRATION - NO AIR POCKETS
- VERY STRONG AND RESISTANT RUBBER WITH RUGGED, ANTI-SLIP SOLE
- MAXIMUM WATER DRAINAGE



TECHNICAL FEATURES

Thickness	2mm					
Sizes	S	M	L	XL	XXL	3XL

P-VALVE

Code: 415802

- TRIMMED P-VALVE
- SOLID DELRIN BODY
- COVER DESIGNED FOR EASY GRIP AND OPERATION WITH DRY GLOVES
- MINIMAL PUSH PRESSURE AND BACKPRESSURE
- EASY MAINTENANCE - NO FAIL KISS DESIGN
- SAFETY LOCK
- GREATLY REDUCES RISK OF DECOMPRESSION SICKNESS BY ENCOURAGING PRE-DIVE HYDRATION
- ENHANCED DIVE COMFORT
- INCLUDES TUBE AND OPTIMIZED SEALING FLANGE
- INCLUDES QUICK DISCONNECT FOR SHE-P



GREY SILICONE SEALS ACCESSORIES

NECK

code: 415781

code: 415783 Small

WRIST BOTTLENECK (1PAIR)

code: 415782

code: 415784 Small



TEK SHORTS

Code: 412032


- TO BE WORN ON TOP OF A WET SUIT OR ALONE IN WARM WATER
- MADE OF SUPER LIGHT BILAMINATE AND KEVLAR
- NON-FLOATING, FAST DRAINING AND FAST DRYING
- ULTRA-LIGHT BUT EXTREMELY RESISTANT



DETAILS



TECHNICAL FEATURES



		S	M	L	XL	2XL	3XL
A	-	156/166	163/173	170/180	177/187	184/194	190/200
B	-	55/65	65/75	75/85	85/95	95/105	105/115

	TOLERANCE	S	M	L	XL	2XL	3XL
C	+- 1.5 cm	58	62	65	69	72	75
D	+- 2.0 cm	118	130	144	152	160	168
E	+- 0.5 cm	28	29.5	31	32.5	34	35
F	+- 0.5 cm	32	34	36	38	40	42
G	+- 0.5 cm	46	50	55	57	60	62

COMFORT MID BASE LAYER

Code: 412148

- CAN BE USED AS A BASE LAYER OR A MID-LAYER - PERFECT FOR NEOPRENE DRY SUITS
- EXA-STRETCH ELASTANE FOR ENHANCED STRETCH AND MOVEMENT
- ANTI-ODOR, WASHABLE, BREATHABLE, MOISTURE-WICKING POLYESTER
- BREATHABLE, FLEECE-LINED, WINDPROOF, WATER-RESISTANT PANELS
- TRAPS A LAYER OF AIR - A MUCH BETTER INSULATOR THAN WATER - NEXT TO THE SKIN
- FLAT SEAMS FOR COMFORT
- ULTRA-LIGHTWEIGHT
- UNISEX
- COMES WITH A LIGHTWEIGHT DRY SACK, IDEAL FOR STORING THE UNDERSUIT AND OTHER ITEMS



TECHNICAL FEATURES

Sizes	XS	S	M	L	XL	XXL
-------	----	---	---	---	----	-----

EXTREME UNDERGARMENT

Code: 412147

- ENHANCED INSULATION ON CRITICAL AREAS OF THE BODY
- BREATHABLE, FLEECE-LINED, WINDPROOF, WATER-RESISTANT PANELS ON THE CHEST AND ARMS
- EXA-STRETCH ELASTANE FOR ENHANCED STRETCH AND MOVEMENT
- ANTI-ODOR, WASHABLE, BREATHABLE, MOISTURE-WICKING POLYESTER
- HANDWARMER POCKETS FOR COMFORT AND A CONVENIENT, ZIPPED POCKET FOR VALUABLES
- COMES WITH A LIGHTWEIGHT DRY SACK, IDEAL FOR STORING THE UNDERSUIT AND OTHER ITEMS



TECHNICAL FEATURES

Sizes	S	M	L	XL	XXL
-------	---	---	---	----	-----

BASE LAYER

Code: 412173 Top

Code: 412174 Pants

- DESIGNED FOR EXTENDED USE IN EXTENDED RANGE DIVING
- WARM, VERY STRETCHY, LIGHTWEIGHT, COMPACT
- KEEPS THE SKIN DRY BY WICKING AWAY PERSPIRATION
- ANTIMICROBIAL AND ANTI-ODOR
- STILL PERFORMS, EVEN IN THE CASE OF SUIT FLOODING



TECHNICAL FEATURES

Sizes	XS	S	M	L	XL	XXL	3XL
-------	----	---	---	---	----	-----	-----

ACTIVE HEATING VEST

Code: 412146

- DOUBLE ZIP FOR COMFORT WHEN SEATED
- SUPPLIED WITH RECHARGEABLE BATTERY AND CHARGER
- ADJUSTABLE HEAT SETTING TEMPERATURE CONTROL
- 2 - 5 HOURS HEATING TIME
- HAND WASHABLE
- CREATED TO BE EVEN LIGHTER AND THINNER FOR DEMANDING DIVERS
- PROVIDES HEAT TO THE BACK KIDNEY AREA AND TO EACH SIDE OF THE CHEST IN ORDER TO GIVE A FEELING OF COMPLETE WARMTH TO THE UPPER BODY

⚠ NOT SUITABLE FOR PEOPLE WITH PACEMAKERS



TECHNICAL FEATURES

Sizes	XS	S	M	L	XL	XXL
Chest Size	34-36"	36-38"	38-40"	40-42"	42-44"	44-46"

BATTERY TECHNICAL FEATURES

Lithium Capacity	2200 mAh
Heating Time	2-5 hours
Weight approx	125g
Dimension	70mm x 50mm x 22mm
Voltage	7.4V
Indicator	Charge level and battery level indicator
Output	EU charger

AHV STANDARD BATTERY

Code: 415780

Battery	Voltage	7.4V
	Capacity	2200 mAh
	Cell	Brand new grade-A Li-ion
Charger	In	AC100V-240V
	Out	DC8.4V 1.2A
	Single - EU Type	

ACTIVE HEATING PANTS

Code: 412172

- FRONT 'TROUSER STYLE' ZIP AND ELASTIC WAISTBAND
- SUPPLIED WITH A RECHARGEABLE BATTERY AND CHARGER
- ADJUSTABLE TEMPERATURE CONTROL
- 2 - 5 HOURS HEATING TIME
- HAND WASHABLE
- LIGHT AND THIN FOR DEMANDING DIVERS
- PROVIDES HEAT TO THE BACK ILIAC AREA AND KNEES IN ORDER TO GIVE A FEELING OF COMPLETE WARMTH IN THE LOWER BODY

⚠ NOT SUITABLE FOR PEOPLE WITH PACEMAKERS



TECHNICAL FEATURES

Sizes	S	M	L	XL	XXL
-------	---	---	---	----	-----

BATTERY TECHNICAL FEATURES

Lithium Capacity	2200 mAh
Heating Time	2-5 hours
Weight approx	125g
Dimension	70mm x 50mm x 22mm
Voltage	7.4V
Indicator	Charge level and battery level indicator
Output	EU charger




ACCESSORIES

SMBS

Code: **415755 SMB Regular Orange**

Code: **415756 SMB Emergency Yellow**

- WIDTH: 15CM – TOTAL LENGTH: 1.80M (INFLATABLE SECTION: 1.40M) – LIFT: 12KG
- WELDED AND DOUBLE STITCHED
- TRANSPARENT WINDOW AT THE TOP FOR INSERTING WETNOTES, MESSAGES OR GLOW STICKS
- MARKED WITH COAST GUARD APPROVED, SOLAS REFLECTIVE TAPE
- AVAILABLE IN ORANGE (STANDARD) OR YELLOW (EMERGENCY)
- ONE-WAY VALVE FOR LP CONNECTOR OR ONE-BREATH INFLATION
- STAINLESS STEEL D-RING AND BUNGEE ATTACHED
- INFLATE ON THE SURFACE TO ATTRACT ATTENTION OR AT DEPTH TO SEND UP AS A SURFACE MARKER
- FITS IN A THIGH POCKET OR BACKPLATE STORAGE AREA WHEN DEFLATED



SMBS

Code: **415773 SMB Training Orange**

- ONE-BREATH INFLATION TRAINING SMB IN ORANGE
- OVER-PRESSURE VALVE (OPV)
- LENGTH: 1M (3.3FT) - WIDTH: 10CM (3.9IN) - LIFT: 2.7KG (6LB)
- 210D NYLON WITH TPU LAMINATION
- METAL PARTS IN 304 STAINLESS STEEL



LIFT BAG

Code: **415757**

- WELDED AND DOUBLE STITCHED
- 30KG / 80 LB LIFT CAPACITY
- AVAILABLE IN SAFETY-ORANGE COLOR, EASILY SPOTTED BY SURFACE OR AIR TRAFFIC
- ONE-WAY VALVE FOR LP CONNECTOR OR ONE-BREATH INFLATION
- STAINLESS STEEL D-RING ON TOP AND BOTTOM, AND BUNGEE ATTACHED ON THE BOTTOM
- OVER-PRESSURE VALVE (OPV) ALLOWS FOR PRECISE ADJUSTMENT DURING LIFT OPERATIONS WITH A LONG PULLER
- ESSENTIAL FOR A RANGE OF DIVING ACTIVITIES: FROM SALVAGE AND SIGNALING TO REDUNDANT LIFT AND EMERGENCY FLOTATION
- ELIMINATES THE CHANCE THAT GAS WILL ESCAPE FROM YOUR LIFT BAG DURING ASCENT OR WHILE ON THE SURFACE



DCT CANISTER LIGHTCode: **415774**

- 9 DEGREE NARROW LED DIVING FLASHLIGHT
- 3°CREE XM-L2 (U4), MAX 3200 LUMENS OUTPUT
- 3*26650 RECHARGEABLE LITHIUM BATTERY, MAX RUNTIME REACHES TO 27H
- REGULATED POWER MAINTAINS CONSTANT CURRENT OUTPUT
- OVERHEAT PROTECTION FUNCTION - REVERSE POLARITY BATTERY PROTECTION
- MAGNETIC SWITCH
- „THREE O-RING“ DESIGN TO ENSURE WATERPROOF FUNCTION UNDERWATER DOWN TO 200 METERS
- PREMIUM TYPE III MILITARY HARD-ANODIZED AL T6061-T6 AIRCRAFT-GRADE ALUMINUM
- 5MM TOUGHENED GLASS
- SWITCH BUTTON WITH BLOCKING LOCK
- LARGE BOX FOR MOUNTED LIGHT(S) AND NEW INNER FOAM PADDING
- STANDARD ACCESSORIES: SPARE O-RINGS, LANYARD AND PLASTIC BOX
- SWITCH BUTTON WITH BLOCKING LOCK
- LARGE BOX FOR MOUNTED LIGHT(S) AND NEW INNER FOAM PADDING

**TECHNICAL FEATURES**

ANSI	High	Medium	Low	Very Low	Strobe
Lumen Output	3200lm	2000lm	1000lm	230lm	3200lm
Runtime (3*26650)	2.1hours	3.2hours	6.5hours	27hours	/
Luminous Intensity	36000cd				
Color Temperature	6500 – 7500 Kelvin°				
Beam Distance	396m				
Drop Resistance	1.5m				
Waterproof Grade	IPX-8, underwater 200m				
Dimension	Head: 66 (Dia)*73 (L)mm; Canister: 37 (Dia)*245 (L)mm				
Net Weight	754g (excluding battery)				
Underwater Weight	200g (excluding battery)				

DCTV CANISTER LIGHTCode: **415775**

- 120 DEGREE NARROW LED DIVING FLASHLIGHT
- 6°CREE XM-L2 (U4), MAX 3400 LUMENS OUTPUT
- 3*26650 RECHARGEABLE LITHIUM BATTERY, MAX RUNTIME REACHES 23H
- REGULATED POWER MAINTAINS CONSTANT CURRENT OUTPUT
- OVER-HEAT PROTECTION FUNCTION - REVERSE POLARITY BATTERY PROTECTION
- MAGNETIC SWITCH
- THREE O-RINGS DESIGNED TO ENSURE WATERPROOF FUNCTION UNDERWATER DOWN TO 200 METERS
- PREMIUM TYPE III MILITARY HARD-ANODIZED AL T6061-T6 AIRCRAFT-GRADE ALUMINUM
- SWITCH BUTTON WITH BLOCKING LOCK
- LARGE BOX FOR MOUNTED LIGHT(S) AND NEW INNER FOAM PADDING
- 5MM TOUGHENED GLASS
- STANDARD ACCESSORIES: SPARE O-RINGS, LANYARD AND PLASTIC BOX
- SWITCH BUTTON WITH BLOCKING LOCK
- LARGE BOX FOR MOUNTED LIGHT(S) AND NEW INNER FOAM PADDING

**TECHNICAL FEATURES**

ANSI	High	Medium	Low	Very Low	Strobe
Lumen Output	3400lm	2100lm	1000lm	230lm	3400lm
Runtime (3*26650)	1.9hours	3.1hours	6.2hours	23hours	/
Luminous Intensity	130000cd				
Color Temperature	6500 – 7500 Kelvin°				
Beam Distance	72m				
Drop Resistance	1.5m				
Waterproof Grade	IPX-8, underwater 200m				
Dimension	Head: 66 (Dia)*73 (L)mm; Canister: 37 (Dia)*245 (L)mm				
Net Weight	740g (excluding battery)				
Underwater Weight	210g (excluding battery)				

Notice: The data may vary slightly during real-world use due to battery type, individual usage habits and environmental factors.

DCTS CANISTER LIGHT

Code: **415776**


- 9 DEGREE NARROW LED DIVING FLASHLIGHT
- 3°CREE XM-L2 (U4), MAX 2000 LUMENS OUTPUT
- 2*26650 RECHARGEABLE LITHIUM BATTERY, MAX RUNTIME REACHES 21H
- REGULATED POWER MAINTAINS CONSTANT CURRENT OUTPUT
- OVER-HEAT PROTECTION FUNCTION - REVERSE POLARITY BATTERY PROTECTION
- MAGNETIC SWITCH
- THREE O-RINGS DESIGNED TO ENSURE WATERPROOF FUNCTION UNDERWATER TO 200 METERS
- PREMIUM TYPE III MILITARY HARD-ANODIZED AL T6061-T6 AIRCRAFT-GRADE ALUMINUM
- 5MM TOUGHENED GLASS
- SWITCH BUTTON WITH BLOCKING LOCK
- LARGE BOX FOR MOUNTED LIGHT(S) AND NEW INNER FOAM PADDING
- STANDARD ACCESSORIES: SPARE O-RINGS, LANYARD AND PLASTIC BOX
- SWITCH BUTTON WITH BLOCKING LOCK
- LARGE BOX FOR MOUNTED LIGHT(S) AND NEW INNER FOAM PADDING



BACK UP LIGHT

Code: **415789**

- THE LIGHT YOU DEPEND ON IF YOUR PRIMARY FAILS
- TOUGH, VERY COMPACT AND SUPER BRIGHT
- DELRIN BODY AND ALUMINUM HEAD, CAN BE USED TO 100M DEEP
- 8° ANGLE, CONVENIENT FOR LOW VISIBILITY



TECHNICAL FEATURES

ANSI	High	Medium	Low	Very Low	Strobe
Lumen Output	2000lm	1200lm	550lm	135lm	2000lm
Runtime (3*26650)	2.0hours	3.2hours	6.5hours	21hours	/
Luminous Intensity	22000cd				
Color Temperature	6500 - 7500 Kelvin°				
Beam Distance	300m				
Drop Resistance	1.5m				
Waterproof Grade	IPX-8, underwater 200m				
Dimension	Head: 66 (Dia)*73 (L)mm; Canister: 37 (Dia)*175 (L)mm				
Net Weight	700g (excluding battery)				
Underwater Weight	210g (excluding battery)				

TECHNICAL FEATURES

Battery	1 ICR 18650 (2600mAh)
Led	1 XML2 U2
Beam Angle	8 degrees
Maximum Lumen	850
Beam Distance	220m
1m LUX	12500
Waterproof Grade	IPX-8, underwater 100m
Burn time (min)	2.25 hours
Charge Time	4-5 hours
Dimension	34 x 142mm
Weight	85g

Notice: The data may vary slightly during real-world use due to battery type, individual usage habits and environmental factors.

CAVE/FINGER SS316 COATED SPOOL

Code: **415792** - 15m / 30m / 45m / 60m

- MARINE GRADE 316 STAINLESS STEEL WITH MOLDED, COATED EDGES
- COMPACT SIZE AND SOFT TOUCH, COMFORTABLE GRIP
- EDELRID™ CORD
- TECHNICAL BUT VERSATILE ENOUGH TO BE USED IN A RANGE OF DIVING APPLICATIONS FROM SMB TO CAVE JUMPS
- UNIQUE FLARED DESIGN ALLOWS FOR EASE OF WINDING WHILST WEARING GLOVES
- LARGE CENTER HOLE FOR USE IN COLD WATER WHILST WEARING GLOVES
- RUGGED CONSTRUCTION. WELDED MARINE GRADE 316 STAINLESS STEEL
- SPOOL IS NOT OVER-WOUND, ENABLING ADDITIONAL LINE TO BE ADDED IF REQUIRED
- INCLUDES 316 STAINLESS STEEL DOUBLE ENDER
- EASY-RELEASE PULL TABS
- HIGH QUALITY, HIGH VISIBILITY LINE FOR LOW LIGHTING CONDITIONS
- COMPLEMENTED BY A RANGE OF LINE MARKERS AND COOKIES



TECHNICAL FEATURES

Sizes	15m / 49ft	30m / 98ft	45m / 148ft	60m / 200ft
-------	------------	------------	-------------	-------------

MARKERS

- MADE FROM INJECTION MOLDED, DURABLE ABS
- SUPPLIED IN PACKS OF 5
- CORNERS REMOVED FOR EASE OF USE, LINE GUIDING CURVES AND GROOVES, HOLES FOR RING / IDENTIFIER CLIPPING, DEDICATED SURFACE FOR MARKING
- USED FOR ORIENTATION AS A VISUAL AND TACTILE REFERENCE ON A GUIDELINE
- 3 DIFFERENT TYPES: LINE ARROWS TO INDICATE DIRECTION, COOKIES TO DENOTE A JUNCTION, NON-DIRECTIONAL MARKERS REFERENCE A SPECIFIC SPOT

MARKERS

Code: **415761**



COOKIES

Code: **415760**



ARROWS

Code: **415759**



REELS

Code: **415767** - 60m / 200ft - Safety or Back Up

Code: **415767** - 120m / 400ft - Primary

- 6061 MARINE GRADE ANODIZED ALUMINUM ALLOY HANDLE
- HARD-COAT FINISHED
- PRECISION-FIT HANDLE - DELRIN FLARES PRECISELY ADJUSTED
- KNURLED 316 MARINE STAINLESS STEEL LOCK-DOWN SCREW
- 316 MARINE STAINLESS STEEL DOUBLE ENDED BOLT SNAP
- WHITE BRAIDED NYLON LINE
- COLD WATER / DRY GLOVES PULLER
- EXCELLENT QUALITY AND OPTIMIZED DESIGN - ENTANGLEMENT FREE



TECHNICAL FEATURES

Sizes	60m / 200ft	120m / 400ft
-------	-------------	--------------

HAND LINE-CUTTER

Code: **415778 8 Titanium**

- S/L
- B TITANIUM ALLOY - HRC 51 ± 2 - 3.5 :
- EXCELLENT ABRASION AND CORROSION RESISTANCE
- VELCRO HANDLE
- DEDICATED BAG



HAND LINE-CUTTER

Code: **415777 Ceramic**

- S/S
- ULTRA SHARP
- EXCELLENT ABRASION AND CORROSION RESISTANCE
- VELCRO HANDLE
- DEDICATED BAG



EXPEDITION BAG

Code: **415795**

- HOGARTHIAN AND WATERTIGHT WITH DRAINAGE
- LARGE ENOUGH FOR COMPLETE XR GEAR AND LIGHT FOR TRAVEL
- ADJUSTABLE, PADDED REMOVABLE SHOULDER STRAPS
- ULTRALIGHT BUCKLES AND STRONG HANDLES



DRY BACKPACK

Code: **415758**

- FULLY WATERPROOF SACK
- REINFORCED PVC WITH HEAT-SEALED STITCHING
- QUICK CLOSURE
- SHOULDER COMFORT PADS WITH CHEST BUCKLE



TECHNICAL FEATURES

Dimensions (LxWxH)	Volume
30x40x70cm	80L

TECHNICAL FEATURES

Dimensions (LxWxH)	Volume
35x20x60 cm	30L

XRM-STREAM MASK

Code: **411063**

- BLACK, FRAMELESS, FOLDABLE, CLASSIC TECHNICAL DIVING MASK
- LARGE, WIDE, FLAT MONO-LENS
- MATT BLACK LOOK
- COMFORTABLE, FITS ALL SMALLER FACE SHAPES
- HIGHLY COMFORTABLE, LARGE, DOUBLE-SEALED BLACK SKIRT
- ARTICULATED, HEAVY-DUTY BUCKLES
- MARES|XR NEOPRENE STRAP
- VERY STRONG AND DURABLE
- WATERTIGHT AT ALL DEPTHS
- FOR ALL EXTENDED TECHNICAL DIVING USES
- ALSO IDEAL AS A BACK-UP MASK



XRM-CLASSIC MASK

Code: **411064**

- BLACK, FRAMELESS, FOLDABLE, CLASSIC TECHNICAL DIVING MASK
- EXTRA-LARGE, EXTRA-WIDE, FLAT MONO-LENS
- SHINY BLACK LOOK
- COMFORTABLE, FITS ALL LARGER FACE SHAPES
- HIGHLY COMFORTABLE, LARGE, DOUBLE-SEALED BLACK SKIRT
- ARTICULATED, HEAVY-DUTY BUCKLES
- MARES|XR NEOPRENE STRAP
- VERY STRONG AND DURABLE
- WATERTIGHT AT ALL DEPTHS
- FOR ALL EXTENDED TECHNICAL DIVING USES
- ALSO IDEAL AS A BACK-UP MASK



CAVE MASK BLINDER

Code: **412904**

- AN IDEAL TOOL FOR CAVE AND TECHNICAL INSTRUCTORS
- BLACKOUT MASK COVER DESIGNED FOR SIMULATING ZERO VISIBILITY TRAINING AND/OR STRESS CONTROL (CAVE AND/OR STAGES)
- CAN BE USED WITH MULTIPLE STUDENTS AND EASILY TRANSFERRED UNDERWATER IN FULL SAFETY



MASK STRAP

Code: **412903**

- EASY TO USE
- ADJUSTS TO FIT ALL FACE SIZES AND HOOD THICKNESSES
- DURABLE, GOOD RESISTANCE TO SALT AND SUN



SPRING STRAP FOR TEK FIN

Code: **415768**

- SPRING WITH WRAP AROUND NYLON PULLER & SAFETY CHORD
- THE BEST SOLUTION FOR TECHNICAL AND COLD WATER DIVING
- SOLD AS A PAIR



TECHNICAL FEATURES

Sizes	R	XL	XXL
-------	---	----	-----

POWER PLANA

Code: **410050**

- HIGH-QUALITY NATURAL RUBBER WITH REINFORCED RIBS
- HIGH PERFORMING FIN - IDEAL FOR ALL KINDS OF KICKS, PARTICULARLY FROG KICKS
- HIGH DENSITY MATERIAL MAKES THE FINS NEGATIVELY BUOYANT, A DESIRED FEATURE WHEN USING A DRY SUIT AND A TEC RIG WITH STEEL PLATE
- FULL-SHAPE FOOT POCKET
- MATCH STRAP/FIN SIZES:
 - FIN S > STRAP R
 - FIN R > STRAP XL
 - FIN XL > STRAP XXL
 - FIN XXL > STRAP XXL



BK

SI

TECHNICAL FEATURES

Sizes	S	R	XL	XXL
-------	---	---	----	-----

HAND COMPASS

Code: **414604 - Navigation (North)**

Code: **414604 - Navigation (South)**

- COMPASS WITH BUNGEE HOLDER AND EXTRA LONG ELASTOMERIC BUNGEE CORDS
- SIDE AND TOP READING
- LUMINESCENT "GLOW IN THE DARK" INTERNAL DIAL
- DUAL ROTATING INDEX MARKS FOR EASIER RECIPROCAL NAVIGATION
- OVERSIZED FOR EXTREME USE (LOW VISIBILITY, CAVE, NIGHT...)



RIGID CAP

Code: **415787**

- TOTALLY NEUTRAL IN WATER
- SUPER LIGHT, FAST DRAINAGE FOAM
- ONE SIZE THAT FITS MOST
- ADJUSTABLE SOFT NYLON CHIN STRAP
- QUICK DISCONNECT BUCKLE
- SUITABLE FOR MOUNTING BACKUP LIGHTS, LED PRIMARY LIGHTS OR A GOPRO® CAMERA

⚠ CAUTION: THE RIGID CAP OFFERS NO IMPACT PROTECTION



LIGHTS BRACKETS

Code: **415798 Pair**

- BRACKETS FOR THE XR RIGID CAP
- HOLDS ANY TYPE OF LIGHT, OF ANY DIAMETER
- HOLDS MARES CANISTER LIGHT HEADS



WETNOTES

Code: **415762**

- WATER RESISTANT NOTEBOOK
- IDEAL FOR UNDERWATER COMMUNICATION, FOR DECO STOPS AND FOR MAKING NOTES
- COVER MADE FROM DURABLE 2250D PU COATED BALLISTIC NYLON
- POCKETS ON THE INSIDE AND OUTSIDE
- CONTAINS 23 PAGES OF REUSABLE / REPLACEABLE WATERPROOF PLASTIC FOIL SHEATHS (W/6 TABLES)
- GRAPHITE PENCIL
- ELASTIC BOOKMARK FOR QUICK REFERENCE
- ELASTIC SECURE CLOSURE LOOP
- ELASTIC SHOCKCORD ATTACHMENT FOR BOLT SNAP



DEAD BOLT SNAP SS316Code: **415765 - 75mm**Code: **415765 - 120mm**

- HIGH QUALITY 316 MARINE GRADE STAINLESS STEEL
- CORROSION AND RUST RESISTANT
- SWIVELING BASES MAKING THEM EASY TO USE
- SMALL SNAPS ARE IDEAL FOR ATTACHING ITEMS SUCH AS BACKUP LIGHTS, A LONG REGULATOR HOSE, A CANISTER LIGHT, SPG ETC.
- LARGE SNAPS ARE GREAT FOR COLD WATER USE WHERE THICK GLOVES MAKE DEXTERITY DIFFICULT

**TECHNICAL FEATURES**

Sizes	75mm	120mm
-------	------	-------

DEAD BOLT SNAP BLACK CERAMICCode: **415793 - 75mm**Code: **415793 - 120mm**

- HIGH QUALITY MARINE GRADE 316 STAINLESS STEEL WITH BLACK CERAMIC COATING
- CORROSION AND RUST RESISTANT
- SWIVELING BASES MAKING THEM EASY TO USE
- SMALL SNAPS ARE IDEAL FOR ATTACHING ITEMS SUCH AS BACKUP LIGHTS, A LONG REGULATOR HOSE, A CANISTER LIGHT, SPG ETC.
- LARGE SNAPS ARE GREAT FOR COLD WATER USE WHERE THICK GLOVES MAKE DEXTERITY DIFFICULT

**TECHNICAL FEATURES**

Sizes	75mm	120mm
-------	------	-------

DOUBLE ENDER SS316Code: **415766 - 90mm**Code: **415766 - 100mm**Code: **415766 - 120mm**

- HIGH QUALITY MARINE GRADE 316 STAINLESS STEEL
- CORROSION AND RUST RESISTANT
- EASY TO USE EVEN WITH DRY GLOVES
- TO CLIP AWAY GEAR INSIDE DRY SUIT POCKETS
- TO TEMPORARILY STOW A CANISTER LIGHT HEAD
- TO ATTACH A PRIMARY REEL, A SPOOL, WET NOTES, A SPARE MASK, ETC.

**TECHNICAL FEATURES**

Sizes	90mm	100mm	120mm
-------	------	-------	-------

DOUBLE ENDER BLACK CERAMICCode: **415794 - 90mm**Code: **415794 - 100mm**Code: **415794 - 120mm**

- HIGH QUALITY MARINE GRADE 316 STAINLESS STEEL WITH BLACK CERAMIC COATING
- CORROSION AND RUST RESISTANT
- EASY TO USE, EVEN WITH DRY GLOVES
- TO CLIP AWAY GEAR INSIDE DRY SUIT POCKETS
- TO TEMPORARILY STOW A CANISTER LIGHT HEAD
- TO ATTACH A PRIMARY REEL, A SPOOL, WET NOTES, A SPARE MASK ETC

**TECHNICAL FEATURES**

Sizes	90mm	100mm	120mm
-------	------	-------	-------



2021

PURE PASSION

mares
pure passion



2024

C O M P U T E R S

SMART APNEA

Code: **424153**

- SEGMENTED LCD DISPLAY
- INSTANTANEOUS DEPTH, DIVE TIME, RECOVERY TIME, TEMPERATURE
- DESCENT AND ASCENT RATE
- CUSTOMIZABLE ALARMS (DEPTH, TIME, SPEED, HYDRATION, RECOVERY TIME)
- ONE SECOND SAMPLING RATE
- ADVANCED PERFORMANCE MICROPROCESSOR
- LATEST GENERATION DEPTH SENSOR
- UPDATABLE FIRMWARE AND DATA DOWNLOAD WITH AFTERMARKET DIVE LINK INTERFACE



COLOR VARIATIONS



BKWH

BKBL

BKGR

BKOR

TECHNICAL FEATURES

Battery	Type	CR2430
	Duration	Approx. 200 hours of diving over a 2 year time span
Max displayed depth	150m	
Resolution	Resolution 0.1m until 99.9m - 1m at depth deeper than 100m In ft. it is always 1ft	
Temperature	-10 °C to +50 °C / 14 °F to 122 °F	
Logbook memory	20-30 hours of dive profile at 1-second sampling rate	
Display	Mineral glass - Diagonal 31 mm / 1 1/4 inch	
Clock	Quartz clock, time, date, dive time, displays up to 999 minutes	

DISPLAYS (SCALE 1:1)



Time mode



Surface display



Dive mode



Programmable alarm

BLUELINK PRO

Code: **414317**

- TO DOWNLOAD THE LOGBOOK OF A DIVE COMPUTER USING THE BLUETOOTH LOW ENERGY TECHNOLOGY
- REQUIRES THE DIVESSI APP (ANDROID, IOS)



DIVE LINK 2 USB

Code: **414316**

- FOR DOWNLOADING THE DIVE COMPUTER MEMORY TO PC OR MAC
- REQUIRED SOFTWARE: DIVE ORGANIZER (PC) OR DIVERS DIARY (MAC)



DISPLAY PROTECTOR

Code: **415173**

- PERFECT FIT AND EASY TO INSTALL
- PREVENTS FROM SCRATCHES, DIRT AND SAND
- SOFT AND DURABLE
- ULTRA CLEAR
- A PACK CONTAINS 2 PIECES



MISSION DIGITAL CHRONO SF

Code: **424154**

- DIGITAL CHRONOGRAPH WITH BACK LIGHT
- DEPTH RATED TO 200M / 660FT
- HIGH-QUALITY SWISS QUARTZ MOVEMENT
- DAILY ALARM AND HOURLY TIME SIGNAL
- COUNTDOWN TIMER
- DIGITAL TIMEZONE AND DATE
- SECOND DIGITAL TIMEZONE
- FLUORESCENT DIGITS
- STAINLESS STEEL
- ADJUSTABLE STRAP



SOFTWARE


DIVE ORGANIZER

- FULL-FEATURED LOGBOOK MANAGEMENT SOFTWARE
- ALLOWS UPGRADING OF FIRMWARE ON COMPATIBLE DIVE COMPUTERS
- ALLOWS UPLOADING OF MAPS AND IMAGES TO ICON HD
- FEATURES TISSUE SATURATION GRAPH WITH DETAILED EVOLUTION DURING THE DIVE
- FOR PC ONLY



DIVER'S DIARY

- FULL-FEATURED LOGBOOK MANAGEMENT SOFTWARE
- ALLOWS UPGRADING OF FIRMWARE ON COMPATIBLE DIVE COMPUTERS
- FEATURES TISSUE SATURATION GRAPH WITH DETAILED EVOLUTION DURING THE DIVE
- FOR MAC ONLY





FINS

◇ Please note that some sizes/colors are only available while stocks last

RAZOR POLYGON


NEW

Code: 420418



- BLADE PRODUCED WITH PRE-IMPREGNATED FIBERGLASS LAYERS
- CONSTANT BLADE THICKNESS
- INDIGO BASED CAMOUFLAGE DISGUISES THE SPEARFISHER FOR OPTIMAL FISHING POTENTIAL
- THE BLADE IS 22 cm WIDE AND 59 cm LONG
- HIGH-QUALITY MANUFACTURING PROCESS
- NEW VARIABLE SIDE RIBS SUPPORT AND OPTIMIZE CHANNEL THRUST AND FLEX
- 28° BLADE INCLINATION RELATIVE TO THE FOOT POCKET
- THE RAZOR FOOT POCKET IS DESIGNED TO BE WORN WITH A 3 mm NEOPRENE SOCK
- INTERCHANGEABLE BLADE CONSTRUCTION

TECHNICAL FEATURES



Sizes			Weight	Length
EU	UK	USA		
39/40	5.5/6.5	7/8	1027gr	843mm
41/42	7.5/8	8.5/9.5	1080gr	853mm
43/44	9/10	10/11	1130gr	873mm
45/46	10.5/11.5	12/13	1195gr	883mm
47/48	12/13	13/14	1235gr	893mm

SPARE PART

Razor Foot Pocket	420904	Page 150
Blade Fixing Set	420905	Page 150
Fin Blade Razor Polygon	420921	Page 150

ACCESSORIES

Razor fin insole	423943	Page 150
------------------	--------	----------


RAZOR MATRIX

Code: 420409♦ SFT/MED



- BLADE PRODUCED WITH PRE-IMPREGNATED CARBON AND FIBERGLASS LAYERS
- NEW 3K CARBON WITH FIBERS WOVEN AT 90°
- FIBERS CROSS OVER EACH OTHER FEWER TIMES, INCREASING THE RESPONSIVENESS OF THE BLADE
- VARIABLE BLADE THICKNESS AND HIGH-PERFORMING PARABOLIC FLEXION
- THE BLADE IS 20.5 cm WIDE AND 65 cm LONG
- HIGH-QUALITY MANUFACTURING PROCESS
- NEW VARIABLE SIDE RIBS SUPPORT AND OPTIMIZE CHANNEL THRUST AND FLEX
- AVAILABLE WITH A SOFT OR MEDIUM STRENGTH BLADE
- 22° BLADE INCLINATION RELATIVE TO THE FOOT POCKET
- THE RAZOR FOOT POCKET IS DESIGNED TO BE WORN WITH A 3 mm NEOPRENE SOCK
- FIN PROTECTION BAG INCLUDED

TECHNICAL FEATURES



Sizes			Weight	Length
EU	UK	USA		
39/40	5.5/6.5	7/8	962gr	900mm
41/42	7.5/8	8.5/9.5	1015gr	910mm
43/44	9/10	10/11	1065gr	930mm
45/46	10.5/11.5	12/13	1130gr	940mm
47/48	12/13	13/14	1170gr	950mm

SPARE PART

Razor Foot Pocket	420904	Page 150
Blade Fixing Set	420905	Page 150
Blade Razor Matrix	420911	Page 150

ACCESSORIES

Razor fin insole	423943	Page 150
------------------	--------	----------

RAZOR PRO

Code: **420401**

- INTERCHANGEABLE BLADE TO MEET DEMANDS IN ALL DIVING CONDITIONS
- TAPERED HIGH-QUALITY ELASTOMER BLADE FACILITATES EXCELLENT AGILITY AND PERFORMANCE
- DESIGNED TO BE WORN WITH A 3 mm NEOPRENE SOCK
- PERFORMANCE ENGINEERED FOOT POCKET DELIVERS PERFECT POWER TRANSMISSION FROM FOOT TO BLADE
- V-TIP TO PREVENT SLIPPING FROM SIDE TO SIDE WHILE KICKING



TECHNICAL FEATURES

Sizes			Weight	Length
EU	UK	USA		
39/40	5.5/6.5	7/8	1035g	870mm
41/42	7.5/8	8.5/9.5	1095g	880mm
43/44	9/10	10/11	1145g	900mm
45/46	10.5/11.5	12/13	1210g	910mm
47/48	12/13	13/14	1250g	920mm

SPARE PART

Razor Foot Pocket	420904	Page 150
Blade Fixing Set	420905	Page 150
Blade Razor Pro Black	420901	Page 150

ACCESSORIES

Razor fin insole	423943	Page 150
------------------	--------	----------

RAZOR

Code: **420402**

- IDEAL CHOICE FOR SHALLOW TO MID-DEPTH DIVING
- 30% SOFTER BLADE VERSUS RAZOR PRO
- BEST CHOICE FOR EXTENDED SURFACE SWIMMING
- DESIGNED TO BE WORN WITH A 3 mm NEOPRENE SOCK
- INTERCHANGEABLE BLADE CONSTRUCTION



TECHNICAL FEATURES

Sizes			Weight	Length
EU	UK	USA		
39/40	5.5/6.5	7/8	1028g	870mm
41/42	7.5/8	8.5/9.5	1028g	880mm
43/44	9/10	10/11	1028g	900mm
45/46	10.5/11.5	12/13	1028g	910mm
47/48	12/13	13/14	1028g	920mm

SPARE PART

Razor Foot Pocket	420904	Page 150
Blade Fixing Set	420905	Page 150
Blade Razor Grey	420902	Page 150

ACCESSORIES

Razor fin insole	423943	Page 150
------------------	--------	----------

RAZOR BLADES

BLADE RAZOR MATRIX

Code: **420911** ♦ SFT/MED

BLADE RAZOR POLYGON

NEW

Code: **420921**

BLADE RAZOR PRO BLACK

Code: **420901**

BLADE RAZOR GREY

Code: **420902**

- PACK INFO: SOLD SINGLY



RAZOR FOOT POCKET

Code: **420904**

- DESIGNED TO BE WORN WITH A 3 mm NEOPRENE SOCK
- WEARING THESE FINS BAREFOOT, USE THE NEXT SIZE SMALLER FINS
- PACK INFO: SOLD SINGLY



TECHNICAL FEATURES

Sizes	39/40 - 41/42 - 43/44 - 45/46 - 47/48
-------	---------------------------------------

RAZOR BLADE FIXING SET

Code: **420905** Blade fixing set Razor

Code: **420916** Blade fixing set Razor with thick plate

- BLADE ATTACHMENT KIT FOR YOUR MARES RAZOR/RAZOR PRO FINS
- REPLACE PARTS
- PACK INFO: SOLD SINGLY



RAZOR FIN INSOLE

Code: **423943**

- PREFORMED INSOLE CAN MAKE A RAZOR FOOT POCKET ONE SIZE SMALLER
- USE SCISSORS TO CUT ALONG THE LINES PROVIDED ON THE UNDERSIDE
- THE LENGTH CAN BE ADJUSTED TO THREE DIFFERENT SIZES
- PACK 5 PCS (RETAIL PRICE FOR 1 PC)



SIZES

A	+EU 39/40	=EU 37/38	=UK 4.5/5	=USA 5/6
B	+EU 41/42	=EU 40/41	=UK 6.5/7.5	=USA 7/8
C	+EU 43/44	=EU 42/43	=UK 8/9	=USA 8.5/9.5
C	+EU 45/46	=EU 44/45	=UK 10/10.5	=USA 10/11

AVANTI QUATTRO POWER

Code: 420404

- MARES CHANNEL THRUST PATENT
- OPTIMIZED WATER CHANNELING FOR SIGNIFICANT FLOW AND THRUST
- SHORTER BLADE FOR INCREASED CONTROL AND FAST MANEUVERS IN AND UNDER WATER
- ANATOMIC FOOT POCKET WITH REINFORCED HEEL



CONCORDE

Code: 420406

- IDEAL CHOICE FOR SHALLOW TO MID-DEPTH DIVING
- NEW TECHNOLOGY POLYMER BLADE AND HIGH-PERFORMANCE PARABOLIC FLEXION
- OVER MOLDED FOOT POCKET
- TAPERED LATERAL RIPS FOR PROGRESSIVE BLADE FLEX
- NEW TIP PROFILE TO PREVENT SLIPPING FROM SIDE TO SIDE WHILE KICKING



COLOR VARIATIONS



BK

BWN

GN

TECHNICAL FEATURES


Sizes			Weight	Length
EU	UK	USA		
40/41	6.5/7.5	7/8	960g	710mm
42/43	8/9	8.5/9.5	1053g	725mm
44/45	10/10.5	10/11	1175g	755mm
46/47	11.5/12	12/13	1210g	765mm

TECHNICAL FEATURES

Sizes			Weight	Length
EU	UK	USA		
38/39	5/6	6/7	904g	860mm
40/41	6.5/7.5	7/8	932g	874mm
42/43	8/9	8.5/9.5	968g	889mm
44/45	10/10.5	10/11	1002g	902mm
46/47	11.5/12	12/13	1027g	916mm

X-WING FOOT POCKET**NEW**Code: **420924**

- NO BLADE SIDE RIBS
- VERY LIGHTWEIGHT - SIZE 42-43 WEIGHS 270g
- PREFORMED 30° ANGLE
- ERGONOMIC, ULTRA-REACTIVE FOOTPOCKET MADE IN 2 MATERIALS, DESIGNED TO TRANSMIT ENERGY TO THE FIN IN THE MOST EFFECTIVE WAY, OPTIMIZING EFFORT AND IMPROVING PERFORMANCE
- STIFFENED SOLE TO AVOID DEFORMATION OF THE FOOTPOCKET UNDER BLADE LOAD AND ROTATION IN THE LONGITUDINAL AXIS
- DESIGNED TO BE WORN ALSO WITHOUT NEOPRENE SOCKS
- PACK INFO: SOLD SINGLY


**X-WING BLADE FIXING SET****NEW**Code: **420925**

- PACK INFO: SOLD SINGLY

**FIN BLADE X-WING****BLADE X-WING CARBON****NEW**Code: **420918 SFT/ MED****BLADE X-WING APNEA****NEW**Code: **420919 SFT/ MED****BLADE X-WING APNEA S****NEW**Code: **420920****BLADE X-WING PRO****NEW**Code: **420923****BLADE X-WING****NEW**Code: **420922****BLADE RAZOR APNEA**Code: **420912 SFT/ MED** ♦

X-WING CARBON**NEW**Code: **420415 SFT/ MED**

- BLADE PRODUCED WITH PRE-IMPREGNATED CARBON AND FIBERGLASS LAYERS
- NEW 3K CARBON WITH FIBERS WOVEN AT 90°
- FIBERS CROSS OVER EACH OTHER FEWER TIMES, INCREASING THE RESPONSIVENESS OF THE BLADE
- VARIABLE BLADE THICKNESS AND HIGH-PERFORMING PARABOLIC FLEXION
- THE BLADE IS 200 MM WIDE AND 693 MM LONG
- HIGH-QUALITY MANUFACTURING PROCESS
- NEW VARIABLE SIDE RIBS SUPPORT AND OPTIMIZE CHANNEL THRUST AND FLEX
- AVAILABLE WITH A SOFT OR MEDIUM STRENGTH BLADE DEPENDING ON THE USER'S WEIGHT
- LONGER FINS, ADAPTED TO HIGH KICK FREQUENCY
- 30° BLADE INCLINATION RELATIVE TO THE FOOT POCKET
- THE X-WING FOOT POCKET IS DESIGNED TO BE WORN ALSO WITHOUT A NEOPRENE SOCK
- INTERCHANGEABLE BLADE CONSTRUCTION

TECHNICAL FEATURES

Sizes			Length
EU	UK	USA	
36/37	3/4	4/5	917mm
38/39	5/6	6/7	931mm
40/41	6.5/7.5	7/8	938mm
42/43	8/9	8.5/9.5	952mm
44/45	10/10.5	10/11	971mm
46/47	11.5/12	12/13	980mm

SPARE PART


X-Wing Foot Pocket	420924	Page 152
X-Wing Blade Fixing Set	420925	Page 152
Fin Blade X-Wing	420918	Page 152

ACCESSORIES

Razor fin insole	423943	Page 150
------------------	--------	----------

X-WING APNEA**NEW**Code: **420416 SFT/ MED**

- BLADE PRODUCED WITH PRE-IMPREGNATED FIBERGLASS LAYERS
- VARIABLE BLADE THICKNESS AND HIGH-PERFORMING PARABOLIC FLEXION
- THE BLADE IS 190 MM WIDE AND 693 MM LONG
- HIGH-QUALITY MANUFACTURING PROCESS
- NEW VARIABLE SIDE RIBS SUPPORT AND OPTIMIZE CHANNEL THRUST AND FLEX
- AVAILABLE WITH A SOFT OR MEDIUM STRENGTH BLADE DEPENDING TO THE USER'S WEIGHT
- LONGER FINS, ADAPTED TO MEDIUM KICK FREQUENCY
- BLUE POLYGON BLADE FOR BETTER RECOGNITION IN THE DEEP
- 30° BLADE INCLINATION RELATIVE TO THE FOOT POCKET
- THE X-WING FOOT POCKET IS DESIGNED TO BE WORN ALSO WITHOUT NEOPRENE SOCKS
- INTERCHANGEABLE BLADE CONSTRUCTION

TECHNICAL FEATURES

Sizes			Length
EU	UK	USA	
36/37	3/4	4/5	917mm
38/39	5/6	6/7	931mm
40/41	6.5/7.5	7/8	938mm
42/43	8/9	8.5/9.5	952mm
44/45	10/10.5	10/11	971mm
46/47	11.5/12	12/13	980mm

SPARE PART

X-Wing Foot Pocket	420924	Page 152
X-Wing Blade Fixing Set	420925	Page 152
Fin Blade X-Wing Apnea	420919	Page 152

ACCESSORIES

Razor fin insole	423943	Page 150
------------------	--------	----------

X-WING APNEA S


NEW

Code: 420417



- BLADE PRODUCED WITH PRE-IMPREGNATED FIBERGLASS LAYERS
- VARIABLE BLADE THICKNESS AND HIGH-PERFORMING PARABOLIC FLEXION
- THE BLADE IS 190 MM WIDE AND 613 MM LONG
- HIGH-QUALITY MANUFACTURING PROCESS
- NEW VARIABLE SIDE RIBS SUPPORT AND OPTIMIZE CHANNEL THRUST AND FLEX
- BLACK & WHITE POLYGON BLADE FOR BETTER RECOGNITION IN THE DEEP
- AVAILABLE WITH A MEDIUM STRENGTH BLADE
- 30° BLADE INCLINATION RELATIVE TO THE FOOT POCKET
- THE X-WING FOOT POCKET IS DESIGNED TO BE WORN ALSO WITHOUT NEOPRENE SOCKS
- INTERCHANGEABLE BLADE CONSTRUCTION

TECHNICAL FEATURES



Sizes			Length
EU	UK	USA	
36/37	3/4	4/5	837mm
38/39	5/6	6/7	851mm
40/41	6.5/7.5	7/8	858mm
42/43	8/9	8.5/9.5	872mm
44/45	10/10.5	10/11	891mm
46/47	11.5/12	12/13	900mm

SPARE PART

X-Wing Foot Pocket	420924	Page 152
X-Wing Blade Fixing Set	420925	Page 152
Fin Blade X-Wing Apnea S	420920	Page 152

ACCESSORIES

Razor fin insole	423943	Page 150
------------------	--------	----------

X-WING PRO


NEW

Code: 420420



- TAPERED HIGH-QUALITY ELASTOMER BLADE FACILITATES EXCELLENT AGILITY AND PERFORMANCE
- PERFORMANCE ENGINEERED FOOT POCKET DELIVERS PERFECT POWER TRANSMISSION FROM FOOT TO BLADE
- V-TIP TO PREVENT SLIPPING FROM SIDE TO SIDE WHILE KICKING
- THE BLADE IS 190 MM WIDE AND 713 MM LONG
- 30° BLADE INCLINATION RELATIVE TO THE FOOT POCKET
- THE X-WING FOOT POCKET IS DESIGNED TO BE WORN ALSO WITHOUT NEOPRENE SOCKS
- INTERCHANGEABLE BLADE CONSTRUCTION

TECHNICAL FEATURES



Sizes			Length
EU	UK	USA	
36/37	3/4	4/5	937mm
38/39	5/6	6/7	951mm
40/41	6.5/7.5	7/8	958mm
42/43	8/9	8.5/9.5	972mm
44/45	10/10.5	10/11	991mm
46/47	11.5/12	12/13	1000mm

SPARE PART

X-Wing Foot Pocket	420924	Page 152
X-Wing Blade Fixing Set	420925	Page 152
Fin Blade X-Wing Pro	420923	Page 152

ACCESSORIES


Razor fin insole	423943	Page 150
------------------	--------	----------

X-WING**NEW**

Code: 420419



- TAPERED HIGH-QUALITY ELASTOMER BLADE FACILITATES EXCELLENT AGILITY AND PERFORMANCE
- PERFORMANCE ENGINEERED FOOT POCKET DELIVERS PERFECT POWER TRANSMISSION FROM FOOT TO BLADE
- V-TIP TO PREVENT SLIPPING FROM SIDE TO SIDE WHILE KICKING
- THE BLADE IS 190 MM WIDE AND 713 MM LONG
- 30° BLADE INCLINATION RELATIVE TO THE FOOT POCKET
- 30% SOFTER BLADE VERSUS RAZOR PRO FINS
- BEST CHOICE FOR EXTENDED SURFACE SWIMMING
- INTERCHANGEABLE BLADE CONSTRUCTION
- THE X-WING FOOT POCKET IS DESIGNED TO BE WORN ALSO WITHOUT NEOPRENE SOCKS

TECHNICAL FEATURES

Sizes			Length
EU	UK	USA	
36/37	3/4	4/5	937mm
38/39	5/6	6/7	951mm
40/41	6.5/7.5	7/8	958mm
42/43	8/9	8.5/9.5	972mm
44/45	10/10.5	10/11	991mm
46/47	11.5/12	12/13	1000mm

SPARE PART

X-Wing Foot Pocket	420924	Page 152
X-Wing Blade Fixing Set	420925	Page 152
Fin Blade X-Wing	420922	Page 152

ACCESSORIES

Razor fin insole	423943	Page 150
------------------	--------	----------


RAZOR APNEA

Code: 420410 ♦ SFT/MED



- BLADE PRODUCED WITH PRE-IMPREGNATED FIBERGLASS LAYERS
- VARIABLE BLADE THICKNESS AND HIGH-PERFORMING PARABOLIC FLEXION
- THE BLADE IS 20.5CM WIDE AND 65CM LONG
- HIGH-QUALITY MANUFACTURING PROCESS
- NEW VARIABLE SIDE RIBS SUPPORT AND OPTIMIZE CHANNEL THRUST AND FLEX
- AVAILABLE WITH A SOFT OR MEDIUM STRENGTH WHITE BLADE
- 22° BLADE INCLINATION RELATIVE TO THE FOOT POCKET
- THE RAZOR FOOT POCKET IS DESIGNED TO BE WORN WITH A 3MM NEOPRENE SOCK
- FIN PROTECTION BAG INCLUDED

TECHNICAL FEATURES



Sizes			Weight	Length
EU	UK	USA		
39/40	5.5/6.5	7/8	1032gr	900mm
41/42	7.5/8	8.5/9.5	1085gr	910mm
43/44	9/10	10/11	1135gr	930mm
45/46	10.5/11.5	12/13	1200gr	940mm
47/48	12/13	13/14	1240gr	950mm

SPARE PART

Razor Foot Pocket	420904	Page 150
Blade Fixing Set	420905	Page 150
Blade Razor Apnea	420912	Page 152

ACCESSORIES

Razor fin insole	423943	Page 150
------------------	--------	----------

TECHNICAL SPECIFICATIONS



Fins			Razor Polygon	Razor Matrix	Razor Pro	Razor	Avanti Quattro Power	Concorde
Code			420418	420409 SFT/MED	420401	420402	420404	420406
Color			-	-	● BK	● GR	● CM	● BK ● BWN ● GN
Sizes								
EU	UK	USA						
38/39	5/6	6/7						904g - 860mm
39/40	5.5/6.5	7/8	1027gr - 843mm	962g - 900mm	1035g - 870mm	1028g - 870mm		
40/41	6.5/7.5	7/8					960g - 710mm	932g - 874mm
41/42	7.5/8	8.5/9.5	1080gr - 853mm	1015g - 910mm	1095g - 880mm	1028g - 880mm		
42/43	8/9	8.5/9.5					1053g - 725mm	968g - 889mm
43/44	9/10	10/11	1130gr - 873mm	1065g - 930mm	1145g - 900mm	1028g - 900mm		
44/45	10/10.5	10/11					1175g - 755mm	1002g - 902mm
45/46	10.5/11.5	12/13	1195gr - 883mm	1130g - 940mm	1210g - 910mm	1028g - 910mm		
46/47	11.5/12	12/13					1210g - 765mm	1027g - 916mm
47/48	12/13	14/15	1235gr - 893mm	1170g - 950mm	1250g - 920mm	1028g - 920mm		



Freediving fins			X-Wing Carbon	X-Wing Apnea	X-Wing Apnea S	X-Wing Pro	X-Wing	Razor Apnea
Code			420415 SFT/MED	420416 SFT/MED	420417	420420	420419	420410 SFT/MED
Sizes								
EU	UK	USA						
36/37	3/4	4/5	917mm	917mm	837mm	937mm	937mm	
38/39	5/6	6/7	931mm	931mm	851mm	951mm	951mm	
39/40	5.5/6.5	7/8						1032gr - 900mm
40/41	6.5/7.5	7/8	938mm	938mm	858mm	958mm	958mm	
41/42	7.5/8	8.5/9.5						1085gr - 910mm
42/43	8/9	8.5/9.5	952mm	952mm	872mm	972mm	972mm	
43/44	9/10	10/11						1135gr - 900mm
44/45	10/10.5	10/11	971mm	971mm	891mm	991mm	991mm	
45/46	10.5/11.5	12/13						1200gr - 930mm
46/47	11.5/12	12/13	980mm	980mm	900mm	1000mm	1000mm	
47/48	12/13	14/15						1240gr - 940mm



2024

MASKS & SNORKELS

◇ Please note that some sizes/colors are only available while stocks last

X-TREAM**NEW**Code: **421417**

- OVER MOLDED FRAME AND ANATOMICAL SKIRT
- MINIMUM DISTANCE BETWEEN THE LENS AND EYES
- ULTRA-MINIMAL INTERNAL VOLUME
- INCREASED FIELD OF VISION
- VERY LIGHTWEIGHT
- ANTI-REFLECTIVE PROPERTIES
- HYDRODYNAMIC PROFILE REDUCES DRAG IN THE WATER
- NEW ERGONOMIC MASK STRAP BUCKLES FOR BETTER HYDRODYNAMICS
- NEW ERGONOMIC MASK STRAP SNORKEL RETAINER FOR EASY DONNING
- EMBOSSED GRIP AREA ON THE NOSE FOR THE PERFECT FIT WITH A NOSE CLIP
- NEW SILICONE USED IN THE SKIRT REDUCES FOGGING

**COLOR VARIATIONS**

BKBK

GNBL

BLWH

DETAILS

SAMURAI X

Code: **421413**◆

- RESTYLING OF THE HISTORICAL SAMURAI MASK
- REDUCED DISTANCE FROM LENS TO EYES
- MINIMAL INTERNAL VOLUME, UNDER 80CM³
- WIDE FIELD OF VISION
- NEW LIGHTWEIGHT THIN FRAME
- MATTE FINISH FOR ANTI-REFLECTIVE PROPERTIES
- BUCKLE CONNECTIONS ON THE SKIRT



COLOR VARIATIONS



BKBK

BWNBK

GNBK

VIPER

Code: **421411**◆

- REDUCED DISTANCE FROM LENS TO EYE
- MINIMAL INTERNAL VOLUME
- INCREASED FIELD OF VISION
- ANATOMICAL SKIRT WITHOUT INTERNAL LIP
- VERY LIGHTWEIGHT
- MATTE FINISH FOR ANTI-REFLECTIVE PROPERTIES
- HYDRODYNAMIC PROFILE REDUCING RESISTANCE IN WATER
- ERGONOMIC MASK STRAP BUCKLES FOR EFFORTLESS OPERATION
- THE NEW SILICONE USED IN SKIRT REDUCES FOGGING



COLOR VARIATIONS



BKBK

BWNBK

GNBK

BLBL

WHWH

SPYDER HD**NEW**Code: **421416**

- REDUCED DISTANCE FROM LENS TO EYE
- MINIMAL INTERNAL VOLUME
- INCREASED FIELD OF VISION
- ANATOMICAL SKIRT
- VERY LIGHTWEIGHT
- MATTE FINISH WITH ANTI-REFLECTIVE PROPERTIES
- ANODIZED MASK PROFILE
- ERGONOMIC MASK STRAP BUCKLES FOR EFFORTLESS OPERATION
- THE NEW SILICONE USED IN THE SKIRT REDUCES FOGGING

**COLOR VARIATIONS**

SIBK

BKBK

BLBL

SPYDER**NEW**Code: **421415**

- REDUCED DISTANCE FROM LENS TO EYE
- MINIMAL INTERNAL VOLUME
- INCREASED FIELD OF VISION
- ANATOMICAL SKIRT
- VERY LIGHTWEIGHT
- MATTE FINISH WITH ANTI-REFLECTIVE PROPERTIES
- HYDRODYNAMIC SPYDER PROFILE REDUCES RESISTANCE IN WATER
- ERGONOMIC MASK STRAP BUCKLES FOR EFFORTLESS OPERATION
- THE NEW SILICONE USED IN THE SKIRT REDUCES FOGGING

**COLOR VARIATIONS**

BKKBK

BWKGN

BKBBL

STAR LIQUIDSKIN

Code: **421400**◆

- BI-SILICONE SKIRT AND STRAP, EXCLUSIVE MARES LIQUIDSKIN® PATENT
- MINIMAL INTERNAL VOLUME
- REDUCED DISTANCE FROM LENS TO EYE
- INCREASED FIELD OF VISION
- LOW PROFILE BUCKLES POSITIONED ON THE SKIRT



COLOR VARIATIONS



BKGR

BKAG

ACCESSORIES

Optical lens	421100 from -1 to -5
--------------	----------------------

STAR

Code: **421402**◆

- BI-SILICONE SKIRT AND STRAP, EXCLUSIVE MARES LIQUIDSKIN® PATENT
- MINIMAL INTERNAL VOLUME
- REDUCED DISTANCE FROM LENS TO EYE
- INCREASED FIELD OF VISION
- LOW PROFILE BUCKLES POSITIONED ON THE SKIRT



COLOR VARIATIONS



BKBK

CMBK

ACCESSORIES

Optical lens	421100 from -1 to -5
--------------	----------------------

SEALHOUE

Code: **421414**◆

- BI-LENS MASK
- SILICONE SKIRT
- REDUCED DISTANCE BETWEEN LENSES AND EYES
- AMPLE FIELD OF VISION
- LIGHTWEIGHT
- SOFT TOUCH SILICONE BUCKLES
- BUCKLES ON SKIRT



COLOR VARIATIONS



BKBK

MBKBK

MBLBK



Mask	X-Tream	Samurai X	Viper	Spyder HD	Spyder	Star LiquidSkin	Star	Sealhouette
Code	421417	421413	421411	421416	421415	421400	421402	421414
Colors	● BKBK ● GNBL ● BLWH	● BKBK ● BWNBK ● GNBK	● BKBK ● BLBL ● BWNBK ● GNBK ○ WHWH	● SIBK ● BKBK ● BLBL	● BKBK ● BKBKGN ● BKBBL	● BKAG ● BKGR	● BKBK ● CMBK	● BKBK ● MBKBK
Optical lens (optional)						421100 from -1 to -5	421100 from -1 to -5	
Streamlined profile	■		■					
Light weight	■	■	■		■			
Wide field of vision	■	■	■	■	■			■
Internal volume	Minimal Reduced	■	■	■	■	■	■	■

DUAL CAMO

Code: **421457**

- TUBE IS MADE IN SOFT PVC IN A BLACK CAMOUFLAGE DESIGN
- ANATOMICAL MOUTHPIECE IN HYPOALLERGENIC SILICONE
- DIAMETER AND LENGTH OF TUBE ARE OPTIMIZED FOR EASIER CLEARING AND TO AVOID AIR TURBULENCE
- SPECIAL "D" SHAPED BARREL DESIGN ELIMINATES DISCOMFORT IN THE AREA OF THE TEMPLE

COLOR VARIATIONS



MBKSA



DUAL

Code: **421454**

- TUBE IS MADE FROM TWO MATERIALS WITH TWO DIFFERENT SOFTNESS LEVELS
- IDEAL FOR PROLONGED USE
- ANATOMICAL MOUTHPIECE IN HYPOALLERGENIC SILICONE
- DIAMETER AND LENGTH OF TUBE ARE OPTIMIZED FOR EASIER CLEARING AND TO AVOID AIR TURBULENCE
- SPECIAL "D" SHAPED BARREL DESIGN ELIMINATES DISCOMFORT IN THE AREA OF THE TEMPLE

COLOR VARIATIONS



BKSA BWNSA GNSA



DUAL BASIC

Code: **421455**

- IDEAL FOR PROLONGED USE
- ANATOMICAL MOUTHPIECE IN HYPOALLERGENIC SILICONE
- DIAMETER AND LENGTH OF TUBE ARE OPTIMIZED FOR EASIER CLEARING AND TO AVOID AIR TURBULENCE
- SPECIAL "D" SHAPED BARREL DESIGN ELIMINATES DISCOMFORT IN THE AREA OF THE TEMPLE

COLOR VARIATIONS



BKSA CLSA BLSA



ELEMENT

Code: **421456**

- SOFT TUBE
- DIAMETER AND LENGTH OF TUBE ARE OPTIMIZED FOR NATURAL EFFORTLESS BREATHING
- HYPOALLERGENIC SILICONE MOUTHPIECE

COLOR VARIATIONS



BKSA BWNSA GNSA WHSA BLSA



The background of the top half of the image is a teal-colored geometric pattern, resembling a low-poly or crystalline texture. It features various shades of blue and green, creating a complex, faceted appearance.

mares

2021

NEOPRENE

◇ Please note that some sizes/colors are only available while stocks last

POLYGON

NEW

30

Code: **422304** - JacketCode: **422305** - Pants

50

Code: **422306** - JacketCode: **422307** - Pants

80 / 65

Code: **422308** - JacketCode: **422309** - Pants

- INDIGO POLYGON-BASED CAMOUFLAGE DISGUISES THE SHAPE OF THE SPEARFISHER
- A PREFORMED CUT ENSURES COMFORT AND EXCELLENT FIT
- COMPRESSION RESISTANT OPEN CELL MATERIAL WITH EXCELLENT ELASTICITY AND GREAT THERMAL PROPERTIES
- SOFTER BORDER WITH FOLDED SMOOTH NEOPRENE ON THE WAIST, WRISTS AND ANKLES
- ANTI-SLIP CHEST PAD WITH A NEOPRENE "SHOCK ABSORBER" INSIDE
- NEW CHIN DESIGN
- NEW VELCRO BEAVERTAIL CLOSURE FOR PERFECT ADJUSTMENT
- ANTI-SLIP KNEE PAD
- PANTS WITH THREE-MATERIAL WAISTBAND TO IMPEDE WATER ENTRY (5mm / 8-6,5mm)
- PANTS WITH AN ULTRA-STRETCH ABDOMINAL BAND TO FACILITATE BREATHING (5mm / 8-6,5mm)
- 422308 JACKET - DIFFERENTIATED THICKNESS: 8mm ON THE CHEST AND ARMS, 6,5mm ON THE FOREARMS AND HOOD
- 422309 PANTS - 6,5mm



TECHNICAL FEATURES

Thickness	3mm / 5mm / 8-6,5mm				
Fabric Type	Lining				
	Neoprene				
	Open cell				
Sizes	2	3	4	5	6

DETAILS




Three-material waistband to impede water entry



Softer border with folded smooth neoprene

The latest research regarding fish vision shows that they are capable of seeing ultraviolet rays which are invisible to the human eye. Contrasting colors are also more visible to them. We can obtain the best camouflage by reducing the contrast between colors with a polygonal design that changes with distance, but the most innovative feature of this material is its ultraviolet absorption. UV light is especially dominant on cloudy or grey days, and makes fluorescent materials brighter. The least reflective, UV ray absorbing color is **INDIGO**, the base for our new camouflage.



MERGE**NEW**Code: **422310** - JacketCode: **422311** - Pants

- NEW FAST-DRYING THREE-MATERIAL DESIGN - ELASTIC FABRIC BETWEEN TWO NEOPRENE LAYERS
- SMOOTH / OPEN CELL INNER FABRIC OFFERS HIGH RESISTANCE
- NEOPRENE OFFERS THERMAL, ELASTIC AND HYDRODYNAMIC BENEFITS FOR THE HEAD AND SHOULDERS DURING DIVING AND THE LEGS DURING SURFACE SWIMMING
- A PREFORMED CUT ENSURES COMFORT AND EXCELLENT FIT
- NEW CHIN DESIGN
- NEW MATERIAL DISTRIBUTION FOR EASY BREATHING
- NEW VELCRO BEAVERTAIL CLOSURE FOR PERFECT ADJUSTMENT
- BLACK/INDIGO POLYGON-BASED CAMOUFLAGE DISGUISES THE SHAPE OF THE SPEARFISHER
- SOFT BORDER WITH SMOOTH NEOPRENE AROUND THE FACE
- ANTI-SLIP CHEST PAD WITH A NEOPRENE "SHOCK ABSORBER" AND KNEE PADS
- PANTS WITH THREE-MATERIAL WAISTBAND TO IMPEDE WATER ENTRY
- PANTS WITH AN ULTRA-STRETCH ABDOMINAL BAND TO FACILITATE BREATHING

**TECHNICAL FEATURES**

Thickness	5mm				
Fabric Type	Smooth				
	Stretch Fabric				
	Open cell				
Sizes	2	3	4	5	6

DETAILS

Velcro beavertail closure for perfect adjustment



Three-material waistband to impede water entry

EXPLORER CAMO BLACK

30Code: **422040** - JacketCode: **422041** - Pants**50**Code: **422038** - JacketCode: **422039** - Pants**70**Code: **422037** - Jacket

- BLACK CAMOUFLAGE PRINTED ON A GREY LINING HELPS TO DISGUISE THE SPEARFISHER
- A PREFORMED CUT ENSURES COMFORT AND EXCELLENT FIT
- EXCELLENT ELASTICITY, HIGH THERMAL PROPERTIES AND COMPRESSION RESISTANT
- ANTI-SLIP CHEST PAD AND NEOPRENE "SHOCK ABSORBER" INSIDE
- REINFORCED KNEE PADS



TECHNICAL FEATURES

Thickness	3mm / 5mm / 7mm					
Fabric Type	Lining					
	Neoprene					
	Open cell					
Sizes	2	3	4	5	6	

DETAILS



Quick connect, beaver tail closure



Reinforced knee pads

SQUADRA ILLUSION BWN

Code: **422495** - Jacket

Code: **422496** - Pants

- ILLUSION BWN COLOR PRINTED ON A BEIGE LINING FOR THE BEST CAMOUFLAGE
- A PREFORMED CUT ENSURES COMFORT AND EXCELLENT FIT
- EXCELLENT ELASTICITY, HIGH THERMAL PROPERTIES AND COMPRESSION RESISTANT
- STITCHED FINISHING ON WAIST, WRISTS AND ANKLES
- LARGE, ANTI-SLIP CHEST PAD WITH A NEOPRENE "SHOCK ABSORBER" INSIDE
- REINFORCED KNEE PADS



TECHNICAL FEATURES

Thickness	5mm					
Fabric Type	Lining					
	Neoprene					
	Open cell					
Sizes	2	3	4	5	6	

DETAILS



Anti-slip chest pad



Stitched finishing on waist, wrists and ankles

ILLUSION BWN

30Code: **422035** - JacketCode: **422036** - Pants**50**Code: **422033** - JacketCode: **422034** - Pants**70**Code: **422032** - Jacket

- OCEAN FLOOR CAMOUFLAGE PRINTED ON A BEIGE LINING MASKS THE DIVER
- A PREFORMED CUT ENSURES COMFORT AND EXCELLENT FIT
- EXCELLENT ELASTICITY, HIGH THERMAL PROPERTIES AND COMPRESSION RESISTANT
- ANTI-SLIP CHEST PAD AND NEOPRENE "SHOCK ABSORBER" INSIDE
- REINFORCED KNEE PADS



TECHNICAL FEATURES

Thickness	3mm / 5mm / 7mm					
Fabric Type	Lining					
	Neoprene					
	Open cell					
Sizes	2	3	4	5	6	

DETAILS



Anti-slip chest pad



Quick connect, beaver tail closure

ILLUSION

30

Code: **422487** - JacketCode: **422488** - Pants

50

Code: **422484** - JacketCode: **422485** - PantsCode: **422486** - Long John

- OCEAN FLOOR CAMOUFLAGE PRINTED ON BEIGE LINING CREATE TOTAL CONCEALMENT FOR THE DIVER
- PREFORMED CUT ENSURES COMFORT AND EXCELLENT FIT
- EXCELLENT ELASTICITY, HIGH THERMAL PROPERTIES AND COMPRESSION RESISTANT
- ANTI-SLIP CHEST PAD AND NEOPRENE "SHOCK ABSORBER" INSIDE
- REINFORCED KNEE PADS



TECHNICAL FEATURES

Thickness	3mm / 5mm				
Fabric Type	Lining				
	Neoprene				
	Open cell				
Sizes	2	3	4	5	6

EXPLORER

30

Code: **422479** - JacketCode: **422480** - Pants

50

Code: **422456** - JacketCode: **422457** - PantsCode: **422458** - Long John

70

Code: **422472** - JacketCode: **422473** - Pants

- PREFORMED CUT ENSURES COMFORT AND EXCELLENT FIT
- EXCELLENT ELASTICITY, HIGH THERMAL PROPERTIES AND COMPRESSION RESISTANT
- ANTI-SLIP CHEST PAD AND NEOPRENE "SHOCK ABSORBER" INSIDE
- REINFORCED KNEE PADS



TECHNICAL FEATURES

Thickness	3mm / 5mm / 7mm				
Fabric Type	Black lining				
	Neoprene				
	Open cell				
Sizes	2	3	4	5	6

EXPLORER SPORT

30

NEW

Code: **422312** - JacketCode: **422313** - Pants

50

Code: **422466** - JacketCode: **422467** - Long John

- NEW PREFORMED CUT ENSURES COMFORT AND EXCELLENT FIT
- ELASTICITY, COMFORTABLE, COMPRESSION RESISTANT AND EASY TO WEAR
- ANTI-SLIP CHEST PAD AND NEOPRENE "SHOCK ABSORBER" INSIDE
- REINFORCED KNEE PADS



TECHNICAL FEATURES

Thickness	3mm / 5mm					
Fabric Type	Black lining					
	Neoprene					
	Black lining					
Sizes	2	3	4	5	6	

APNEA INSTINCT

30 MAN

Code: **422475** - JacketCode: **422476** - Pants

30 LADY

Code: **422477** - JacketCode: **422478** - Pants

50 MAN

Code: **422459** - JacketCode: **422460** - Pants

50 LADY

Code: **422461** - JacketCode: **422462** - Pants

- PREFORMED CUT ENSURES COMFORT AND EXCELLENT FIT
- EXCELLENT ELASTICITY, HIGH THERMAL PROPERTIES AND COMPRESSION RESISTANT
- THE 5 mm JACKET UTILIZES 3.5 mm NEOPRENE AT THE WRISTS AND AROUND THE FACE, INCLUDING THE SAME APPLICATION ON THE PANTS AT THE ANKLES AND WAISTBAND
- HIGH-WAISTED PANTS
- RUGGED DOUBLE-LINED BEAVER TAIL WITH QUICK-CONNECT GROMMETS



TECHNICAL FEATURES

Thickness	3mm / 5mm					
Fabric Type	Lining					
	Neoprene					
	Open cell					
Sizes Man		2	3	4	5	6
Sizes Lady	1	2	3	4	5	

PRISM SKIN

NEW

MAN

Code: **422314** - JacketCode: **422315** - Pants

LADY

Code: **422318** - JacketCode: **422319** - Pants

- ULTRA-STRETCH, SMOOTH MATERIAL FOR EASY BREATHING
- INSIDE LINING ALLOWS FOR EASY DRESSING
- MATERIAL PROVIDES EXCELLENT ELASTICITY, GREAT THERMAL PROPERTIES AND IS COMPRESSION RESISTANT
- VERY HYDRODYNAMIC MATERIAL FOR FASTER ASCENT/DESCENT
- A PREFORMED CUT ENSURES COMFORT AND EXCELLENT FIT
- NEW CHIN DESIGN
- NEW VELCRO BEAVERTAIL CLOSURE FOR PERFECT ADJUSTMENT



TECHNICAL FEATURES

Thickness	3.0 mm					
Fabric type	Smooth					
	Neoprene					
	Colored lining					
Man Sizes		2	3	4	5	6
Lady Sizes	1	2	3	4	5	



New preformed chin



Velcro beavertail closure for perfect adjustment

HORIZON 2.0**NEW**Code: **422316** - ManCode: **422317** - Lady

- ULTRA-STRETCH 2mm SMOOTH MATERIAL FOR EASY BREATHING
- INSIDE LINING ALLOWS FOR EASY DONNING, EXCELLENT ELASTICITY, HIGH THERMAL PROPERTIES AND IS COMPRESSION RESISTANT
- VERY HYDRODYNAMIC MATERIAL FOR FASTER SWIMMING
- A PREFORMED CUT ENSURES COMFORT AND EXCELLENT FIT
- NEW WATER-BARRIER NECK DESIGN



mares
pure passion

TECHNICAL FEATURES

Thickness	2.0 mm					
Fabric type	Smooth					
	Neoprene					
	Black lining					
Man Sizes		2	3	4	5	6
Lady Sizes	1	2	3	4	5	



New water-barrier neck design



Back zip

UNDERSUIT

Code: **422424**

- NEOPRENE WITH OUTER COVERING AND OPEN-CELL INTERIOR



TECHNICAL FEATURES

Thickness	2mm			
Fabric Type	Neoprene			
Sizes	S	M	L	XL

WEIGHT POCKET BERMUDA

Code: **422425♦ Black**

Code: **422491♦ Illusion**

- NEOPRENE WITH OUTER COVERING AND OPEN-CELL INTERIOR
- TWO SIDE POCKETS DESIGNED TO HOLD 500G OR 1KG STANDARD WEIGHTS



TECHNICAL FEATURES

Thickness	2mm			
Fabric Type	Neoprene			
Sizes	S	M	L	XL

BACKPACK

Code: **425861 Black**

Code: **425863 Illusion**

Code: **425867♦ Camo Black**

- ANATOMICAL MODULAR BACKPACK
- POCKETS WITH HOLES FOR STANDARD 500G OR 1KG WEIGHTS, MAXIMUM 4KG
- ELASTIC CORD FOR FASTENING TO THE BELT
- QUICK RELEASE SYSTEM



HOOD INFINITY 30

Code: **422465**

- PREFORMED CUT ENSURES COMFORT AND EXCELLENT FIT
- DEDICATED TO THE NEW FREEDIVING STEAMERS



TECHNICAL FEATURES

Thickness	3mm				
Fabric Type	Smooth				
	Neoprene				
	Black Lining Interior				
Sizes	2	3	4	5	6

GLOVES SMOOTH SKIN

Code: **422755**

- PREFORMED CUT
- NEOPRENE WITH SMOOTH EXTERIOR, LINED INTERIOR
- REINFORCED PALM AND FINGERS



TECHNICAL FEATURES

Thickness	3.5mm			
Fabric Type	Neoprene			
Sizes	S	M	L	XL

GLOVES FLEX GOLD

Code: **422762 5mm**

Code: **422763 3mm**

- ULTRA STRETCH EXTERNAL FABRIC / SPECIAL GOLD TREATMENT ON OPEN CELL INSIDE
- DOUBLE LINED NEOPRENE ON PALM
- REINFORCED FABRIC ON PALM AND FINGERS



TECHNICAL FEATURES

Thickness	5mm / 3mm			
Fabric Type	Neoprene			
Sizes	S	M	L	XL

SOCKS SMOOTH SKIN

Code: **422654**

- SMOOTH OUTSIDE / LINED INSIDE
- PREFORMED CUT
- REINFORCED DOUBLE-LINED SOLE



TECHNICAL FEATURES

Thickness	3mm			
Fabric Type	Neoprene			
Sizes	S	M	L	XL

SOCKS FLEX GOLD

Code: **422661 5mm**

Code: **422660 3mm**

- ULTRA STRETCH EXTERNAL FABRIC / SPECIAL GOLD TREATMENT ON OPEN CELL INSIDE
- DOUBLE-LINED SOLE WITH EXTERNAL FABRIC REINFORCEMENT



TECHNICAL FEATURES

Thickness	5mm / 3mm			
Fabric Type	Neoprene			
Sizes	S	M	L	XL

GLOVES FLEX

Code: **422750 3mm**Code: **422759 2mm**

- DOUBLE LINED ULTRASTRETCH NEOPRENE
- REINFORCED PALM AND FINGERS



TECHNICAL FEATURES

Thickness	3mm			2mm		
Fabric Type	Neoprene			Neoprene		
Sizes	XS	M	XL	XS/S	M/L	XL/XXL

SOCKS FLEX

Code: **422656 5mm**Code: **422657 3mm**Code: **422658 2mm**

- ULTRASTRETCH NEOPRENE
- LINED EXTERIOR / OPEN CELL INTERIOR
- REINFORCED DOUBLE-LINED SOLE



TECHNICAL FEATURES

Thickness	5mm / 3mm / 2mm		
Fabric Type	Neoprene		
Sizes	XS/S	M/L	XL/XXL

GLOVES ILLUSION 30

Code: **422760**

- NEOPRENE DOUBLE LINING
- REINFORCED PALM AND FINGERS



TECHNICAL FEATURES

Thickness	3mm			
Fabric Type	Neoprene			
Sizes	S	M	L	XL

GLOVES ILLUSION BWN 30

Code: **422664**

- NEOPRENE DOUBLE LINING
- REINFORCED PALM AND FINGERS



TECHNICAL FEATURES

Thickness	3mm			
Fabric Type	Neoprene			
Sizes	S	M	L	XL

GLOVES AMARA ILLUSION 20

Code: **422761**

- NEOPRENE DOUBLE LINING
- REINFORCED PALM AND FINGERS



TECHNICAL FEATURES

Thickness	2mm			
Fabric Type	Neoprene			
Sizes	S	M	L	XL

SOCKS ILLUSION 30

Code: **422659**

- LINED EXTERIOR / OPEN CELL INTERIOR
- REINFORCED DOUBLE-LINED SOLE



TECHNICAL FEATURES

Thickness	3mm			
Fabric Type	Neoprene			
Sizes	S	M	L	XL

SOCKS ILLUSION BWN 30Code: **422663**

- LINED EXTERIOR / OPEN CELL INTERIOR
- REINFORCED DOUBLE-LINED SOLE

**TECHNICAL FEATURES**

Thickness	3mm			
Fabric Type	Neoprene			
Sizes	S	M	L	XL

GLOVES CAMO BLACK 30Code: **422665**

- NEOPRENE DOUBLE LINING
- REINFORCED PALM AND FINGERS

**TECHNICAL FEATURES**

Thickness	3mm			
Fabric Type	Neoprene			
Sizes	S	M	L	XL

GLOVES BLACK 30Code: **422758**

- NEOPRENE DOUBLE LINING
- REINFORCED PALM AND FINGERS

**TECHNICAL FEATURES**

Thickness	3mm			
Fabric Type	Neoprene			
Sizes	S	M	L	XL

GLOVES AMARA CAMO BLACK 20Code: **422667**

- NEOPRENE - PALM AND FINGERS IN ULTRA RESISTANT AMARA
- ADJUSTABLE VELCRO

**TECHNICAL FEATURES**

Thickness	2mm			
Fabric Type	Neoprene			
Sizes	S	M	L	XL

GLOVES AMARA 20Code: **422752**

- NEOPRENE / PALM AND FINGERS IN ULTRA RESISTANT AMARA
- ADJUSTABLE VELCRO

**TECHNICAL FEATURES**

Thickness	2mm				
Fabric Type	Neoprene				
Sizes	XS	S	M	L	XL

SOCKS CAMO BLACK 30Code: **422662**




- LINED EXTERIOR / OPEN CELL INTERIOR
- REINFORCED DOUBLE-LINED SOLE

**TECHNICAL FEATURES**




Thickness	3mm			
Fabric Type	Neoprene			
Sizes	S	M	L	XL

ACCESSORIES







Suits	Polygon						Merge		Explorer Camo Black				
Model	Jacket	Pants	Jacket	Pants	Jacket	Pants	Jacket	Pants	Jacket	Pants	Jacket	Pants	Jacket
Code	422304	422305	422306	422307	422308	422309	422310	422311	422040	422041	422038	422039	422037
Colors													
Thickness	3 mm		5 mm		8-6,5 mm		5 mm		3 mm		5 mm		7 mm
Sizes	2-3-4-5-6						2-3-4-5-6		2-3-4-5-6				
Maximum Elasticity	■						■		■				
Lining / Open cell	■								■				
3 Materials							■						















Suits	Squadra Illusion BWN		Illusion BWN					Illusion				
Model	Jacket	Pants	Jacket	Pants	Jacket	Pants	Jacket	Jacket	Pants	Jacket	Pants	Long John
Code	422495	422496	422035	422036	422033	422034	422032	422487	422488	422484	422485	422486
Colors												
Thickness	5 mm		3 mm		5 mm		7mm	3 mm		5 mm		
Sizes	2-3-4-5-6		2-3-4-5-6					2-3-4-5-6				
Maximum Elasticity	■		■					■				
Lining / Open cell	■		■					■				



Suits	Explorer						Explorer Sport				
Model	Jacket	Pants	Jacket	Pants	Long John	Jacket	Pants	Jacket	Pants	Long John	
Code	422479	422480	422456	422457	422458	422472	422473	422312	422313	422466	422467
Colors											
Thickness	3 mm		5 mm		7 mm		3 mm		5 mm		
Sizes	2- 3- 4- 5- 6						2- 3- 4- 5- 6				
Lining / Open cell											
Lining / Lining											

TECHNICAL SPECIFICATIONS




Freediving Suits	Apnea Instinct								Prism Skin				Horizon 2.0	
Model	Man		Lady		Man		Lady		Man		Lady		Man	Lady
	Jacket	Pants	Jacket	Pants	Jacket	Pants	Jacket	Pants	Jacket	Pants	Jacket	Pants		
Code	422475	422476	422477	422478	422459	422460	422461	422462	422314	422315	422318	422319	422316	422317
Colors														
Thickness	3 mm				5 mm				3 mm				2 mm	
Sizes	2-3-4-5-6		1-2-3-4-5		2-3-4-5-6		1-2-3-4-5		2-3-4-5-6		1-2-3-4-5		2-3-4-5-6	1-2-3-4-5
Maximum Elasticity														
Lining / Open cell														
Smooth / Lining														




Gloves	Smooth Skin	Flex		Flex Gold		Illusion 30	Amara Illusion 20	Illusion BWN 30	Camo Black 30	Amara Camo Black 20	Black 30	Amara 20
Code	422755	422759	422750	422763	422762	422760	422761	422664	422665	422667	422758	422752
Thickness	3,5 mm	2 mm	3 mm	3 mm	5 mm	3 mm	2 mm	3 mm	3 mm	2 mm	3 mm	2 mm
Colors												
Sizes	S, M, L, XL	XS/S, M/L, XL/XXL	XS, M, XL	S, M, L, XL		S, M, L, XL	S, M, L, XL	S, M, L, XL	S, M, L, XL	S, M, L, XL	S, M, L, XL	S, M, L, XL



Socks	Smooth Skin 30	Flex		Flex Gold		Illusion 30	Illusion BWN 30	Camo Black 30
Code	422654	422658	422657	422656	422660	422661	422659	422663
Thickness	3 mm	2 mm	3 mm	5 mm	3 mm	5 mm	3 mm	3 mm
Colors								
Sizes	S, M, L, XL	XS/S, M/L, XL/XXL		S, M, L, XL		S, M, L, XL	S, M, L, XL	S, M, L, XL



	USA	1	2	3	4	5	6
	EU	XS	S	M	L	XL	XXL
	IT	1	2	3	4	5	6
A	inch	34-36	35-38	37-40	39-41	41-43	42-45
	cm	88/92	91 / 97	95 / 101	99 / 105	103 / 109	107 / 115
B	inch	28-29	30-33	33-35	34-37	36-38	37-41
	cm	72/76	77 / 83	83 / 89	87 / 93	91 / 97	95 / 103
C	inch	33-35	35-38	37-39	39-41	40-43	42-45
	cm	86/90	90 / 96	94 / 100	98 / 104	102 / 108	106 / 114
D	inch	19-20	20-21	21-22	22-23	23-24	24-25
	cm	50/52	52/55	54/57	56/59	58/61	60/63
E	inch	25-27	27-28	28-29	29-30	30-31	31-32
	cm	66/69	68/71	70/73	72/75	74/77	76/79
F	inch	62-64	65-68	67-70	69-71	71-72	72-74
	cm	160/164	166/172	170/176	174/180	178/184	182/188



	USA	0	1	2	3	4	5
	EU	XXS	XS	S	M	L	XL
	IT	0	1	2	3	4	5
A	inch	30-31	33-35	34-37	36-38	37-40	39-41
	cm	77/81	83-89	87-93	91-97	95-101	99-105
B	inch	23-24	26-28	27-30	29-31	30-33	32-34
	cm	59/63	65-71	69-75	73-79	77-83	81-87
C	inch	31-33	34-37	36-38	38-40	39-41	41-43
	cm	80/85	87-93	91-97	95-101	99-105	103-109
D	inch	18-19	19-20	20-21	21-22	22-23	23-24
	cm	47/49	48-51	50-53	52-55	54-57	56-59
E	inch	24-25	25-26	26-27	27-28	28-29	29-30
	cm	62/64	64-67	66-69	68-71	70-73	72-75
F	inch	61-62	61-64	63-66	65-67	66-69	68-70
	cm	156/158	156-162	160-166	164-170	168-174	172-178

PLEASE NOTE: Freediving/Spearfishing wetsuits must fit well. Given the material used to manufacture them, the table is for reference only. We suggest trying the wetsuit at a Mares retailer.



PNEUMATIC GUNS

◇ Please note that some sizes are only available while stocks last

CYRANO 1.1 HFT

Code: 423157♦ - 120 cm WP - 110 cm WP - 100 cm WP - 90 cm WP



- HYDROFORMED BARREL ADDS BUOYANCY AND HYDRODYNAMICS
- 11MM INTERNAL BARREL IS SHIFTED UPWARD OFF-AXIS FOR A BETTER LINE OF SIGHT
- LIGHTER SINGLE-PIECE HEAD WITH MINIMAL NOSE CONE, ONLY 31G TOTAL WEIGHT
- STAINLESS STEEL LINE RELEASE AND TRIGGER, BETTER FLUIDITY DURING THE SHOOT
- PISTON EVO INCREASES SPEED AND MAKES LOADING EASIER WITH BETTER LUBRICATION
- OVERSIZED AIR PASSAGES IN THE INNER BARREL
- PREFORMED ANATOMIC GRIP .KJ'
- SHAFT RACE: 7MM SINGLE BARB TAHITIAN SHAFT
- CARRYING BAG INCLUDED

TECHNICAL FEATURES

Internal barrel		11 mm			
Sizes		90WP	100WP	110WP	120WP
Shaft Race	Ø mm	7	7	7	7
	cm	97	105	122	132
Operating Pressure	BAR	22	24	24	26
Connecting Piston	Ø mm	1,5 mm			

DETAILS



WP: with power adjusting system

CYRANO 1.1

Code: 423158♦ - 120 cm WP - 110 cm WP - 100 cm WP - 90 cm WP - 70 cm WP - 55 cm WP

- 40MM OUTER BARREL
- LIGHTER SINGLE-PIECE HEAD WITH SMALLER CONE
- 11MM INTERNAL BARREL IS SHIFTED UPWARD OFF-AXIS FOR A BETTER LINE OF SIGHT
- STAINLESS STEEL LINE RELEASE AND TRIGGER, BETTER FLUIDITY DURING THE SHOOT
- PISTON EVO, INCREASE IN SPEED, EASY LOADING, BETTER LUBRICATION
- OVERSIZED AIR PASSAGES IN THE INNER BARREL
- ERGONOMIC HANDLE WITH GRIP IN 'CYRANO BLUE' COLOR
- 7MM THREADED SHAFT ON GUN SIZES 42, 55 AND 70
- SHAFT RACE: 7MM SINGLE BARB TAHITIAN SHAFT ON GUN SIZES 90, 100, 110 AND 120
- LIGHTWEIGHT CARRYING BAG INCLUDED



CYRANO 1.3

Code: 423159♦ - 120 cm WP - 110 cm WP - 100 cm WP - 90 cm WP - 70 cm WP - 55 cm WP - 55 cm NP - 42 cm NP

- 40MM OUTER BARREL
- LIGHTER SINGLE-PIECE HEAD WITH SMALLER CONE
- 13MM INTERNAL BARREL IS SHIFTED UPWARD OFF-AXIS FOR A BETTER LINE OF SIGHT
- STAINLESS STEEL LINE RELEASE AND TRIGGER, BETTER FLUIDITY DURING THE SHOOT
- PISTON EVO, INCREASE IN SPEED, EASY LOADING, BETTER LUBRICATION
- OVERSIZED AIR PASSAGES IN THE INNER BARREL
- ERGONOMIC HANDLE WITH GRIP IN 'CYRANO BLUE' COLOR
- 8MM THREADED SHAFT ON GUN SIZES 42, 55 AND 70
- SHAFT RACE: 8MM SINGLE BARB TEHITIAN SHAFT ON GUN SIZES 90, 100, 110 AND 120
- LIGHTWEIGHT CARRYING BAG INCLUDED



TECHNICAL FEATURES

Internal barrel		11 mm							
Sizes		42NP	55NP	55WP	70WP	90WP	100WP	110WP	120WP
Shaft Race	Ø mm					7	7	7	7
	cm					97	105	122	132
Threaded Shaft	Ø mm	7	7	7	7				
	cm	35,9	56,9	56,9	67,1				
Operating Pressure	BAR	13	16	16	20	22	24	24	26
Connecting Piston	Ø mm	1,5 mm							

TECHNICAL FEATURES

Internal barrel		13 mm							
Sizes		42NP	55NP	55WP	70WP	90WP	100WP	110WP	120WP
Shaft Race	Ø mm					8	8	8	8
	cm					97	105	122	132
Threaded Shaft	Ø mm	8	8	8	8				
	cm	36,9	51,9	51,9	66,9				
Operating Pressure	BAR	13	13	13	16	16	18	18	22
Connecting Piston	Ø mm	1,5 mm							

WP: with power adjusting system

STEN 11

Code: **423151** - 70 cm WP - 58 cm WP

- 40MM OUTER BARREL
- LOW WEIGHT SINGLE-PIECE HEAD
- REINFORCED NOSE CONE AND STEEL LINE GUIDE
- ERGONOMIC HANDLE WITH WHITE GRIP FOR INCREASED VISIBILITY
- 7MM THREADED SHAFT



STEN

Code: **413105** - 70 cm WP - 58cm WP - 70 cm NP - 58 cm NP - 42 cm NP

- 40MM OUTER BARREL
- LOW WEIGHT SINGLE PIECE HEAD
- REINFORCED NOSE CONE
- 8MM THREADED SHAFT
- INCLUDES HOLSTER



TECHNICAL FEATURES

Internal barrel		11 mm	
Sizes		58WP	70WP
Shaft Race	Ø mm	7	7
	cm	56.9	67.1
Threaded Shaft	Ø mm	7	7
	cm	56,9	67,1
Operating Pressure	BAR	16	20
Connecting Piston	Ø mm	1,5 mm	

TECHNICAL FEATURES

Internal barrel		13 mm			
Sizes		42NP	58NP	58WP	70NP
Shaft Race	Ø mm	8	8	8	8
	cm	36.9	51.9	51.9	66.9
Threaded Shaft	Ø mm	8	8	8	8
	cm	36,9	51,9	51,9	66,9
Operating Pressure	BAR	13	13	13	16
Connecting Piston	Ø mm	1,5 mm			

WP: with power adjusting system

JET

Code: 413106 - 70 cm WP - 58 cm WP - 70 cm NP - 58 cm NP - 42 cm NP

- 40MM OUTER BARREL
- LOW WEIGHT SINGLE-PIECE HEAD
- REINFORCED NOSE CONE
- 8MM THREADED SHAFT



NUMBER OF PUMPS* (APPROX.)

Model	BARREL PRESSURE BAR / kPa / PSI				
	10 / 1000 / 145	15 / 1500 / 217,5	20 / 2000 / 290	25 / 2500 / 362,5	30 / 3000 / 435
Cyrano 1.1 HFT 90	260	420	600	800	1040
Cyrano 1.1 HFT 100	300	480	700	950	1200
Cyrano 1.1 HFT 110	380	600	900	1250	1520
Cyrano 1.1 HFT 120	420	660	1000	1400	1680
Cyrano 1.1 42 Cyrano 1.3 42	75	120	170	230	300
Cyrano 1.1 55 Cyrano 1.3 55	110	170	250	340	440
Cyrano 1.1 70 Cyrano 1.3 70	170	270	390	520	680
Cyrano 1.1 90 Cyrano 1.3 90	200	320	460	620	800
Cyrano 1.1 100 Cyrano 1.3 100	260	420	600	800	1040
Cyrano 1.1 110 Cyrano 1.3 110	300	480	700	950	1200
Cyrano 1.1 120 Cyrano 1.3 120	340	540	800	1100	1360
Sten 42	60	130	170	210	240
Sten 58 Sten 11 58	100	160	230	310	400
Sten 70 Sten 11 70	140	220	320	430	560
Sten 84	200	320	460	620	800
Sten 100	260	420	600	800	1040
Jet 42	50	100	150	180	220
Jet 58	70	150	250	380	500
Jet 70	130	190	290	400	720

All Mares pneumatic spearguns are produced and delivered pressurized at manufacturer recommended specs.

* Number of pumps listed to pressurize pneumatic gun is based upon barrel chamber beginning at empty 0 BAR / PSI.

TECHNICAL FEATURES

Internal barrel		13 mm				
Sizes		42NP	58NP	58WP	70NP	70WP
Shaft Race	Ø mm	8	8	8	8	8
	cm	36,9	51,9	51,9	66,9	66,9
Threaded Shaft	Ø mm	8	8	8	8	8
	cm	36,9	51,9	51,9	66,9	66,9
Operating Pressure	BAR	13	13	13	16	16
Connecting Piston	Ø mm	3 mm				

WP: with power adjusting system

TECHNICAL SPECIFICATIONS



		Cyrano 1.1 HFT				Cyrano 1.1								Cyrano 1.3							
Code		423157				423158								423159							
Sizes		90WP	100WP	110WP	120WP	42NP	55NP	55WP	70WP	90WP	100WP	110WP	120WP	42NP	55NP	55WP	70WP	90WP	100WP	110WP	120WP
Hydroformed barrel		■												■							
Internal barrel off-axis		■				■								■							
Streamlined profile		■																			
Shaft Race	Ø mm	7	7	7	7					7	7	7	7					8	8	8	8
	cm	97	105	122	132					97	105	122	132					97	105	122	132
Threaded Shaft	Ø mm					7	7	7	7					8	8	8	8				
	cm					35,9	56,9	56,9	67,1					36,9	51,9	51,9	66,9				
Operating Pressure	BAR	22	24	24	26	13	16	16	20	22	24	24	26	13	13	13	16	16	18	18	22
Connecting Piston	Ø mm	1,5 mm				1,5 mm								1,5 mm							
Compact head		■				■								■							
Internal barrel		11 mm				11 mm								13 mm							
Ergonomic handle						■								■							
Grip KJ		■																			
Stainless steel side line releaser		■				■								■							
Stainless steel trigger		■				■								■							
Cone with steel line guide		■				■								■							
Dedicated case included		■				■								■							
Manual injector included		■				■								■							



		Sten 11		Sten					Jet				
Code		423151		413105					413106				
Sizes		58WP	70WP	42NP	58NP	58WP	70NP	70WP	42NP	58NP	58WP	70NP	70WP
Shaft Race	Ø mm	7	7	8	8	8	8	8	8	8	8	8	8
	cm	56,9	67,1	36,9	51,9	51,9	66,9	66,9	36,9	51,9	51,9	66,9	66,9
Threaded Shaft	Ø mm	7	7	8	8	8	8	8	8	8	8	8	8
	cm	56,9	67,1	36,9	51,9	51,9	66,9	66,9	36,9	51,9	51,9	66,9	66,9
Operating Pressure	BAR	16	20	13	13	13	16	16	13	13	13	16	16
Connecting Piston	Ø mm	1,5 mm		1,5 mm					3 mm				
Compact head		■							■				
Internal barrel		11 mm		13 mm					13 mm				
Ergonomic handle		■		■									
Cone with steel line guide		■		■									
Dedicated case included		■		■									
Manual injector included		■		■					■				




2024

SLING GUNS

STRIKE

NEW

Code: 423430 - 115 cm - 100 cm - 90cm - 75cm - 55cm



- A 28MM DIAMETER CIRCULAR BARREL IS CONSTRUCTED OF ANTI-CORROSIVE EXTRUDED ALUMINUM WITH A LOW FRICTION INTEGRATED SHAFT GUIDE
- OPEN MUZZLE CONFIGURATION WITH A FRICTION REDUCTION SYSTEM BETWEEN THE SLINGS AND THE BARREL. THE MUZZLE ACCOMMODATES ONE OR TWO CIRCULAR SLINGS, RANGING FROM 14MM TO 18MM IN DIAMETER
- SIMPLIFIED AND OPEN LINE OF SIGHT INCREASES PRECISION AND INSTINCTIVE SHOOTING
- LINE RETAINERS ON THE MUZZLE AND HANDLE ARE LOW PROFILE WITH A CLEAN AND SIMPLE DESIGN
- LINE RELEASE MECHANISM IS CONSTRUCTED IN STAINLESS STEEL AND OPTIMIZED FOR LOADING WITH THICKER BANDS
- TRIGGER IS DESIGNED IN A GEOMETRIC SHAPE FOR DYNAMIC SHOOTING.
- LATEX CIRCULAR SLINGS COME IN A NEW INDIGO COLOR MINIMIZING REFLECTION OF UV RAYS VISIBLE TO FISH
- DYNEEMA WISHBONE
- 6.5MM SHAFT IN 17-4 PH TEMPERED STEEL WITH SHARK FINS AND TAHITIAN STYLE FLOPPER
- 80MM HORIZONTAL REEL WITH A MICROMETRIC ADJUSTMENT CLUTCH AND 50 METERS OF 1.7MM DIAMETER LINE
- NEW ERGONOMIC HANDLE IN A NON-SLIP GEOMETRIC SHAPE. THE ANGLE OF THE HANDLE IN RESPECT TO THE BARREL IS DESIGNED FOR CONTINUITY WITH THE SHOOTERS ARM, ABSORBING RECOIL
- WIDE SHOOTING LINE-RETAINER CAN BE POSITIONED ON EITHER RIGHT OR LEFT SIDE
- RETRACTABLE SLIDING SAFETY MECHANISM
- REEL HOUSING WITH INSERT ACCOMMODATES USE WITH ROLLER MUZZLES

TECHNICAL FEATURES


Barrel		28				
Sizes		55	75	90	100	115
Shaft Hardy	Ø mm	6,5	6,5	6,5	6,5	6,5
	cm	95	115	130	140	155
S-Power Speed circular sling	Ø mm	17	17	17	-	-
	cm	40	53	63	-	-
Two S-Power Speed circular slings	Ø mm	-	-	-	14	14
	cm	-	-	-	62	72

DETAILS



VIPER PRO DS

Code: 423426 110 cm -100 cm -90 cm - 75 cm



- RIGID ANODIZED ALUMINUM BARREL WITH UPPER SHAFT GUIDE AND LOWER LINE GUIDE
- OPEN MUZZLE CONFIGURATION, WITH OFF-AXIS HOLES
- HIGHLY SENSITIVE TRIGGER MECHANISM IN A REVERSED POSITION
- STAINLESS STEEL SIDE LINE RELEASE
- NEW STAINLESS STEEL TRIGGER
- PREFORMED HANDLE WITH NEW HIGH-FUNCTIONALITY ANATOMIC GRIP
- VARIABLE DEFORMATION REINFORCED LOADING PAD
- NEW 6.5 MM SINGLE BARB TAHITIAN HARDY SHAFT
- TWO 16 MM S-POWER SPEED CIRCULAR SLINGS WITH DYNEEMA® WISHBONE
- INCLUDES SPIRO VERTICAL REEL

TECHNICAL FEATURES

Barrel		28			
Sizes		75	90	100	110
Shaft Hardy	Ø mm	6.5	6.5	6.5	6.5
	cm	42	50	55	60
Two S-Power Speed circular slings	Ø mm	16	16	16	16
	cm	42	50	55	60
Vertical Reel		65	65	87	87

DETAILS



HANDLE VIPER PRO DS

Code : 423994 ♦



VIPER PRO

Code: 423416 - 110 cm - 100 cm - 90cm - 75cm

- RIGID ANODIZED ALUMINUM BARREL WITH UPPER SHAFT GUIDE AND LOWER LINE GUIDE
- OPEN MUZZLE CONFIGURATION, WITH OFF-AXIS HOLES
- HIGHLY SENSITIVE TRIGGER MECHANISM IN A REVERSED POSITION
- STAINLESS STEEL SIDE LINE RELEASE
- DISTANCE BETWEEN TRIGGER AND HANDLE CAN BE CUSTOMIZED
- PREFORMED HANDLE WITH NEW HIGH-FUNCTIONALITY ANATOMIC GRIP
- VARIABLE DEFORMATION REINFORCED LOADING PAD
- SHAFT SPEED: 6.5MM SINGLE BARB TAHITIAN SHAFT
- 17.5MM S-POWER SPEED CIRCULAR SLING WITH DYNEEMA® WISHBONE
- INCLUDES SPIRO VERTICAL REEL



SNIPER PS

Code: 423424 - 90 cm - 75 cm - 55 cm - 45 cm

- OUTER BARREL IN ANODIZED ALUMINUM
- NEW COMPACT MUZZLE FOR PAIR OF SLINGS
- SHAFT RELEASE AND LINE RELEASE MADE OUT OF STAINLESS STEEL
- ERGONOMIC HANDLE MIMICS THE SHAPE USED ON VIPER PRO AND CYRANO EVO HF
- SET UP FOR A VERTICAL SPIRO REEL
- SHAFT GALVANIZED STEEL PR80, 6.5MM SINGLE BARB TAHITIAN SHAFT
- PAIR OF 16MM S-POWER SLINGS
- RACE WISHBONE



TECHNICAL FEATURES

Barrel		28			
Sizes		75	90	100	110
Shaft Speed	Ø mm	6.5	6.5	6.5	6.5
	cm	48	60	65	70
S-Power Speed circular sling	Ø mm	17.5	17.5	17.5	17.5
	cm	48	60	65	70
Vertical Reel		65	65	87	87


DETAILS



TECHNICAL FEATURES

Barrel		28			
Sizes		45	55	75	90
Tahitian shaft PR80	Ø mm	6,5	6,5	6,5	6,5
	cm	16	19	22	24
S-Power pair of slings	Ø mm	16	16	16	16
	cm	16	19	22	24

DETAILS



SNIPER

Code: **423421 - 90 cm - 75 cm - 55 cm - 45 cm**


- BARREL IN ANODIZED ALUMINUM
- COMPACT MUZZLE WITH CIRCULAR SLING
- SHAFT RELEASE AND LINE RELEASE MADE OUT OF STAINLESS STEEL
- ERGONOMIC HANDLE MIMICS THE SHAPE USED ON VIPER PRO AND CYRANO EVO HF
- SET UP FOR A VERTICAL SPIRO REEL
- SHAFT GALVANIZED STEEL PR80, 6.5MM SINGLE BARB TAHITIAN SHAFT
- 16MM S-POWER CIRCULAR SLING
- RACE WISHBONE



TECHNICAL FEATURES

Barrel		28			
Sizes		45	55	75	90
Tahitian shaft PR80	Ø mm	6,5	6,5	6,5	6,5
	cm	30	34	50	60
S-Power circular sling	Ø mm	16	16	16	16
	cm	30	34	50	60

DETAILS



SNIPER ALPHA

Code: **423422 - 75 cm - 55 cm - 45 cm - 35 cm**


- OUTER BARREL IN ANODIZED ALUMINUM
- COMPACT MUZZLE WITH CIRCULAR SLING
- SHAFT RELEASE AND LINE RELEASE MADE OUT OF STAINLESS STEEL
- ERGONOMIC HANDLE MIMICS THE SHAPE USED ON VIPER PRO AND CYRANO EVO HF
- SET UP FOR A VERTICAL SPIRO REEL
- SHAFT GALVANIZED STEEL PR80, 7MM THREADED
- SINGLE-BARB BULLET SPEAR TIP
- 14MM S-POWER CIRCULAR SLING
- RACE WISHBONE



TECHNICAL FEATURES

Barrel		25			
Sizes		35	45	55	75
Thread shaft PR80	Ø mm	7	7	7	7
	cm	28	30	34	60
S-Power circular sling	Ø mm	14	14	14	14
	cm	28	30	34	60

DETAILS



TECHNICAL SPECIFICATIONS



Sling Guns	Strike					Viper Pro DS					Viper Pro					Sniper PS					Sniper					Sniper Alpha				
Code	423430					423426					423416					423424					423421					423422				
Sizes	55	75	90	100	115	75	90	100	110		75	90	100	110		45	55	75	90		45	55	75	90		35	45	55	75	
Barrel	28					28					28					28					28					25				
Shaft Hardy	■					■															■									
Tahitian shaft PR80																■					■									
Thread shaft PR80																										■				
Shaft Speed											■																			
Shaft	Ø mm	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5
	cm	95	115	130	140	155	115	130	140	150	115	130	140	150		75	85	115	130		75	85	115	130		58	68	78	88	98
S-Power circular sling																■					■					■				
S-Power pair of slings																■														
S-Power Speed circular sling	■										■																			
Two S-Power Speed circular slings	■					■																								
Sling	Ø mm	17	17	17	14	14	16	16	16	16	17.5	17.5	17.5	17.5		16	16	16	16		16	16	16	16		14	14	14	14	
	cm	40	53	63	62	72	42	50	55	60	48	60	65	70		16	19	22	24		30	34	50	60		28	30	34	60	
Reel - Vertical Spiro	-					65	65	87	87		65	65	87	87		-					-					-				

The measurements shown in the table refer to the standard sling gun equipment



ACCESSORIES

◇ Please note that some sizes/colors are only available while stocks last

ASCENT DRY DUFFLE

NEW

Code: 425566

- WATERPROOF DUFFLE WITH WHEELS FOR EASY TRANSPORT
- FOLDING CLOSURE
- ERGONOMIC SHOULDER STRAPS TO CARRY IT AS A BACKPACK
- INSIDE VELCRO WEIGHT RETAINER
- LARGE EXTERNAL WATERPROOF POCKET



DETAILS



Wheels for easy transport



Folding closure

TECHNICAL FEATURES

Dimensions (LxWxH)	Unit Net Weight	Volume
100x33x65 cm	2,3 kg	140 L

ASCENT DRY BACKPACK

NEW

Code: 425565

- WATERPROOF AND DURABLE BACKPACK
- ADJUSTABLE, ERGONOMIC SHOULDER STRAP
- INNOVATIVE REAR ZIP
- WATERPROOF KEY POCKET
- EXTERNAL DOCUMENT POUCH
- SIDE GUN RETAINER
- SIDE FIN HOLDER



DETAILS



Waterproof wetsuit compartment



Side gun retainer

TECHNICAL FEATURES

Dimensions (LxWxH)	Unit Net Weight	Volume
35x30x90 cm	1,6 kg	75 L

ASCENT DRY FIN BAG

NEW

 Code: **425568**

- WATERPROOF WETSUIT COMPART
- ERGONOMIC SHOULDER STRAPS
- WATERPROOF KEY HOLDER
- FITS VERY LONG FINS, A WETSUIT, MASK, SPEARGUN AND ALL YOU NEED FOR EASY TRANSPORTATION



DETAILS



Ergonomic shoulder straps



External pocket

TECHNICAL FEATURES

Dimensions (LxWxH)	Unit Net Weight
30x28x120 cm	1,6 kg

ASCENT LONG FIN BAG

NEW

 Code: **425569**

- FITS 2 LONG PAIRS OF FINS AND MASKS
- EXTERNAL DOCUMENT POUCH
- ADJUSTABLE SHOULDER STRAP



TECHNICAL FEATURES

Dimensions (LxWxH)	Unit Net Weight	Capacity
20x22x110 cm	800gr	2 pair of fins

ASCENT DRY GUN BAG

NEW

 Code: **425567**

- WATERPROOF BAG
- VELCRO GUN RETAINER INSIDE
- FITS UP TO 6 SPEARGUNS
- LARGE EXTERNAL WATERPROOF MASK/DOCUMENT POCKET



TECHNICAL FEATURES

Dimensions (DxH)	Unit Net Weight	Capacity
20x180 cm	1,2 kg	6 guns

ATTACK MONOFIN

Code: **425563** ♦

- A BAG FOR TRANSPORTING AND PROTECTING THE MARES RACE MONOFIN
- HORIZONTAL ZIP TO ACCESS THE FRONT POCKET
- ADJUSTABLE SHOULDER STRAP AND HANDLE ON SIDE



TECHNICAL FEATURES

Dimensions (LxWxH)	Unit Net Weight	Volume
77 x 68.5 x 19cm	1kg	100.2L

ATTACK DRY BAG

Code: **425557** ♦

- HANDY DRY BAG WITH SHOULDER STRAP
- IDEAL FOR HOLDING WET EQUIPMENT OR CLOTHING YOU WANT TO PROTECT FROM THE WATER
- DIMENSIONS: 74 X 58CM (40 LITERS)



TECHNICAL FEATURES

Dimensions (LxWxH)	Unit Net Weight	Volume
75 x 58cm	0.5kg	40L

ATTACK MESH 700

Code: **425554** ♦ Attack **Mesh 700**

Code: **425555** ♦ Attack **Mesh 450**

- STURDY WOVEN MESH BAG
- STRAP CLOSURE



TECHNICAL FEATURES

Dimensions (LxWxH) Attack Mesh 700
70 x 45cm
Dimensions (LxWxH) Attack Mesh 450
40 x 35cm

♦ While stocks last

ARGO

Code: **425615**

- COMPACT KNIFE WITH ERGONOMIC HANDLE
- 3 MM STAINLESS STEEL BLADE, LENGTH 72MM
- MICRO SERRATION TO GUARANTEE EXCELLENT CUTTING POWER
- THE QUICK-RELEASE SYSTEM MEANS YOU CAN USE IT QUICKLY
- CAN BE STRAPPED ON THE ARM, CALF OR BELT
- TWO ADJUSTABLE ELASTIC VELCRO STRAPS



ARGO TITANIUM

Code: **425616**

- COMPACT KNIFE WITH ERGONOMIC HANDLE
- 3MM TITANIUM BLADE, LENGTH 72MM
- MICRO-SERRATION TO GUARANTEE EXCELLENT CUTTING POWER
- THE QUICK-RELEASE SYSTEM MEANS YOU CAN USE IT QUICKLY
- CAN BE STRAPPED ON THE ARM, CALF OR BELT
- TWO ADJUSTABLE ELASTIC VELCRO STRAPS



STILETTO

Code: **425611**

- COMPACT KNIFE WITH ERGONOMIC HANDLE
- 4MM 420A STAINLESS STEEL BLADE, PVD-TREATED
- LENGTH OF BLADE: 65MM
- MICRO-SERRATION TO GUARANTEE EXCELLENT CUTTING POWER
- THE QUICK-RELEASE SYSTEM MEANS YOU CAN USE IT QUICKLY
- CAN BE STRAPPED ON THE ARM, CALF OR BELT
- TWO STRAPS WITH QUICK RELEASE BUCKLES



IAGO

Code: **425614**

- KNIFE WITH ERGONOMIC HANDLE
- 4MM 420A STAINLESS STEEL BLADE, PVD-TREATED
- LENGTH OF BLADE: 98MM
- MICRO-SERRATION ALONG THE ENTIRE BLADE, EXCELLENT CUTTING POWER
- BLADE WITH HOLE FOR FREEING SHAFTS STUCK IN THE ROCKS
- THE QUICK-RELEASE SYSTEM MEANS YOU CAN USE IT QUICKLY
- CAN BE STRAPPED ON THE ARM, CALF OR BELT
- TWO STRAPS, QUICK-RELEASE BUCKLES



DAGGER

Code: **425610**

- KNIFE WITH ERGONOMIC HANDLE
- 4mm 420A STAINLESS STEEL BLADE, PVD-TREATED
- LENGTH OF BLADE: 98mm
- MICRO-SERRATION TO GUARANTEE EXCELLENT CUTTING POWER
- THE QUICK-RELEASE SYSTEM MEANS YOU CAN USE IT QUICKLY
- CAN BE STRAPPED ON THE ARM, CALF OR BELT
- TWO STRAPS AND QUICK RELEASE BUCKLES



HERO

Code: **425613**

- ULTRA-COMPACT KNIFE, TOTAL LENGTH 135mm
- 4mm 420A STAINLESS STEEL BLADE, PVD-TREATED
- LENGTH OF BLADE: 60mm
- ONE CUTTING EDGE AND ONE MICRO-SERRATED SHEARING EDGE
- ERGONOMIC HANDLE WITH HOLE FOR FREEING SHAFTS STUCK IN THE ROCKS
- STURDY CORDURA SHEATH
- CAN BE STRAPPED ON THE ARM, CALF OR BELT
- TWO ADJUSTABLE ELASTIC VELCRO STRAPS




SNAKE 2.1**NEW**Code: **425617**


- STAINLESS STEEL BLADE
- LENGTH OF BLADE: 134mm
- ONE CUTTING EDGE AND ONE MICRO-SERRATED SHEARING EDGE
- HOLE FOR FREEING SHAFTS STUCK IN ROCKS AND A SHAFT RECTIFIER
- SOFT, ANTI-SLIP HANDLE
- ANTI-CORROSION SYSTEM WITH ANODE IN THE HANDLE
- SEMI-RIGID SCABBARD THAT CAN BE FASTENED TO THE LEG OR A BELT
- TWO STRAPS, QUICK-RELEASE BUCKLES

**HERO POLYGON****NEW**Code: **425618**

- COMPACT KNIFE, TOTAL LENGTH: 17.5cm
- STAINLESS STEEL BLADE
- LENGTH OF BLADE: 7cm
- ONE CUTTING EDGE AND ONE MICRO-SERRATED SHEARING EDGE
- ERGONOMIC HANDLE WITH ANTI-LOSS SYSTEM
- EASY TO USE WITH GLOVES
- HOLE FOR FREEING SHAFTS STUCK IN ROCKS
- STURDY CORDURA SHEATH
- CAN BE STRAPPED ON THE CALF OR BELT
- TWO ADJUSTABLE ELASTIC VELCRO STRAPS

**HERO POLYGON SHORT****NEW**Code: **425619**

- ULTRA-COMPACT KNIFE, TOTAL LENGTH: 13cm
- STAINLESS STEEL BLADE
- LENGTH OF BLADE: 7cm
- ONE CUTTING EDGE AND ONE MICRO-SERRATED SHEARING EDGE
- ERGONOMIC, ONE-FINGER HANDLE WITH ANTI-LOSS SYSTEM
- EASY TO USE WITH GLOVES
- HOLE FOR FREEING SHAFTS STUCK IN ROCKS
- STURDY CORDURA SHEATH
- DESIGNED TO BE ATTACHED TO THE ARM
- TWO ADJUSTABLE ELASTIC VELCRO STRAPS

**FISH STRINGER**Code: **423823****FISH STRINGER KIT**Code: **423929****STRING RELEASER****NEW**Code: **425620**

- HOLE FOR FREEING SHAFTS STUCK IN THE ROCKS



HYDRO TORPEDO LARGE

Code: **425717**

- LARGE BUOY WITH RUGGED OUTER COVER
- 500D ORANGE PVC OFFERING GREAT RESISTANCE, VISIBILITY AND A SMOOTH SURFACE FOR EASE OF MOVEMENT
- S.S. D-RING WITH DRAG POINT OPTIMIZED TO INCREASE GLIDE OVER THE WATER
- 6 NYLON D-RINGS
- 20 METERS OF FLOAT LINE + NYLON SNAP INCLUDED
- 30.5CM X 30.5CM DIVE FLAG



HYDRO TORPEDO

Code: **425718**

- BUOY WITH A RUGGED OUTER COVER
- 500D ORANGE PVC OFFERING GREAT RESISTANCE, VISIBILITY AND A SMOOTH SURFACE FOR EASE OF MOVEMENT
- 20 METERS OF FLOAT LINE + NYLON SNAP INCLUDED
- NYLON D-RINGS AND 18.5CM X 18.5CM DIVE FLAG



HYDRO FLAT

Code: **425720**

- FLAT BUOY WITH RUGGED OUTER COVER
- 500D ORANGE PVC OFFERING GREAT RESISTANCE, VISIBILITY AND A SMOOTH SURFACE FOR EASE OF MOVEMENT
- 7 NYLON D-RINGS
- 20 METERS OF FLOAT LINE + NYLON SNAP INCLUDED
- 30.5CM X 30.5CM DIVE FLAG



HYDRO SPHERE

Code: **425719**

- BUOY WITH A RUGGED OUTER COVER
- 500D ORANGE PVC OFFERING GREAT RESISTANCE, VISIBILITY AND A SMOOTH SURFACE FOR EASE OF MOVEMENT
- 20 METERS OF FLOAT LINE + NYLON SNAP INCLUDED
- NYLON D-RINGS AND 18.5CM X 18.5CM DIVE FLAG



DIVE FLAG 18.5 X 18.5 CM

Code: **45200412**

- FLAG SIZE: 18.5 X 18.5 CM
- CAN BE MOUNTED ON THE HYDRO TORPEDO (425718) AND THE HYDRO SPHERE (425719)



LINE HOLDER

Code: **423946**



TORPEDO

Code: **425713**

- BUOYS MADE OF RESILIENT PVC
- FASTENING RINGS ON THE BOTTOM
- INCLUDES 20 METERS OF LINE AND CARABINER



SPHERE

Code: **425714**

- BUOYS MADE OF RESILIENT PVC
- FASTENING RINGS ON THE BOTTOM
- INCLUDES 20 METERS OF LINE AND CARABINER



APNEA

Code: **425711**

- BUOY MADE OF RESILIENT PVC
- FEATURES A PEAK WITH RING
- DRAG POINT OPTIMIZED TO INCREASE GLIDE OVER THE WATER



SAFETY WHISTLE


Code: **423930**



FAST D-RING

Code: **425811**

- 4 pcs



SNAP HOOK

Code: **423945**

- 2 pcs



TRAINING BUOY

Code: **425715**

- FOUR OUTSIDE HANDLES FOR PRE-DIVE PREPARATION
- AMPLE INSIDE SPACE TO CONTAIN THE LINE DURING TRANSPORTATION
- EXTERNAL POCKET WITH ZIP
- ORAL INFLATOR AND OVER PRESSURE VALVE
- STAINLESS STEEL D-RING FOR TO CONNECT THE FREE DIVING LINE
- 12 HOLES FOR WATER DRAINAGE
- DIVE FLAG (CODE: 45200301) AND FLAG SUPPORT (CODE: 425716) NOT INCLUDED

TOP



BOTTOM



TECHNICAL FEATURES

Length	Height	Volume
70 cm	17 cm	48 L

BOTTOM PLATE

Code: **425814**

- THE BEST FREEDIVING BOTTOM PLATE FOR TRAINING AND COMPETITIONS
- DESIGNED FOR USE WITH Ø 10MM FREEDIVING LINE
- OPTIMAL HYDRODYNAMIC PERFORMANCE THANKS TO ITS SHAPE AND HOLES FOR WATER
- Ø 27CM WHITE PLATE FOR GREAT VISIBILITY FROM A DISTANCE
- CONNECTION HOLES AVAILABLE: 2 FOR ACTION CAMS - 16 FOR VELCRO NAME TAG STRIPS - 32 FOR DEPTH TAGS



HOLDER FOR DIVE FLAG

Code: **425716**

- DIVE FLAG HOLDER
- CAN BE USED WITH THE TRAINING BUOY (425715)



DIVE FLAG 30.5 X 30.5 CM

Code: **45200301**

- SPARE PART FOR TECH BUOYS
- FLAG: 30.5 X 30.5CM



NOSE CLIP

Code: **423974**

- ERGONOMIC SHAPE FOR HANDS-FREE COMPENSATION
- LIGHT AND COMPACT
- SOFT OVER MOLDED AREA FOR MAXIMUM GRIP AND COMFORT
- CAN BE APPLIED ON THE MASK OR NOSE
- IDEAL FOR SWIMMING AND FREEDIVING IN ALL ENVIRONMENTS
- SYMMETRICALLY FORMED
- ADJUSTABLE LANYARD



LANYARD FREEDIVING

Code: **423992 - Lanyard Freediving**

Code: **423995 - Lanyard Freediving with snap release**

- RELEASABLE SAFETY CABLE
- SAFETY RELEASE SYSTEM ON THE BRACELET
- STAINLESS STEEL SNAP HOOK
- COATED STEEL CABLE, YELLOW COLOR AND 100CM LONG
- TWO SWIVELS AT THE EXTREMITIES OF THE CABLE
- THE LANYARD IS MANDATORY IN COMPETITION, AND RECOMMENDED DURING COURSES AND TRAINING



COLLAR

Code: **425864 ♦ Weight 300g**

Code: **425865 ♦ Cordura Strap**

Code: **425866 ♦ Silicone Strap**

- SOPHISTICATED FREEDIVING WEIGHT COLLAR SYSTEM
- 300G WEIGHTS WHICH CONNECT INDIVIDUALLY
- EASY WEIGHT ADJUSTMENT
- WHITE WEIGHTS FOR BETTER VISIBILITY AND NICE DESIGN
- TWO ADJUSTABLE STRAPS: CORDURA OR SILICONE
- BUCKLES ARE DESIGNED FOR SIMPLE AND INTUITIVE USE



SWIM APNEA CAP

Code: **425868**

- A SILICONE SWIMMING CAP FOR FREEDIVING COMPETITIONS



SI

WH

BELT ELASTIC W/NYLON BUCKLE

Code: **425812 WH**

Code: **425812 BK**

- QUICK-RELEASE NYLON BUCKLE
- 3 mm ELASTIC TAPE, 140 cm LONG



BELT ELASTIC W/MARSEILLAISE S.S.

Code: **425813 WH**

Code: **425813 BK**

- NEW STAINLESS STEEL, QUICK-RELEASE BUCKLE
- 3 mm ELASTIC TAPE, 140 cm LONG



QUICK-RELEASE WEIGHT

Code: **425860**

- 1 KG QUICK-RELEASE WEIGHT, FAST AND EASY TO USE
- IDEAL FOR BUOYANCY CHANGES
- EXCLUSIVE MARES PATENT



UNDERWATER SLATE

Code: **415719**

- BRIGHT WHITE WRITING SLATE
- COMPACT SIZE: 12 X 15CM
- HOOK SYSTEM TO ATTACH TO YOUR BCD
- QUICK RELEASE BUCKLE
- STANDARD REPLACEABLE PENCIL WITH SILICONE TUBE



PERSONAL DRY BOX

Code: **415727**

- LANYARD FOR TRANSPORTATION
- DRY SEAL FOR WATERTIGHT CLOSURE
- SLEEK DESIGN
- SMALL AND DURABLE



EOS ALPHA

Code: 425663

- SINGLE 1-WATT LED
- REFLECTOR - POLYCARBONATE (HOT SPOT)
- SLIDING MAGNETIC SWITCH WITH CONTINUOUS-ON OR OFF POSITION
- POWERED BY 4 1.5V AA BATTERIES (NOT INCLUDED)
- 900 MINUTES OF CONTINUOUS BURN TIME, 2100 MINUTES WITH INTERMITTENT 60 SECOND ON/OFF
- WATERPROOF DOWN TO 50M / 165FT



TECHNICAL FEATURES

Max depth	50 m/164ft
Switch	Magnetic switch (continuous-on or off position)
Batteries (not included)	4AA Alkaline 4AA Rechargeable(2700 mAh)
Reflector	Polycarbonate (Hot Spot)
Front lens	Polycarbonate, 3mm thick
Head	Polycarbonate
Maximum diameter (head)	43mm
Diameter of tubular grip (body)	25mm
Total length	153mm
Bulb	Mono LED 1W/120 lumens
Color temperature	6750 °K

EOS BEAM

NEW

Code: 425664

- CREE LED 1053 LUMENS
- POWERFUL LIGHT BEAM
- VERY CONCENTRATED BEAM
- VISUAL BATTERY INDICATOR
- EASY-TO-USE SWITCH
- HANDY AND COMPACT
- LED CHARGE INDICATOR
- IN-HOUSE RECHARGEABLE BATTERY
- USB CHARGER CABLE
- ADJUSTABLE WRIST STRAP
- PADDED CASE WITH ZIP



TECHNICAL FEATURES

Bulb	XM-L2
Switch Mode	High
Led lumens (25°)	1000
Burn time (min)	90
Color Temperature	5800 - 7300
Light beam (1m distance)	Hot Spot (12°)
(mm/in)	220 / 8.6
Rechargeable Batteries	1x ICR18650
Time to charge	300min
Total length	158.7mm / 6.2in
Head diameter	28mm / 1.1in
Body diameter	26mm / 1in
Weight with batteries	188.5g / 6.6oz
Max. operation depth	100m / 328ft

MULTIPRONGS MARES PROCode: **423724** ♦ - 3P/4P/5P

- HIGHLY HYDRODYNAMIC SHAPE
- GREAT SPEED AND STABILITY, EVEN ON LONGER SHOTS
- THE SPECIAL PRONG ANGLE MEANS GREATER HOLDING POWER TO RESTRAIN PREY
- BLACK PLASTIC BASE WITH RESISTANT TECHNOPOLYMER
- MUSTAD® PRONGS
- THREAD M7
- PACK OF 10PCS

**MULTIPRONGS MARES**Code: **423725** ♦ - 3P/4P/5P

- HIGHLY HYDRODYNAMIC SHAPE
- GREAT SPEED AND STABILITY, EVEN ON LONGER SHOTS
- SPECIAL PRONG ANGLE
- THE ANGLED PRONGS MEAN GREATER HOLDING POWER TO RESTRAIN PREY
- WHITE PLASTIC BASE WITH RESISTANT TECHNOPOLYMER
- MUSTAD® PRONGS
- THREAD M7
- PACK OF 10PCS

**INOX MULTIPRONGS**Code: **423719**

- STAINLESS STEEL
- BLACK NYLON BASE
- THREAD M7

Code: **423720**

- STAINLESS STEEL
- BLACK NYLON BASE
- THREAD M7

**MULTIPRONGS MARES PROTECTOR**Code: **45200320**

- PROTECTION FOR THREE, FOUR AND FIVE PRONGED MARES MULTIPRONGS
- PACK OF 10PCS



BULLET 1 BARBCode: **423726**

- GALVANIZED STEEL PR80
- 10 PCS
- THREAD M7

**BULLET 2 BARB**Code: **423727**

- GALVANIZED STEEL PR80
- 10 PCS
- THREAD M7

**BULLET PRO**Code: **423728**

- TEMPERED STAINLESS STEEL
- 10 PCS
- THREAD M7

**BULLET MINI**Code: **423729**

- STAINLESS STEEL
- 10 PCS
- THREAD M7

**SHAFTS FOR PNEUMATIC GUNS****Shaft PNGun RACE 17-4PH d8 tah1barb**Code: **423265** ♦**Shaft PNGun RACE 17-4PH d7 tah1barb**Code: **423257**

DIAMETER	LENGTH	MODELS
Ø 8 mm	97 cm	Cyrano 1.3
	107 cm	Cyrano 1.3
	122 cm	Cyrano 1.3
	132 cm	Cyrano 1.3

DIAMETER	LENGTH	MODELS
Ø 7 mm	97 cm	Cyrano 1.1 HFT - Cyrano 1.1
	107 cm	Cyrano 1.1 HFT - Cyrano 1.1
	122 cm	Cyrano 1.1 HFT - Cyrano 1.1
	132 cm	Cyrano 1.1 HFT - Cyrano 1.1

SHAFTS FOR PNEUMATIC GUNS

Shaft PNGun GS PR80 d8 thread

Code: 423259



DIAMETER	LENGTH	TYPE	MODELS
Ø 8 mm	36,9 cm	Thread M7	Sten - Jet - Cyrano 1.3
	51,9 cm		Sten - Jet - Cyrano 1.3
	66,9 cm		Sten - Jet - Cyrano 1.3
	86,9 cm		Sten
	98,4 cm		Sten

Shaft PNGun GS PR80 d7 thread

Code: 423258 ♦



DIAMETER	LENGTH	TYPE	MODELS
Ø 7 mm	35,9 cm	Thread M7	Cyrano 1.1
	56,9 cm		Cyrano 1.1 - Sten 11
	67,1 cm		Cyrano 1.1 - Sten 11
	86,5 cm		
	96,5 cm		
	106,5 cm		

Shaft PNGun SS d8 thread

Code: 423260 ♦



DIAMETER	LENGTH	TYPE	
Ø 8 mm	36,9 cm	Thread M7	
	51,9 cm		
	66,9 cm		
	86,9 cm		
	98,4 cm		

TIP PROTECTION

Code: 43200496

- ONLY FOR MARES SHAFTS



LEGEND

SLGun	Sling Gun
PNGun	Pneumatic Gun
17-4PH	Steel 17-PH
GS PR80	Galvanized Steel PR80
SS	Stainles Steel
d	diameter
tah	tahitian
TR	tricuspid

SHAFTS FOR SLING GUNS

Shaft SLGun HARDY TR 17-4PH d6.5 tah1barb

Code: 423266 ♦



DIAMETER	LENGTH	
Ø 6,5mm	115 cm	
	130 cm	
	140 cm	
	150 cm	
	160 cm	

Shaft SLGun HARDY TR 17-4PH d7 tah1barb

Code: 423264 ♦



DIAMETER	LENGTH	
Ø 7mm	115 cm	
	130 cm	
	140 cm	
	150 cm	
	160 cm	

Shaft SLGun HARDY 17-4PH d6.5 tah1barb

Code: 423254 ♦



DIAMETER	LENGTH	MODELS
Ø 6,5 mm	115 cm	Viper Pro DS
	130 cm	Viper Pro DS
	140 cm	Viper Pro DS
	150 cm	Viper Pro DS
	160 cm	Viper Pro DS

Shaft SLGun 17-4PH d6.5 tah1barb

Code: 423226 ♦



DIAMETER	LENGTH	
Ø 6,5 mm	85 cm	
	115 cm	
	130 cm	
	140 cm	
	150 cm	
	160 cm	

SHAFTS FOR SLING GUNS

Shaft SLGun 17-4PH d6.25 tah1barb

Code: 423263 ♦



DIAMETER	LENGTH	
Ø 6,25 mm	85 cm	
	115 cm	
	130 cm	
	140 cm	
	150 cm	

Shaft SLGun 17-4PH d6 tah1barb

Code: 423262 ♦



DIAMETER	LENGTH	
Ø 6 mm	85 cm	
	115 cm	
	130 cm	
	140 cm	
	150 cm	

Shaft SLGun GS PR80 d6.5 tah1barb

Code: 423256



DIAMETER	LENGTH	MODELS
Ø 6,5 mm	75 cm	Sniper - Sniper PS
	85 cm	Sniper - Sniper PS
	115 cm	Sniper - Sniper Pro - Sniper PS
	130 cm	Sniper - Sniper Pro - Sniper PS
	140 cm	Sniper Pro
	150 cm	Sniper Pro

Shaft SLGun GS PR80 d7 thread

Code: 423255



DIAMETER	LENGTH	MODELS
Ø 7 mm	58 cm	Sniper Alpha
	68 cm	Sniper Alpha
	78 cm	Sniper Alpha
	98 cm	Sniper Alpha
	113 cm	

VERTICAL SPIRO 65

Code: **423933**

- 65 mm SPOOL
- DESIGNED SPECIFICALLY FOR MARES SPEARGUNS
- THE PIN ON THE REEL HELPS THE LINE PASS SNUGLY ALONG THE OUTER BARREL
- MARES PATENTED CLUTCH



TECHNICAL FEATURES

Cyrano 1.1 HFT - Cyrano 1.1 - Cyrano 1.3 - Viper Pro - Viper Pro DS - Sniper - Sniper Pro - Sniper PS - Sniper Alpha				
423804 Camo line Ø 1,6mm - 80kg	423803 Black line Ø 1,65mm - 100kg	423922 Diamond line Ø 1mm - 130kg	423921 Diamond line Ø 1,5mm - 180kg	423920 Diamond line Ø 2mm - 300kg
30 m	30 m	55 m	35 m	20 m

VERTICAL SPIRO 87

Code: **423934**

- 87 mm SPOOL
- DESIGNED SPECIFICALLY FOR MARES SPEARGUNS
- THE LINE GUIDE ON THE REEL HELPS THE LINE PASS SNUGLY ALONG THE OUTER BARREL
- MARES PATENTED CLUTCH



TECHNICAL FEATURES

Cyrano 1.1 HFT - Cyrano 1.1 - Cyrano 1.3 - Viper Pro - Viper Pro DS - Sniper - Sniper Pro - Sniper PS - Sniper Alpha				
423804 Camo line Ø 1,6mm - 80kg	423803 Black line Ø 1,65mm - 100kg	423922 Diamond line Ø 1mm - 130kg	423921 Diamond line Ø 1,5mm - 180kg	423920 Diamond line Ø 2mm - 300kg
60 m	60 m	85 m	65 m	40 m

LATEX S-POWER BROWN ROLL

- TWO MATERIALS MARES S-POWER LATEX
- THIN BROWN UV PROTECTION OUTSIDE AND AMBER NATURAL LATEX INSIDE
- PROGRESSIVE LATEX AND CONSTANT POWER OVER LONG TERM
- 5 METER ROLL

Code: **423989**


DIAMETER	LENGTH
Ø 14 mm	5 meter roll

Code: **423990**

DIAMETER	LENGTH
Ø 16,5 mm	5 meter roll

Code: **423991 ♦**

DIAMETER	LENGTH
Ø 18 mm	5 meter roll



REEL

Code: **423856**

- 85 mm SPOOL
- DEDICATED TO STEN - STEN 11 - JET



S-POWER SLINGS PAIR

- MARES S-POWER LATEX
- CONICAL RING PREVENTS THE PARACHUTE EFFECT AND INCREASES THE SPEED



Code: 423957	
DIAMETER	LENGTH
Ø 16 mm	16 cm
	19 cm
	22 cm
	24 cm
	26 cm

Code: 423958	
DIAMETER	LENGTH
Ø 17,5 mm	16 cm
	19 cm
	22 cm
	24 cm
	26 cm
	28 cm

Code: 423962 ♦	
DIAMETER	LENGTH
Ø 19 mm	19 cm
	22 cm
	24 cm
	26 cm
	28 cm

S-POWER SLINGS CIRCULAR

- MARES S-POWER LATEX
- CONICAL RING PREVENTS THE PARACHUTE EFFECT AND INCREASES THE SPEED

Code: 423970	
DIAMETER	LENGTH
Ø 14 mm	28 cm
	30 cm
	34 cm
	50 cm

Code: 423959	
DIAMETER	LENGTH
Ø 17,5 mm	34 cm
	42 cm
	48 cm
	55 cm
	60 cm
	65 cm

Code: 423963	
DIAMETER	LENGTH
Ø 16 mm	30 cm
	34 cm
	42 cm
	44 cm
	50 cm
	55 cm
	60 cm

Code: 423964 ♦	
DIAMETER	LENGTH
Ø 19 mm	48 cm
	60 cm
	65 cm
	70 cm

S-POWER SLINGS SPEED CIRCULAR

- MARES S-POWER LATEX
- INTERCHANGEABLE WISHBONE IN 2 mm DYNEEMA®
- DESIGNED FOR SHAFTS WITH SPECIALLY POLISHED NOTCHES, PINS OR SHARK FINS
- NO PARACHUTE EFFECT, INCREASES SPEED

Code: **423966**

DIAMETER	LENGTH
Ø 16 mm	42 cm
	50 cm
	55 cm
	60 cm
	65 cm

Code: **423960**

DIAMETER	LENGTH
Ø 17,5 mm	42 cm
	48 cm
	55 cm
	60 cm
	65 cm
	70 cm

Code: **423965 ♦**

DIAMETER	LENGTH
Ø 19 mm	48 cm
	60 cm
	65 cm
	70 cm

S-POWER SLINGS SPEED CIRCULAR

- TWO-MATERIAL MARES S-POWER LATEX
- THIN, BROWN LATEX UV PROTECTION OUTSIDE AND AMBER, NATURAL LATEX INSIDE
- PROGRESSIVE LATEX SLING OFFERING CONSTANT POWER OVER THE LONG TERM
- INTERCHANGEABLE WISHBONE IN 2 MM DYNEEMA®
- DESIGNED FOR SHAFTS WITH SPECIALLY POLISHED NOTCHES, PINS OR SHARK FINS
- NO PARACHUTE EFFECT, INCREASES SPEED

Code: **423870**

DIAMETER	LENGTH
Ø 14 mm	42 cm
	48 cm
	55 cm
	60 cm
	65 cm
	70 cm

Code: **423871**

DIAMETER	LENGTH
Ø 16,5 mm	42 cm
	48 cm
	55 cm
	60 cm
	65 cm
	70 cm

Code: **423872**

DIAMETER	LENGTH
Ø 18 mm	42 cm
	48 cm
	55 cm
	60 cm
	65 cm
	70 cm

ARTICULATED BIND WISHBONE

Code: 423915 ♦



ARTICULATED WISHBONE

Code: 423914



LARIO BIND WISHBONE

Code: 423913 ♦



LARIO WISHBONE

Code: 423912



RACE WISHBONE

Code: 423967



LOADER WISHBONE KIT

Code: 423904 ♦



SPEED

Code: 423911

- CONNECTOR END MADE OF SPECIAL 2 mm DYNEEMA® LINE
- DESIGNED FOR SHAFTS WITH SPECIALLY POLISHED NOTCHES, PINS OR SHARK FINS
- NO PARACHUTE EFFECT, INCREASES SPEED



SPEED2

Code: 423916

- CONNECTOR END MADE OF SPECIAL 2 mm DYNEEMA® LINE
- DESIGNED FOR SHAFTS WITH SPECIALLY POLISHED NOTCHES, PINS OR SHARK FINS
- NO PARACHUTE EFFECT, INCREASES SPEED



SPEED3

Code: 423936

- CONNECTOR END MADE OF SPECIAL 2 mm DYNEEMA® LINE
- DESIGNED FOR SHAFTS WITH SPECIALLY POLISHED NOTCHES, PINS OR SHARK FINS
- NO PARACHUTE EFFECT, INCREASES SPEED



WISHBONE TOOL

Code: 423940 ♦



PAIR OF SLINGS SUPPORT

Code: 423944 ♦



LINE DYNEEMA

Code: 423993

- SPECIAL 2mm DYNEEMA , THE BEST MATERIAL FOR WISHBONES
- 10 METERS





DIAMOND LINE

DIAMOND LINE 1 mm

Code: 423922 ♦



TECHNICAL FEATURES



Materials	100% Dyneema core HT Polyester covering  
Diameter	1 mm
Resistance	120 kg
Length of roll	100 meters

DIAMOND LINE 1,5 mm

Code: 423921



TECHNICAL FEATURES



Materials	100% Dyneema core HT Polyester covering  
Diameter	1,5 mm
Resistance	180 kg
Length of roll	100 meters

DIAMOND LINE 2 mm

Code: 423920



TECHNICAL FEATURES


Materials	100% Dyneema core HT Polyester covering  
Diameter	2 mm
Resistance	300 kg
Length of roll	50 meters

CAMO LINE

Code: 423804



TECHNICAL FEATURES


Materials	HT Polyester covering 
Diameter	1,65 mm
Resistance	100 kg
Length of roll	100 meters

BLACK LINE

Code: 423803



TECHNICAL FEATURES

Materials	HT Polyester covering 
Diameter	1,6 mm
Resistance	80 kg
Length of roll	50 meters

BLACK MONOLINE

Code: 423931



TECHNICAL FEATURES

Materials	Nylon
Diameter	1,5 mm
Resistance	80 kg
Length of roll	25 meters

HANDLE GRIP ,KJ'

Code: **423973**

- PREFORMED GRIP
- BETTER MANAGEABILITY AND EXCELLENT STABILITY
- NEW DESIGN FACILITATES EASIER AIMING
- CAN BE USED ON THE CYRANO EVO, CYRANO EVO HF, VIPER PRO AND VIPER PRO DS



HP GAUGE

Code: **423947**

- HP GAUGE FOR MARES PNEUMATIC GUNS
- WHEN YOU ATTACH THIS ACCESSORY ON THE INLET VALVE, THE GAUGE SHOWS THE PRESSURE OF THE GUN



CLEVER LOADER

Code: **423941**

- MULTI-FUNCTIONAL LOADER FOR SHAFTS FITTED WITH SPEAR TIPS OR MULTIPRONGS
- LOADER ALSO FEATURES TABS FOR UNSCREWING A PNEUMATIC GUN VALVE COVER CAP



LINE SLIDER RACE

Code: **423937** 8 mm

Code: **423938** 7 mm

- COMPACT HYDRODYNAMIC LINE SLIDER
- FOR PNEUMATIC GUNS WITH A 7MM / 8MM SHAFT
- PACK OF 5PCS



POWER LOADER

Code: **413807**

- POWER LOADER FOR MARES PNEUMATIC GUNS
- DEDICATED TO SERVICE CENTERS



INJECTOR FOR PNEUMATIC GUNS

Code: **423901**

- MANUAL AIR INJECTOR FOR MARES PNEUMATIC GUNS



LONG CLEVER LOADER

Code: **423942**

- LONG VERSION OF THE CLEVER LOADER
- IT ALLOWS THE USER TO LOAD PNEUMATIC GUNS SAFELY AND EASILY



SLING PROTECTION

Code: **423939**

- INTENDED FOR USE ON SLING GUNS WHEN NOT IN USE
- HELPS SAFEGUARD AGAINST PREMATURE AGING OF THE SLINGS DUE TO EXPOSURE TO THE SUN



BUNGEE WITH BIG CARABINER

Code: **423935**

- L



BUNGEE

Code: **423923**

- M-L



BARB KEEPER O-RING

Code: **423926**



SLEEVES PLIER

Code: **423968**



SLEEVES KIT

Code: **423924**

- 20 PCS - FOR MONOLINE 1,4 / 1,6 mm

Code: **423925**

- 20 PCS - FOR MONOLINE 1,2 / 1,4 mm



SHARK CLIP WITH SWIVEL

Code: **423969** ♦



CAMERA BRACKET

Code: **423948**

- ATTACHMENT POINT FOR VIDEO & CAMERA GEAR
- MOUNTS TO MARES GUNS THAT HAVE VERTICAL SPIRO REELS



CAMERA BRACKET FOR PNEUMATIC GUNS

Code: **423971**

- FOR Ø 40 mm O.D. BARRELS



CONNECTING KNOB

Code: **423949**

- THREAD UNC 1/4"



UNIVERSAL HANGER

Code: **415177**

- HOLDS UP TO 15 DIFFERENT ITEMS
- UNIQUE MARES DESIGN
- STURDY AND ROBUST
- EQUIPMENT PERFECTLY ORGANIZED



ANTIFOG

Code: **415101**

- 60 ml



NEOPRENE GLUE

Code: **415108**

- 20 ml



SILICONE GREASE

Code: **415102**

- 20 ml





AQUAZONE





2024

FINS

ADULT/JUNIOR

X-ONECode: **410337**

- BUCKLE-FREE STRAP DESIGN
- RIDDLED FOOT POCKET AVOIDS PARACHUTE EFFECT
- TRAVEL FRIENDLY SHORT BLADE
- CHANNEL THRUST TECHNOLOGY

**COLOR VARIATIONS**

YL

BL

WH

SIZE CHART

Sizes	EU	UK	USA
SM	35/38	2.5/5	3.5/6
ML	39/43	5.5/9	6.5/10
LXL	44/47	9.5/12	10.5/13

PACKAGING

SA

CLIPPERCode: **410344**

- ULTRA COMFORTABLE FOOT POCKET
- EVA BLADE
- EXTREME HIGH-EFFICIENCY BLADE
- DURABLE CONSTRUCTION

**COLOR VARIATIONS**

YL

BL

WH

PK*

SIZE CHART

Sizes	EU	UK	USA
030	30/32	10.5/12	11.5/13
033	33/34	0/1	1/2
035	35/36	1.5/2.5	2.5/3.5
037	37/38	3/4	4/5
039	39/40	4.5/5.5	5.5/6.5
041	41/42	6/7	7/8
043	43/44	7.5/8.5	8.5/9.5

PACKAGING

SA

*Available only from 30 to 35

MANTA

Code: **410333** ♦

- COMFORTABLE FOOT POCKET
- RUBBERIZED SIDE RIBS
- BLADE'S CONSTRUCTION OPTIMIZES EFFICIENCY
- 2 CHANNEL DESIGN FOR ADDED PROPULSION
- DURABLE CONSTRUCTION



COLOR VARIATIONS



RYL

RBL

WH

SIZE CHART

Sizes	EU	USA
036	36/37	4/5
038	38/39	6/7
040	40/41	7.5/8.5
042	42/43	9/10
044	44/45	10.5/11.5
046	46/47	12/13

PACKAGING



SA

FLUIDA

Code: **410329** ♦

- COMFORTABLE FOOT POCKET
- LIGHT OPB SYSTEM FOR EASY KICKING EFFICIENCY
- DURABLE CONSTRUCTION



COLOR VARIATIONS



RYL*

RBL

SIZE CHART

Sizes	EU	USA
036	36/37	3.5/4.5
038	38/39	5/6
040	40/41	6.5/7.5
042	42/43	8/9
044	44/45	9.5/10.5
046	46/47	11/12

PACKAGING



SA

*Not available in 46
♦ While stocks last

HERMES

Code: 410328◊

- COMFORTABLE, SOFT FOOT POCKET
- TRAVEL FRIENDLY SHORT BLADE
- IDEAL FOR SWIM TRAINING OR SNORKELING IN CALM WATER



COLOR VARIATIONS



YL

BL

SIZE CHART

Sizes	EU	UK	USA
034	34/35	3/4	1.5/2.5
036	36/37	4/5	3.5/4.5
038	38/39	5/6	5/6
040	40/41	6/7	6.5/7.5
042	42/43	8/9	8/9
044	44/45	9.5/10.5	9.5/10.5
046	46/47	11/12	11/12

PACKAGING



SF

X-ONE JR

Code: 410345

- BUCKLE-FREE STRAP DESIGN
- RIDDLED FOOT POCKET AVOIDS PARACHUTE EFFECT
- TRAVEL FRIENDLY SHORT BLADE
- CHANNEL THRUST TECHNOLOGY



COLOR VARIATIONS



YL

BL

WH

PK

SIZE CHART

Sizes	EU	UK	USA
XS	24/29	7/10.5	7.5/11
S	30/34	11.5/2	12/13

PACKAGING



SA

◊ While stocks last

PIPER

Code: **410314**

- STRAP WITH QUICK RELEASE BUCKLES
- COMFORTABLE FOOTPOCKET
- DURABLE CONSTRUCTION



COLOR VARIATIONS



BL

PK

WH

SIZE CHART

Sizes	EU	UK	USA
SM	27/31	9/12	9/13
LXL	32/37	13/4.5	1/4

PACKAGING



SA

MANTA JR

Code: **410339**

- COMFORTABLE FOOT POCKET
- RUBBERIZED SIDE RIBS
- BLADE'S CONSTRUCTION OPTIMIZES EFFICIENCY
- 2 CHANNEL DESIGN FOR ADDED PROPULSION
- DURABLE CONSTRUCTION



COLOR VARIATIONS



RYL

RBL

WH

SIZE CHART

Sizes	EU	USA
027	27/29	9/12.5
031	31/33	1/2
034	34/35	2.5/3.5

PACKAGING



SA

FLUIDA JR

Code: **410336**

- COMFORTABLE FOOT POCKET
- LIGHT OPB SYSTEM FOR EASY KICKING EFFICIENCY
- DURABLE CONSTRUCTION

COLOR VARIATIONS



RBL



RPK

PACKAGING



SA



SIZE CHART

Sizes	EU	USA
027	27/30	9/11.5
031	31/33	12.5/1
034	34/35	1.5/2.5



Fins Adult	X-One	Clipper	Manta	Fluida	Hermes
Code	410337	410344	410333	410329	410328
Colors	<ul style="list-style-type: none"> ● BL ○ WH ● YL 	<ul style="list-style-type: none"> ● BL ● PK* ○ WH ● YL 	<ul style="list-style-type: none"> ● RBL ● RYL ○ WH 	<ul style="list-style-type: none"> ● RBL ● RYL** 	<ul style="list-style-type: none"> ● BL ● YL
Sizes	SM · ML · LXL	030 · 033 · 035 · 037 · 039 · 041 · 043	036 · 038 · 040 · 042 · 044 · 046	036 · 038 · 040 · 042 · 044 · 046	034 · 036 · 038 · 040 · 042 · 044 · 046
Riddled Footpocket	■				
OPB - Optimized Pivoting Blade				■	
Channel Thrust	■	■	■		



Fins Junior	X-One Jr	Piper	Manta Jr	Fluida Jr
Code	410345	410314	410339	410336
Colors	<ul style="list-style-type: none"> ● BL ● PK ○ WH ● YL 	<ul style="list-style-type: none"> ● BL ● PK ○ WH 	<ul style="list-style-type: none"> ● RBL ● RYL ○ WH 	<ul style="list-style-type: none"> ● RBL ● RPK
Sizes	XS · S	SM · LXL	027 · 031 · 034	027 · 031 · 034
Riddled Footpocket	■			
OPB - Optimized Pivoting Blade				■
Channel Thrust	■		■	

*Available only from 030 to 035

**Not available in 046





MASKS & SNORKELS

ADULT/JUNIOR

SEA VU DRY +

Code: 411260

- TRANSPARENT SURFACES TO CLEARLY SEE THE FACE
- ERGONOMIC FRAME DESIGN
- SAFE EXCHANGE AND CLEARING OF GASSES, LOW CO2 BUILD-UP
- LARGE AIR-FLOW SECTIONS
- FLAT LENSES COMBINE TO BUILD A 3D SHAPE WHICH REDUCES OPTICAL DISTORTION



COLOR VARIATIONS



PACKAGING



SC

FITTING

	SM	LXL
WHLM	■	
PKWH	■	
BLCL	■	■
LMSK		■
WHCL		■



TRYGONCode: **411262**

- SILICONE SKIRT
- STURDY, DURABLE CONSTRUCTION
- INTEGRATED BUCKLES ON FRAME

**COLOR VARIATIONS**

YLBK

BLWCL

AQWCL

FITTING**PACKAGING**

SC

WAHOOCode: **411238**

- SILICONE SKIRT
- EZ ADJUST BUCKLES ON SKIRT
- DURABLE CONSTRUCTION
- WIDE VIEWING ANGLE

**COLOR VARIATIONS**

RYLCL

RBLCL

RBKBK


AQWCL

FITTING**PACKAGING**

SC

PURE VISIONCode: **411217**◊

- SILICONE SKIRT
- EZ ADJUST BUCKLES ON SKIRT
- WIDE VIEWING ANGLE

**COLOR VARIATIONS**

BKBK

CLBL

CLYL

FITTING**PACKAGING**

SC

RAYCode: **411242**◊

- SILICONE SKIRT
- STURDY AND DURABLE CONSTRUCTION
- INTEGRATED BUCKLES ON FRAME
- OPTICAL LENSES AVAILABLE

**COLOR VARIATIONS**

YLWCL

BLWCL

BK7BK

LIWCL

FITTING**PACKAGING**

SC

◊ While stocks last

VENTOCode: **411316**

- SILICONE SKIRT
- EZ ADJUST BUCKLES ON SKIRT
- WIDE DOWNWARDS VIEWING ANGLE

**COLOR VARIATIONS**

RYLCL

RBLCL


BKBK

FITTING**PACKAGING**

SC

RIDLEYCode: **411263**

- MEDIUM SIZED SILICONE SKIRT
- EZ ADJUST BUCKLES ON SKIRT

**COLOR VARIATIONS**

BLWCL

PKWCL

FITTING**PACKAGING**

SC


ZEPHIR

Code: **411319**

- SILITER SKIRT
- EZ ADJUST BUCKLES ON SKIRT
- WIDE VIEWING ANGLE



COLOR VARIATIONS



FITTING



PACKAGING



GU

STREAM

Code: **411239**

- SILITER SKIRT
- EZ ADJUST BUCKLES ON SKIRT
- WIDE DOWNWARDS VIEWING ANGLE



COLOR VARIATIONS



FITTING



PACKAGING



GU

STARFISHCode: **411348**

- SILITER SKIRT
- PIVOTING BUCKLES ON FRAME

**COLOR VARIATIONS**

YLBK

BLCL

FITTING

KID 4-7	YOUTH 8-14	LADY/MID	ADULT

PACKAGING

GU

TRYGON JRCode: **411264**

- SILICONE SKIRT
- STURDY, DURABLE CONSTRUCTION
- INTEGRATED BUCKLES ON FRAME

**COLOR VARIATIONS**

BLWCL

PKWCL

FITTING


KID 4-7	YOUTH 8-14	LADY/MID	ADULT

PACKAGING

SC

PIRATECode: **411321**

- SILICONE SKIRT
- EZ ADJUST BUCKLES ON SKIRT
- WIDE VIEWING ANGLE

**COLOR VARIATIONS**

RYLCL

RBLCL

PKWCL

FITTING**PACKAGING**

SC

VENTO JRCode: **411240**

- SILICONE SKIRT
- EZ ADJUST BUCKLES ON SKIRT
- WIDE DOWNWARDS VIEWING ANGLE

**COLOR VARIATIONS**

BLWCL

PKWCL

FITTING**PACKAGING**

SC

SHARKY JRCode: **411322** ♦

- SILICONE SKIRT
- ADJUSTABLE BUCKLES ON FRAME

**COLOR VARIATIONS**

RBLCL

RYLCL

RPKCL

FITTING**PACKAGING**

BX

BLENNYCode: **411247**

- SILICONE SKIRT
- TWO BUTTON BUCKLE THAT PIVOTS ON FRAME

**COLOR VARIATIONS**

YLYL

BLBL

PKPK

FITTING**PACKAGING**

SC

ZEPHIR JRCode: **411324**

- SILITER SKIRT
- EZ ADJUST BUCKLES ON SKIRT
- DURABLE CONSTRUCTION
- WIDE VIEWING ANGLE

**COLOR VARIATIONS**

RBLCL



RPKCL



RYLCL

FITTING

KID 4-7	YOUTH 8-14	LADY/MID	ADULT

PACKAGING

GU

SEAHORSECode: **411241**

- SILITER SKIRT
- EZ ADJUST BUCKLES ON SKIRT
- WIDE DOWNWARDS VIEWING ANGLE

**COLOR VARIATIONS**

RYLCL



RBLCL

FITTING

KID 4-7	YOUTH 8-14	LADY/MID	ADULT

PACKAGING

GU

TURTLECode: **411249**Code: **411259♦ - 12pcs assorted colors**

- SILITER SKIRT
- POLYCARBONATE LENS
- EYELET SYSTEM
- SOFT ELASTIC STRAP

**COLOR VARIATIONS**

BLGN

AQPK

FITTING

KID 4-7	YOUTH 8-14	LADY/MID	ADULT

PACKAGING

SC

411259

PUFFERCode: **411248**

- SILITER SKIRT
- POLYCARBONATE LENS
- EYELET STRAP SYSTEM

**COLOR VARIATIONS**

AQWCL

PKKCL

FITTING

KID 4-7	YOUTH 8-14	LADY/MID	ADULT

PACKAGING

SC

♦ While stocks last

JELLYCode: **411265**

- SILICONE SKIRT
- CURVED PC LENS
- EYELET SYSTEM
- SOFT ELASTIC HEADSTRAP

**COLOR VARIATIONS**

LMBCL

PKYCL

FITTING

KID 4-7	YOUTH 8-14	LADY/MID	ADULT

PACKAGING

SC

CARIBECode: **411327 - 24 pcs assorted colors (8 x PKCL, BLCL, YLCL)**

- SILITER SKIRT
- POLYCARBONATE LENS
- EYELET STRAP SYSTEM

**COLOR VARIATIONS**

YLCL

BLCL

PKCL

FITTING

KID 4-7	YOUTH 8-14	LADY/MID	ADULT

PACKAGING

SC

GATOR DRYCode: **411522**

- DRY TOP
- SLIDING KEEPER WITH CARABINER SYSTEM
- SILICONE MOUTHPIECE
- EXHAUST VALVE

COLOR VARIATIONS

RYL RBL

**GATOR SPLASH**Code: **411523**

- SEMI-DRY TOP WITH ANTI-SPLASH
- SLIDING KEEPER WITH CARABINER SYSTEM
- SILICONE MOUTHPIECE
- EXHAUST VALVE

COLOR VARIATIONS

RYL RBL

**BAY**Code: **411468**

- SEMIDRY TOP WITH ANTI-SPLASH
- SLIDING KEEPER
- SILICONE DROP AWAY HOSE AND MOUTHPIECE
- EXHAUST VALVE
- SUITABLE FOR EXTENDED SNORKELING SESSIONS

COLOR VARIATIONS

RYL RBL BKC AQW LIW

**SAILOR**Code: **411461**

- SEMI-DRY TOP WITH ANTI-SPLASH
- SLIDING KEEPER
- SILICONE MOUTHPIECE
- EXHAUST VALVE

COLOR VARIATIONS

BK RBL RYL



SPORTCode: **411423**

- SLIDING KEEPER
- SILICONE MOUTHPIECE

COLOR VARIATIONS

RYL RBL BK

**ROVER S**Code: **411521**

- CURVED, ERGONOMIC STRUCTURE
- INTEGRATED KEEPER
- SILICONE MOUTHPIECE

COLOR VARIATIONS

RYL RBL BK

**ROVER PRO**Code: **411519♦**

- CURVED, ERGONOMIC STRUCTURE
- INTEGRATED KEEPER
- EXHAUST VALVE
- SILITER MOUTHPIECE

COLOR VARIATIONS

RBL BK

**ROVER**Code: **411518**

- CURVED, ERGONOMIC STRUCTURE
- INTEGRATED KEEPER
- SILITER MOUTHPIECE

COLOR VARIATIONS

RYL RBL BK



GATOR JR DRY

Code: **411524**

- DRY TOP
- SLIDING KEEPER WITH CARABINER SYSTEM
- SILICONE MOUTHPIECE
- EXHAUST VALVE



COLOR VARIATIONS



RYL RBL

GATOR JR SPLASH

Code: **411525**

- SEMI-DRY TOP WITH ANTI-SPLASH
- SLIDING KEEPER WITH CARABINER SYSTEM
- SILICONE MOUTHPIECE
- EXHAUST VALVE



COLOR VARIATIONS



RYL RBL

MINI RUDDER

Code: **411520**

- CURVED, ERGONOMIC STRUCTURE
- INTEGRATED SNORKEL KEEPER
- SILITER MOUTHPIECE



COLOR VARIATIONS



RYL RBL

HIPPO

Code: **411526**

- CURVED, ERGONOMIC STRUCTURE
- SOFT SILICONE KEEPER
- SILITER MOUTHPIECE FOR KIDS



COLOR VARIATIONS



RPK RAQ

TECHNICAL SPECIFICATIONS



Masks Adult	Trygon	Wahoo	Pure Vision	Ray	Vento	Ridley	Zephir	Stream	Starfish
Code	411262	411238	411217	411242	411316	411263	411319	411239	411348
Colors	<ul style="list-style-type: none"> ● AQWCL ● BLWCL ● YLBK 	<ul style="list-style-type: none"> ● AQWCL ● RBKBL ● RBLCL ● RYLCL 	<ul style="list-style-type: none"> ● BKBL ● CLRBL ● CLRYL 	<ul style="list-style-type: none"> ● BK7BK ● BLWCL ● LIWCL ● YLWCL 	<ul style="list-style-type: none"> ● BKBL ● RBLCL ● RYLCL 	<ul style="list-style-type: none"> ● BLWCL ● PKWCL 	<ul style="list-style-type: none"> ● BKBL ● RBLCL ● RYLCL 	<ul style="list-style-type: none"> ● RBLCL ● RYLCL 	<ul style="list-style-type: none"> ● BLCL ● YLBK
Fitting	ADULT	ADULT	ADULT	ADULT	ADULT	LADY/MID	ADULT	ADULT	ADULT
Silicone Skirt	■	■	■	■	■	■	■	■	■
Tempered Glass Lens	■	■	■	■	■	■	■	■	■



Masks Junior	Trygon Jr	Pirate	Vento Jr	Sharky Jr	Blenny	Zephir Jr	Seahorse	Turtle	Puffer	Jelly	Caribe
Code	411264	411321	411240	411322	411247	411324	411241	411249 411259	411248	411265	411327
Colors	<ul style="list-style-type: none"> ● BLWCL ● PKWCL 	<ul style="list-style-type: none"> ● PKWCL ● RBLCL ● RYLCL 	<ul style="list-style-type: none"> ● BLWCL ● PKWCL 	<ul style="list-style-type: none"> ● RBLCL ● RPKCL ● RYLCL 	<ul style="list-style-type: none"> ● BLBL ● PKPK ● YLYL 	<ul style="list-style-type: none"> ● RBLCL ● RPKCL ● RYLCL 	<ul style="list-style-type: none"> ● RBLCL ● RYLCL 	<ul style="list-style-type: none"> ● AQPK ● BLGN 	<ul style="list-style-type: none"> ● AQWCL ● PKKCL 	<ul style="list-style-type: none"> ● LMBCL ● PKYCL 	<ul style="list-style-type: none"> ● BLBL ● PKPK ● YLYL
Fitting	YOUTH	YOUTH	YOUTH	KID	KID	YOUTH	YOUTH	YOUTH	KID	KID	KID
Silicone Skirt	■	■	■	■	■	■	■	■	■	■	■
Tempered Glass Lens	■	■	■	■	■	■	■	■	■	■	■
Elastic strap	■	■	■	■	■	■	■	■	■	■	■



Snorkels	Gator Dry	Gator Splash	Bay	Sailor	Sport	Rover S	Rover Pro	Rover	Gator Jr Dry	Gator Jr Splash	Mini Rudder	Hippo
Code	411522	411523	411468	411461	411423	411521	411519	411518	411524	411525	411520	411526
Colors	<ul style="list-style-type: none"> ● RBL ● RYL 	<ul style="list-style-type: none"> ● RBL ● RYL 	<ul style="list-style-type: none"> ● AQW ● BKC ● LIW ● RBL ● RYL 	<ul style="list-style-type: none"> ● BK ● RBL ● RYL 	<ul style="list-style-type: none"> ● BK ● RBL ● RYL 	<ul style="list-style-type: none"> ● BK ● RBL ● RYL 	<ul style="list-style-type: none"> ● BK ● RBL ● RYL 	<ul style="list-style-type: none"> ● BK ● RBL ● RYL 	<ul style="list-style-type: none"> ● RBL ● RYL 	<ul style="list-style-type: none"> ● PK ● RBL ● RYL 	<ul style="list-style-type: none"> ● RBL ● RYL 	<ul style="list-style-type: none"> ● RAQ ● RPK
Fitting	ADULT	ADULT	ADULT	ADULT	ADULT	ADULT	ADULT	ADULT	JUNIOR	JUNIOR	JUNIOR	KID
Dry Top	■	■	■	■	■	■	■	■	■	■	■	■
Semi Dry Top	■	■	■	■	■	■	■	■	■	■	■	■
Silicone Mouthpiece	■	■	■	■	■	■	■	■	■	■	■	■
Purge Valve	■	■	■	■	■	■	■	■	■	■	■	■



COMBOS

ADULT/JUNIOR

COMBO TRYGONCode: **411792****MASK**

- SILICONE SKIRT
- STURDY, DURABLE CONSTRUCTION
- INTEGRATED BUCKLES ON FRAME

SNORKEL

- SEMI-DRY TOP WITH ANTI-SPLASH
- SLIDING KEEPER
- FLEXIBLE CORRUGATED HOSE
- SILICONE MOUTHPIECE
- EXHAUST VALVE

**COLOR VARIATIONS**

BLWCL



YLBK



AQWCL

MASK FITTING**PACKAGING**

SF

COMBO RAYCode: **411759♦****MASK**

- SILICONE SKIRT
- STURDY AND DURABLE CONSTRUCTION
- INTEGRATED BUCKLES ON FRAME
- OPTICAL LENSES AVAILABLE

SNORKEL

- SEMIDRY TOP WITH ANTI-SPLASH
- SLIDING KEEPER
- SILICONE CORRUGATED HOSE AND MOUTHPIECE
- EXHAUST VALVE

**COLOR VARIATIONS**

YLWCL



BLWCL



LIWCL

MASK FITTING**PACKAGING**

SF

♦ While stocks last

COMBO WAHOO NEONCode: **411779****MASK**

- SILICONE SKIRT
- ELASTIC HEADSTRAP FIXED ON THE SKIRT
- SLIDING ADJUSTMENT SYSTEM
- WIDE VIEWING ANGLE

SNORKEL

- SEMIDRY TOP WITH ANTI-SPLASH
- SLIDING KEEPER
- CORRUGATED SILICONE HOSE AND MOUTHPIECE
- EXHAUST VALVE

**COLOR VARIATIONS**

YLWCL

PKWCL

MASK FITTING

KID 4-7

YOUTH 8-14

LADY/MID

ADULT

PACKAGING

SF

BB*

COMBO WAHOOCode: **411745****MASK**

- SILICONE SKIRT
- EZ ADJUST BUCKLES ON SKIRT
- DURABLE CONSTRUCTION
- WIDE VIEWING ANGLE

SNORKEL

- SEMIDRY TOP WITH ANTI-SPLASH
- SLIDING KEEPER
- SILICONE MOUTHPIECE
- EXHAUST VALVE

**COLOR VARIATIONS**

RYLCL

RBLCL

AQWCL

MASK FITTING

KID 4-7

YOUTH 8-14

LADY/MID

ADULT

PACKAGING

SF


* Only available with YLWCL

COMBO PURE VISIONCode: **411736****MASK**

- SILICONE SKIRT
- EZ ADJUST BUCKLES ON SKIRT
- WIDE VIEWING ANGLE

SNORKEL

- SEMIDRY TOP WITH ANTI-SPLASH
- SLIDING KEEPER
- SILICONE MOUTHPIECE
- EXHAUST VALVE

**COLOR VARIATIONS**

RBLCL

RYLCL

MASK FITTING**PACKAGING**

SF

COMBO VENTOCode: **411746****MASK**

- SILICONE SKIRT
- EZ ADJUST BUCKLES ON SKIRT
- WIDE DOWNWARD VIEWING ANGLE

SNORKEL

- SLIDING KEEPER
- SILICONE MOUTHPIECE

**COLOR VARIATIONS**

RYLCL

RBLCL

MASK FITTING**PACKAGING**

SF GU

COMBO TROPICALCode: **411776** ♦**MASK**

- FRAMELESS SILICONE MASK
- ULTRA COMFORTABLE SKIRT
- STURDY BUCKLES ON SKIRT

SNORKEL

- SEMI-DRY TOP WITH ANTI-SPLASH
- SLIDING KEEPER
- SILICONE MOUTHPIECE
- EXHAUST VALVE

**COLOR VARIATIONS**

BLBL

WHWH

PKPK

MASK FITTING**PACKAGING**

SF

COMBO RIDLEYCode: **411793****MASK**

- MEDIUM SIZED SILICONE SKIRT
- EZ ADJUST BUCKLE ON SKIRT

SNORKEL

- SEMI-DRY TOP WITH ANTI-SPLASH
- SLIDING KEEPER WITH CARABINER SYSTEM
- SILICONE MOUTHPIECE
- EXHAUST VALVE

**COLOR VARIATIONS**

BLWCL

PKWCL

MASK FITTING**PACKAGING**

SF

COMBO TANACode: **411734****MASK**

- SILICONE SKIRT
- LOW INTERNAL VOLUME
- BUCKLES ON SKIRT

SNORKEL

- BI-MATERIAL SNORKEL
- CURVED, ERGONOMIC STRUCTURE
- SLIDING KEEPER
- SILICONE MOUTHPIECE FOR EXTENDED USE

**COLOR VARIATIONS**

BKBK

MASK FITTING**PACKAGING**

HP

COMBO ZEPHIRCode: **411769****MASK**

- SILITER SKIRT
- EZ ADJUST BUCKLES ON SKIRT
- WIDE VIEWING ANGLE

SNORKEL

- CURVED, ERGONOMIC STRUCTURE
- INTEGRATED KEEPER
- EXHAUST VALVE
- SILITER MOUTHPIECE

**COLOR VARIATIONS**

RYLCL



RBLCL

MASK FITTING**PACKAGING**

GU

COMBO STREAMCode: **411770****MASK**

- SILITER SKIRT
- EZ ADJUST BUCKLES ON SKIRT
- WIDE DOWNWARD VIEWING ANGLE

SNORKEL

- CURVED, ERGONOMIC STRUCTURE
- INTEGRATED KEEPER
- EXHAUST VALVE
- SILITER MOUTHPIECE

**COLOR VARIATIONS**

RYLCL

RBLCL

MASK FITTING

KID 4-7	YOUTH 8-14	LADY/MID	ADULT

PACKAGING

GU

COMBO STARFISHCode: **411740****MASK**

- SILITER SKIRT
- PIVOTING BUCKLES ON FRAME

SNORKEL

- CURVED, ERGONOMIC STRUCTURE
- INTEGRATED KEEPER
- SILITER MOUTHPIECE

**COLOR VARIATIONS**

RBLCL

YLBK

MASK FITTING

KID 4-7	YOUTH 8-14	LADY/MID	ADULT

PACKAGING

GU

COMBO TRYGON JRCode: **411794****MASK**

- SILICONE SKIRT
- STURDY, DURABLE CONSTRUCTION
- INTEGRATED BUCKLES ON FRAME

SNORKEL

- SEMI-DRY TOP WITH ANTI-SPLASH
- SLIDING KEEPER WITH CARABINER SYSTEM
- SILICONE MOUTHPIECE
- EXHAUST VALVE

**COLOR VARIATIONS**

PKWCL

BLWCL

MASK FITTING**PACKAGING**

SF

COMBO PIRATE NEONCode: **411788****MASK**

- SILICONE SKIRT
- ELASTIC HEADSTRAP FIXED ON THE SKIRT
- SLIDING ADJUSTMENT SYSTEM
- WIDE VIEWING ANGLE

SNORKEL

- SEMIDRY TOP WITH ANTI-SPLASH
- SLIDING KEEPER
- SILICONE MOUTHPIECE
- EXHAUST VALVE

**COLOR VARIATIONS**

PKWCL

YLWCL

MASK FITTING**PACKAGING**

SF



BB*

* Only available with YLWCL

COMBO PIRATE

Code: 411757

MASK

- SILICONE SKIRT
- EZ ADJUST BUCKLES ON SKIRT
- DURABLE CONSTRUCTION
- WIDE VIEWING ANGLE

SNORKEL

- SEMIDRY TOP WITH ANTI-SPLASH
- SLIDING KEEPER
- SILICONE MOUTHPIECE
- EXHAUST VALVE



COLOR VARIATIONS



RBLCL

PKWCL

MASK FITTING

KID 4-7	YOUTH 8-14	LADY/MID	ADULT

PACKAGING



SF

COMBO VENTO JR NEON

Code: 411789♦

MASK

- SILICONE SKIRT
- ELASTIC HEADSTRAP FIXED ON THE SKIRT
- SLIDING ADJUSTMENT SYSTEM
- WIDE DOWNWARD VIEWING ANGLE

SNORKEL

- SEMIDRY TOP WITH ANTI-SPLASH
- SLIDING KEEPER
- SILICONE MOUTHPIECE
- EXHAUST VALVE



COLOR VARIATIONS



YLWCL

PKWCL

MASK FITTING

KID 4-7	YOUTH 8-14	LADY/MID	ADULT

PACKAGING



SF

♦ While stocks last

COMBO VENTO ENERGY JRCode: **411774** ♦**MASK**

- SILICONE SKIRT
- EZ ADJUST BUCKLES ON SKIRT
- WIDE DOWNWARD VIEWING ANGLE

SNORKEL

- CURVED
- ERGONOMIC STRUCTURE
- INTEGRATED KEEPER
- SILICONE MOUTHPIECE

**COLOR VARIATIONS**

OCTCL

FUPKCL

MASK FITTING

KID 4-7	YOUTH 8-14	LADY/MID	ADULT

PACKAGING

SF

COMBO VENTO JRCode: **411748** ♦**MASK**

- SILICONE SKIRT
- EZ ADJUST BUCKLES ON SKIRT
- WIDE DOWNWARD VIEWING ANGLE

SNORKEL

- SEMIDRY TOP WITH ANTI-SPLASH
- SLIDING KEEPER WITH CARABINER SYSTEM
- SILICONE MOUTHPIECE
- EXHAUST VALVE

**COLOR VARIATIONS**

BLWCL

PKWCL

MASK FITTING

KID 4-7	YOUTH 8-14	LADY/MID	ADULT

PACKAGING

SF

♦ While stocks last

COMBO SHARKYCode: **411729**

MASK

- SILICONE SKIRT
- ADJUSTING BUCKLES ON FRAME

SNORKEL

- SEMIDRY TOP WITH ANTI-SPLASH
- SLIDING KEEPER
- SILITER MOUTHPIECE
- EXHAUST VALVE



COLOR VARIATIONS



RBLCL

RPKCL

MASK FITTING

KID 4-7	YOUTH 8-14	LADY/MID	ADULT

PACKAGING



SF

COMBO BLENNYCode: **411777♦**

MASK

- SILICONE SKIRT
- TWO BUTTON BUCKLE THAT PIVOTS ON FRAME

SNORKEL

- SEMIDRY TOP WITH ANTISPLASH
- SLIDING KEEPER
- SILICONE MOUTHPIECE
- EXHAUST VALVE



COLOR VARIATIONS



YLYL

BLBL

PKPK

MASK FITTING

KID 4-7	YOUTH 8-14	LADY/MID	ADULT

PACKAGING



SF


♦ While stocks last

COMBO DILLYCode: **411795****MASK**

- SUPER SOFT, COMFORTABLE TPE SKIRT
- ULTRA FLEXIBLE CP* LENS
- SLIDING BUCKLE, EASILY ADJUSTABLE FOR KIDS
- SOFT ELASTIC STRAP, NO HAIR TANGLING

SNORKEL

- CURVED ERGONOMIC STRUCTURE
- SOFT SILICONE KEEPER
- SILITER MOUTHPIECE

**COLOR VARIATIONS****MASK FITTING****PACKAGING**


SC

COMBO JELLY**NEW**Code: **411797****MASK**

- SILITER SKIRT
- CURVED PC LENSE
- EYELET SYSTEM
- SOFT ELASTIC STRAP

SNORKEL

- CURVED, ERGONOMIC STRUCTURE
- SOFT SILICONE KEEPER
- SILITER MOUTHPIECE FOR KIDS

**COLOR VARIATIONS****MASK FITTING****PACKAGING**

SC

*Cellulose-Propionate

COMBO ZEPHIR JRCode: **411730****MASK**

- SILITER SKIRT
- EZ ADJUST BUCKLES ON SKIRT
- DURABLE CONSTRUCTION
- WIDE VIEWING ANGLE

SNORKEL

- CURVED ERGONOMIC STRUCTURE
- INTEGRATED SNORKEL KEEPER
- SILITER MOUTHPIECE

**COLOR VARIATIONS**

RYLCL

RBLCL

RPKCL

MASK FITTING

KID 4-7

YOUTH 8-14

LADY/MID

ADULT

PACKAGING


GU

COMBO SEAHORSECode: **411749****MASK**

- SILITER SKIRT
- EZ ADJUST BUCKLES ON SKIRT
- WIDE DOWNWARD VIEWING ANGLE

SNORKEL

- CURVED ERGONOMIC STRUCTURE
- INTEGRATED SNORKEL KEEPER
- SILITER MOUTHPIECE

**COLOR VARIATIONS**

RBLCL

RPKCL

RYLCL

MASK FITTING

KID 4-7

YOUTH 8-14

LADY/MID

ADULT

PACKAGING

GU

COMBO TURTLE

Code: **411778**

MASK

- SILITER SKIRT
- POLYCARBONATE LENS
- EYELET SYSTEM
- SOFT ELASTIC STRAP

SNORKEL

- BASIC CONSTRUCTION
- SILITER MOUTHPIECE

COLOR VARIATIONS



BLGN

AQPK

PACKAGING












GU



MASK FITTING



Combo Adukt	Trygon	Ray	Wahoo Neon	Wahoo	Pure Vision	Vento	Tropical	Ridley	Tana	Zephir	Stream	Starfish
Code	411792	411759	411779	411745	411736	411746	411776	411793	411734	411769	411770	411740
Colors	<div><div><div></div></div><div><div></div></div><div><div></div></div></div> <div><div>AQWCL</div><div>BLWCL</div><div>YLBK</div></div>	<div><div><div></div></div><div><div></div></div><div><div></div></div></div> <div><div>BLWCL</div><div>LIWCL</div><div>YLWCL</div></div>	<div><div><div></div></div><div><div></div></div><div><div></div></div></div> <div><div>PKWCL</div><div>YLWCL</div></div>	<div><div><div></div></div><div><div></div></div><div><div></div></div></div> <div><div>AQWCL</div><div>RBLCL</div><div>RYLCL</div></div>	<div><div><div></div></div><div><div></div></div><div><div></div></div></div> <div><div>RBLCL</div><div>RYLCL</div></div>	<div><div><div></div></div><div><div></div></div><div><div></div></div></div> <div><div>RBLCL</div><div>RYLCL</div></div>	<div><div><div></div></div><div><div></div></div><div><div></div></div></div> <div><div>BLBL</div><div>PKPK</div><div>WHWH</div></div>	<div><div><div></div></div><div><div></div></div><div><div></div></div></div> <div><div>BLWCL</div><div>PKWCL</div></div>	<div><div><div></div></div></div> <div><div>BKBK</div></div>	<div><div><div></div></div><div><div></div></div><div><div></div></div></div> <div><div>RBLCL</div><div>RYLCL</div></div>	<div><div><div></div></div><div><div></div></div><div><div></div></div></div> <div><div>RBLCL</div><div>RYLCL</div></div>	<div><div><div></div></div><div><div></div></div><div><div></div></div></div> <div><div>RBLCL</div><div>YLBK</div></div>
Fitting	ADULT	ADULT	ADULT	ADULT	ADULT	ADULT	LADY/MID	LADY/MID	ADULT	ADULT	ADULT	ADULT
Silicone Skirt	■	■	■	■	■	■	■	■	■			
Tempered Glass Lens	■	■	■	■	■	■	■	■		■	■	■
Semi Dry Top	■	■	■	■	■	■	■	■				
Silicone Mouthpiece	■	■	■	■	■	■	■	■	■			
Purge Valve	■	■	■	■	■	■	■	■		■	■	
Elastic Strap			■									

													
Combo Junior	Trygon Jr	Pirate Neon	Pirate	Vento Jr Neon	Vento Energy Jr	Vento Jr	Sharky	Blenny	Dilly	Jelly	Zephir Jr	Seahorse	Turtle
Code	411794	411788	411757	411789	411774	411748	411729	411777	411795	411797	411730	411749	411778
Colors	 BLWCL  PKWCL	 PKWCL  YLWCL	 PKWCL  RBLCL	 PKWCL  YLWCL	 OCTCL  FUPKCL	 BLWCL  PKWCL	 RBLCL  RPKCL	 BLBL  PKPK  YLYL	 BLAQ  YLPK	 LMBCL  PKYCL	 RBLCL  RPKCL  RYLCL	 RBLCL  RPKCL  RYLCL	 AQPK  BLGN
Fitting	YOUTH	YOUTH	YOUTH	YOUTH	YOUTH	YOUTH	KID	KID	KID	KID	YOUTH	YOUTH	YOUTH
Silicone Skirt													
TPE Skirt													
Tempered Glass Lens													
CP lens*													
Semi Dry Top													
Silicone Mouthpiece													
Purge Valve													
Elastic Strap													

*Cellulose-Propionate

◇ While stocks last



SETS

ADULT/JUNIOR

SET X-ONE MAREA

Code: 410794

MASK

- SILICONE SKIRT
- SMALL RIBS AROUND NOSE TO RELIEVE PRESSURE
- EZ ADJUST BUCKLES ON SKIRT
- WIDE DOWNWARD VIEWING ANGLE

SNORKEL

- SEMIDRY TOP WITH ANTISPLASH
- SILICONE MOUTHPIECE
- EXHAUST VALVE

FINS

- BUCKLE-FREE STRAP REGULATION
- RIDDLED FOOT POCKET AVOIDS PARACHUTE EFFECT
- TRAVEL FRIENDLY BLADE WITH CHANNEL THRUST



COLOR VARIATIONS



FIN SIZE CHART

Sizes	EU	UK	USA
SM	35/38	2.5/5	3.5/6
ML	39/43	5.5/9	6.5/10
LXL	44/47	9.5/12	10.5/13

MASK FITTING

 KID 4-7	 YOUTH 8-14	 LADY/MID	 ADULT
-------------	----------------	--------------	-----------

PACKAGING



SET X-ONE PIRATE

Code: **410759**

MASK

- SILICONE SKIRT
- EASY ADJUST BUCKLES ON SKIRT
- WIDE VIEWING ANGLE

SNORKEL

- SEMI DRY TOP WITH ANTI-SPLASH
- SILICONE MOUTHPIECE
- EXHAUST VALVE

FIN

- BUCKLE-FREE STRAP DESIGN
- RIDDLED FOOT POCKET AVOIDS PARACHUTE EFFECT
- TRAVEL FRIENDLY SHORT BLADE
- CHANNEL THRUST TECHNOLOGY



COLOR VARIATIONS



BL

PK

FIN SIZE CHART

Sizes	EU	UK	USA
XS	24/29	7/10.5	7.5/11
S	30/34	11.5/2	12/3

MASK FITTING

KID 4-7	YOUTH 8-14	LADY/MID	ADULT

PACKAGING



TB

SET SEA FRIENDS

Code: **410760** ♦

MASK

- SILITER SKIRT
- QUICK RELEASE BUCKLES
- WIDE-ANGLED FIELD OF VISION

SNORKEL

- 100% DRY TOP
- SILITER MOUTHPIECE
- PURGE VALVE

FIN

- QUICK RELEASE BUCKLE WITH STRAP
- COMFORTABLE FOOT POCKET

BAG WITH QUICK CLOSURE



FIN SIZE CHART

Sizes	EU	UK	USA
ML	27/31	9/12	9/13
LXL	32/37	13/4.5	1/4

MASK FITTING

 KID 4-7	 YOUTH 8-14	 LADY/MID	 ADULT
--	---	---	--

♦ While stocks last



NEOPRENE

ADULT/JUNIOR

STEAMER MANTA


Code: **412456 Man**Code: **412457 Lady**

- DOUBLE LINING
- BACK ZIP
- ZIP PULL AND LOCKING SYSTEM
- RUBBERIZED KNEE PADS
- COLORED BACK PANEL FOR GREATER VISIBILITY IN THE WATER




TECHNICAL FEATURES

Thickness	2.2mm						
Fabric Type	Neoprene						
Sizes Man	1	2	3	4	5	6	7
Sizes Lady	1	2	3	4	5		



MANTA MAN

IT	1	2	3	4	5	6	7	8
EU	XS	S	M	ML	L	XL	2XL	3XL
USA			S	M	L	XL	XXL	XXXL
1	173 / 5'7"	176/5'9"	179/5'10"	182/6"	185/6'1"	188/6'2"	191/6'3"	194/6'4"
2	88,5/35"	92/36"	96,5/38"	100,5/40"	105/41"	109/43"	113,5/45"	117,5/46"
3	67,5/27"	71,5/28"	75,5/30"	80/32"	84/33"	88,5/35"	92,5/36"	97/38"
4	87/34"	91/36"	95/37"	99,5/39"	103,5/41"	108/43"	112/44"	116/46"



MANTA LADY

IT	1	2	3	4	5
EU	XS	S	M	L	XL
USA	4	6	8	10	12
1	163/5'4"	166/5'6"	169/5'7"	172/5'8"	175/5'9"
2	75/30"	79/31"	83/33"	87/34"	91/36"
3	66/26"	70/28"	74/29"	78/31"	82/32"
4	82/32"	86/34"	90/36"	94/37"	98/39"

SHORTY MANTA

Code: **412458 Man**Code: **412459 Lady**

- DOUBLE LINING
- BACK ZIP
- ZIP PULL AND LOCKING SYSTEM



TECHNICAL FEATURES

Thickness	2.2mm						
Fabric Type	Neoprene						
Sizes Man	1	2	3	4	5	6	7
Sizes Lady	1	2	3	4	5		

SHORTY JUNIOR MANTA

Code: **412460**

- DOUBLE LINING
- BACK ZIP
- ZIP PULL AND LOCKING SYSTEM



TECHNICAL FEATURES

Thickness	2.2mm					
Fabric Type	Neoprene					
Sizes	-6	-5	-4	-3	-2	0
Ages*	4-6	6-7	7-8	8-9	9-10	12-13

RASH GUARD KID

LONG SLEEVE

Code: **412543 Boy**Code: **412544 Girl**

SHORT SLEEVE

Code: **412559 Boy**Code: **412560 Girl**

- COOL, LIGHTWEIGHT MATERIAL
- FAST DRYING
- FLAT SEAM CONSTRUCTION FOR COMFORT
- DEDICATED KID CUT



UPF 50+

TECHNICAL FEATURES

Thickness	-				
Fabric Type	Polyester / Spandex				
Sizes	XS	S	M	L	XL
Ages*	2/3	3/4	4/5	5/6	6/7

RASH GUARD JUNIOR

LONG SLEEVE

Code: **412500 Boy**Code: **412501 Girl**

SHORT SLEEVE

Code: **412506 Boy**Code: **412507 Girl**

- COOL, LIGHTWEIGHT MATERIAL
- FAST DRYING
- FLAT SEAM CONSTRUCTION FOR COMFORT
- DEDICATED JUNIOR CUT



UPF 50+

TECHNICAL FEATURES

Thickness	-				
Fabric Type	Polyester / Spandex				
Sizes	XS	S	M	L	XL
Ages*	8/9	9/10	10/11	11/12	12/13

BABY WRAP

Code: **412557♦**

- THE FIRST NEOPRENE SUIT FOR BABIES
- THERMAL COMFORT
- EASY TO WEAR
- 4 VELCRO STRAPS FOR AN ADJUSTABLE FIT
- EASY ACCESS FOR DIAPER CHANGING



BL

PK

TECHNICAL FEATURES

Size	S	M	L
Ages (Months)*	6-12	12-18	18-24
Weight (kg)	7-13	10-17	14+
Height (cm)	75	80	90

* Ages indicated in the table are purely for reference
♦ While stocks last

FLOATING JACKET

Code: **412589 - 1 piece per size/color**

- NOT A LIFE JACKET. DOES NOT PROTECT AGAINST DROWNING
- AID FOR LEARNING TO SWIM, CERTIFIED IN COMPLIANCE WITH EN 13138-1:2014
- INNER ANTI-PUNCTURE FOAM FLOATERS
- ALLOWS A PROGRESSIVE BUOYANCY REDUCTION
- DOUBLE LINED NEOPRENE
- FRONT ZIP WITH SECURITY PAD
- CROTCH BAND WITH SECURITY BUCKLE



LM

PK



TECHNICAL FEATURES

Size	XXS	XS	S	M
Weight (kg)	< 11	11-15	15-18	18-30



COLOR & SIZE IDENTIFICATION

Mares found a solution to help you in your daily business, by introducing a new quick and easy Color & Size identification system for all products. This system will allow you and your staff to immediately identify the different sizes in your Diving Center and rental equipment just by looking at the color codes.



DIVING CENTER



ROVER 15X**NEW**Code: **416254 INT / DIN 300****1ST STAGE**

- DFC PORT
- PRE-ORIENTED PORTS
- COMPACT SIZE
- SANDBLASTED FINISH

2ND STAGE

- EASY-TO-USE PURGE BUTTON WITH DYNAMIC HINGE DESIGN
- VAD SYSTEM WITH FLUID DYNAMIC DEFLECTOR
- MID-SIZE
- OVERSIZED PURGE BUTTON
- RUBBER HOSE

**TECHNICAL FEATURES**

Weight (g)	INT	DIN 300 bar
First Stage	772	598
Second Stage	190	
Total Weight (including hose)	1107	933

ROVER 2S**NEW**Code: **416255 INT / DIN 300**Code: **416266 - DC Pack (MOQ 6pcs)****1ST STAGE**

- LIGHTWEIGHT, STURDY AND COMPACT
- PISTON CONTROL
- DEDICATED PLACE FOR RFID CHIP

2ND STAGE

- EASY-TO-USE PURGE BUTTON WITH DYNAMIC HINGE DESIGN
- VAD SYSTEM WITH FLUID DYNAMIC DEFLECTOR
- MID-SIZE
- OVERSIZED PURGE BUTTON
- RUBBER HOSE

**TECHNICAL FEATURES**

Weight (g)	INT	DIN 300 bar
First Stage	608	432
Second Stage	190	
Total Weight (including hose)	1107	933

OCTOPUS ROVER**NEW**Code: **416557 NR**Code: **416584 NR - DC Pack (MOQ 6pcs)**

- EASY-TO-USE PURGE BUTTON WITH DYNAMIC HINGE DESIGN
- VAD SYSTEM WITH FLUID DYNAMIC DEFLECTOR
- MID-SIZE
- OVERSIZED PURGE BUTTON
- RUBBER HOSE

TECHNICAL FEATURES

Second Stage Weight (g)	190
Total Weight (including hose)	365



1ST STAGE 15X*Code: **416237 INT /DIN 300**

- DFC PORT
- PRE-ORIENTED PORTS
- SANDBLASTED FINISH

**TECHNICAL FEATURES**

Weight (g)	INT	DIN 300 bar
First Stage	772	598

1ST STAGE 2S*Code: **416232 INT /DIN 300**

- LIGHTWEIGHT, STURDY AND COMPACT
- PISTON CONTROL
- DEDICATED PLACE FOR RFID CHIP

**TECHNICAL FEATURES**

Weight (g)	INT	DIN 300 bar
First Stage	608	432

AST DRY SYSTEMCode: **416811 INT**Code: **416812 DIN**

- AUTO-SEALING TECHNOLOGY
- KEEPS THE FIRST STAGE DRY
- ACTIVATED BY GAS
- CAN BE USED WITH A HIGHER PERCENTAGE OF OXYGEN
- CAN BE USED IN COLD WATER
- EASY TO INSTALL ON 15X AND R2 FIRST STAGES

**15X-2S DIN CONNECTOR**Code: **416809**

- FOR 200 AND 300 BAR USE
- CONICAL SINTERED FILTER

**MOUTHPIECE KIT**Code: **415345**

- BLACK
- FITS ON ALL MARES REGULATORS
- 20 PCS STANDARD + 10 PCS SMALL + 30 CLAMPS



* For use with octopuses and second stages with which it has been certified. The assembly, check and any necessary adjustments must be done by a Mares Lab Authorized Service Center.

DIVING CENTER BCD LINE

- UV PROTECTED 1000 DENIER CORDURA®
- STANDARD BUCKLE WEIGHT SYSTEM (OPTIONAL - ROVER PRO DC)
- HEIGHT ADJUSTABLE SHOULDER BUCKLES
- SPECIALLY DESIGNED OCTOPUS AND PRESSURE GAUGE POCKETS
- BACKPACK WITH HANDLE TO CARRY EASILY
- ADJUSTABLE CUMMERBUND
- HIGH BUOYANCY LIFT
- COLOR & SIZE IDENTIFICATION



Color & Size



Color & Size



Flat Ergo inflator



Backpack



Trim Weights

TRIM WEIGHT

Code: **417964 - (PAIR)**

- EASY TO INSTALL ON TANK BAND
- DOUBLE LOOP TO FIT PERFECTLY ON THE BAND
- PERFECT BUOYANCY
- LESS WEIGHT ON THE BELT
- WEIGHT CAPACITY: 2kg EACH



STANDARD WEIGHT SYSTEM

Code: **417963 - SMALL: 4kg / 9lbs (PAIR)**

Code: **417962 - LARGE: 6kg / 13lbs (PAIR)**

- ADD-ON TO UPGRADE BCD WITH STANDARD BUCKLE WEIGHT SYSTEM
- ZIPPERED POCKET
- EASY USE WITH THICK GLOVES



ROVER PRO DC

Code: 417366 ♦



ROVER DC

Code: 417342 ♦



Standard buckle weight system (optional)

TECHNICAL FEATURES

Sizes	XXS	XS	S	M	L	XL	2XL
Weight	3,1kg / 6.8lb	3,1kg / 6.8lb	3,2kg / 7.0lb	3,3kg / 7.2lb	3,3kg / 7.2lb	3,4kg / 7.5lb	3,4kg / 7.5lb
Buoyancy	140 N (14,2kg / 31.3lb)	140 N (14,2kg / 31.3lb)	150 N (16kg / 35lb)	160 N (16,3kg / 35.9lb)	200 N (21kg / 46lb)	230 N (23,5kg / 51.7lb)	240 N (24,5kg / 54lb)

TECHNICAL FEATURES

Sizes	XXS	XS	S	M	L	XL	2XL
Weight	2,7kg / 5.9lb	2,7kg / 5.9lb	2,9kg / 6.4lb	3,0kg / 6.6lb	3,0kg / 6.6lb	3,1kg / 6.8lb	3,1kg / 6.8lb
Buoyancy	140 N (14,2kg / 31.3lb)	140 N (14,2kg / 31.3lb)	150 N (16kg / 35lb)	160 N (16,3kg / 35.9lb)	200 N (21kg / 46lb)	230 N (23,5kg / 51.7lb)	240 N (24,5kg / 54lb)

♦ While stocks last

DIVING CENTER WETSUIT LINE

- PERFECT FIT AND FREEDOM OF MOVEMENT
- EXTRA LONG FRONT ZIPPER FOR EASIER DONNING AND DOFFING
- SUPERSTRETCH NEOPRENE FOR THE ARMS
- POLYURETHANE PROTECTION ON THE AREAS SUBJECT TO THE GREATEST WEAR
- ZIPS AT THE ANKLES
- HOOD WITH TWO HOLES FOR VENTING TRAPPED AIR
- WIDE FACE OPENING FOR GREATER COMFORT
- MANUFACTURED ENTIRELY IN ULTRASTRETCH MATERIAL
- ALSO AVAILABLE IN CHILDREN'S SIZES, FROM -3 TO 0
- VERY LARGE SIZES, +8 AND +9
- COLOR & SIZE IDENTIFICATION SYSTEM



Color & Size



Color & Size identification system



Extra Long Front Zipper




PU protection

DIVING CENTER SIZE GUIDE CHART

412381 / 412377 / 412379 / 412380 / 412388 - ROVER UNISEX

COLOR&SIZE	EU SIZE	MAN SIZE	LADY SIZE	KIDS	HEIGHT
- 3				8 years	128-134
- 2			34	10 years	140
- 1			36	12 years	152
0			38	14 years	164
1	XS	44	40		170
2	S	46	40/42		173
3	M	46/48	42/44		176
4	L	48/50	44/46		179
5	XL	50/52			182
6	XXL	52/54			185
7	3XL	54/56			188
8	4XL	56/58			191
9	5XL	58/60			194

412368 - ROVER SHE DIVES



IT	2	3	4
EU	S	M	L
USA	6	8	10
1	167 / 5'6"	170 / 5'7"	173 / 5'8"
2	81,5 / 32"	85,5 / 34"	89,5 / 35"
3	71 / 28"	75 / 30"	79 / 31"
4	88 / 35"	92 / 36"	96 / 38"

ROVER OVERALL WITH HOOD

Code: 412381 - 7 mm

Code: 412377 - 5 mm

Code: 412378 - 5 mm She Dives



Color & Size



TECHNICAL FEATURES

Thickness	7.0 mm / 5.0 mm												
Fabric type	Ultrastretch Neoprene												
Sizes	-3	-2	-1	0	1	2	3	4	5	6	7	8	9
She Dives Sizes						2	3	4					

ROVER OVERALL HOODLESS

Code: 412379 - 5 mm

Code: 412380 - 3 mm



Color & Size



TECHNICAL FEATURES

Thickness	5.0 mm / 3.0 mm												
Fabric type	Ultrastretch Neoprene												
Sizes	-3	-2	-1	0	1	2	3	4	5	6	7	8	9

ROVER HOOD

Code: 412813



TECHNICAL FEATURES

Thickness	5.0 mm		
Fabric type	Ultrastretch Neoprene		
Sizes	S	M	L

ROVER SHORTY

Code: 412388



Color & Size



TECHNICAL FEATURES

Thickness	3.0 mm												
Fabric type	Ultrastretch Neoprene												
Sizes	-3	-2	-1	0	1	2	3	4	5	6	7	8	9

RASH GUARD

- PERFECT AS AN UNDERSUIT AND SKIN PROTECTION
- IDEAL FOR ALL WATERSPORTS ACTIVITIES
- MALE AND FEMALE VERSIONS
- FLATLOCK STITCHED SEAMS
- EXTENDED LENGTH
- IDEAL FOR DC STAFF IDENTIFICATION



MAN

- Code: 412416 - Rash Guard Short Sleeve ♦
- Code: 412421 - Rash Guard Long Sleeve
- Code: 412547 - Shorts

SHE DIVES

- Code: 412417 - Rash Guard Short Sleeve ♦
- Code: 412422 - Rash Guard Long Sleeve ♦
- Code: 412548 - Shorts



TECHNICAL FEATURES

Fabric	Polyester/Spandex						
Man Sizes	XS	S	M	L	XL	2XL	3XL

TECHNICAL FEATURES

Fabric	Polyester/Spandex						
She Dives Sizes	XXS	XS	S	M	L	XL	2XL

♦ Please note that some sizes/colors are only available while stocks last

ROVER

Code: **411243** ♦

- INTEGRATED BUCKLES
- WIDER RANGE OF FITTING
- STURDY AND DURABLE CONSTRUCTION
- SILICONE SKIRT



COLOR VARIATIONS



BKWBK

BLWBK

RDWBK

BLWCL

YLWCL

ACCESSORIES

Optical lens (from -1,0 to -7,0 - from +1,5 to +3,0)

411181 ♦

ROVER MASKS & SNORKEL SET

Code: **411768**

■ 6 ROVER MASKS



■ 6 ROVER S SNORKELS



■ 2 SILICONE STRAPS



■ 4 SPARE BUCKLES



■ 4 STRAP'S LOOPS



■ 1 SILICONE MOUTHPIECE



COLOR VARIATIONS



CL

BK

ACCESSORIES

Optical lens (from -1,0 to -7,0 - from +1,5 to +3,0)

411181 ♦

ROVER PRO

Code: **411519**

- CURVED, ERGONOMIC STRUCTURE
- INTEGRATED KEEPER
- EXHAUST VALVE
- SILITER MOUTHPIECE

COLOR VARIATIONS



RBL

BK



ROVER S

Code: **411478**

- CURVED, ERGONOMIC STRUCTURE
- INTEGRATED KEEPER
- SILICONE MOUTHPIECE

COLOR VARIATIONS



RYL

RBL

BK



ROVER HD

NEW

Code: **411266**

- HEAVY DUTY CONSTRUCTION
- INTEGRATED BUCKLES SYSTEM ON FRAME, EASY TO USE EVEN WITH GLOVES
- WIDE RANGE OF FITTING
- EXTREMELY COMFORTABLE SILICONE SKIRT
- COMPLETE RANGE OF OPTICAL LENSES AVAILABLE



COLOR VARIATIONS



BKGBK

BLGBK

YLGBK

LMGBK

ORGBK

ACCESSORIES

Optical lens (from -1,5 to -6,0 / +1,75 +2,25 +2,75)

411195

ROVER HD MASKS & SNORKEL SET

NEW

Code: **411799**

■ 6 ROVER HD MASKS



■ 6 ROVER SNORKELS



■ 2 TOP FRAME



■ 2 SILICONE STRAPS



■ 4 STRAP'S LOOPS



■ 4 BUCKLE'S ROLLERS



■ 1 SILICONE MOUTHPIECE



COLOR VARIATIONS



BKGBK

BLGBK

YLGBK

ACCESSORIES

Optical lens (from -1,5 to -6,0 / +1,75 +2,25 +2,75)

411195

AVANTI PURE

Code: **410028**

- A 2-MATERIAL, OPEN HEEL FIN
- CAN BE USED BAREFOOT OR WITH MARES PURE BOOTIES
- SOFT AND COMFORTABLE FOOT POCKET
- ERGONOMIC HEEL PAD (PAT. PENDING) MINIMIZES PRESSURE ON THE ACHILLES' HEEL
- SPECIAL BUNGEE STRAP FOR MAXIMUM COMFORT DURING USE, WHEN DONNING AND DOFFING
- BUNGEE GUIDES SO THE STRAP IS ALWAYS PLACED IN THE RIGHT POSITION



Color & Size



AVANTI HC

Code: **410346**

- SOFT ERGONOMIC FOOT POCKET WITH LATERAL INSERTS
- HYPERCHANNEL-INDUCED THRUST EFFECT WITH AN INCREASED PERFORMANCE/EFFORT RATIO
- RIB ON THE BACK OF THE BLADE: REINFORCES THE BLADE WHILE OPTIMIZING PIVOTING GEOMETRY



Color & Size



COLOR VARIATIONS



BGR

COLOR VARIATIONS



YL

BL

GR

TECHNICAL FEATURES

Sizes	XXS	SM	M/L	L/XL
Fit	30/34	35/38	39/43	44/47
Blade*	27 cm / 10.6 in	29,5 cm / 11.6 in	32 cm / 12.6 in	34,5 cm / 13.6 in

TECHNICAL FEATURES

Sizes	36/37	38/39	40/41	42/43	44/45	46/47
Blade*	32,5 cm 12.8 in	34,5 cm 13.5 in	36 cm 14.2 in	38 cm 15 in	40 cm 15.7 in	42 cm 16.5 in

* From end of footpocket to end of blade

PLANA AVANTI X3

Code: **410001**

- ABS PLUS BUCKLE FOR ONE HAND ADJUSTMENT
- 3 CHANNELS FOR MAXIMUM THRUST
- STABILIZING TRIM TABS
- MID-SIZE BLADE WITH DURABLE CONSTRUCTION



Color & Size



COLOR VARIATIONS



YL

BL

BK

TECHNICAL FEATURES

Sizes	XS	S	R	XL
Blade*	33 cm 13.0 in	35 cm 13.7 in	37 cm 14.5 in	37 cm 14.5 in

AVANTI TRE

Code: **410302**


- ORTHOPEDIC FOOT POCKET
- 3 CHANNELS FOR MAXIMUM THRUST
- MID-SIZE BLADE WITH DURABLE CONSTRUCTION
- STABILIZING TRIM TABS



Color & Size



COLOR VARIATIONS



YL

BL

BK

TECHNICAL FEATURES

Sizes	36/37	38/39	40/41	42/43	44/45	46/47
Blade*	31 cm 12.2 in	33 cm 13 in	34 cm 13.4 in	36 cm 14.2 in	36,5 cm 14.5 in	37,5 cm 14.8 in

CORDA

Code: **495023** ♦

- 100% NATURAL RUBBER
- FLEXIBLE BLADE
- SOFT ORTHOPEDIC FOOT POCKET
- WIDE RANGE OF SIZES



TECHNICAL FEATURES

Sizes	38/39	40/41	42/43	44/45
Blade*	15.9 cm 6 1/4 in	17.1 cm 6 3/4 in	18.4 cm 7 1/4 in	19.7 cm 7 3/4 in

COLOR VARIATIONS



BK

♦ Please note that some sizes are only available while stocks last
* From end of footpocket to end of blade

EOS 10RZ

Code: **415690**

- 1010 LUMENS
- MAGNETIC ADJUSTABLE FOCUS
- 135 MINUTES OF BURN TIME (MAX POWER)
- IN-HOUSE RECHARGEABLE BATTERY
- USB RECHARGEABLE CABLE
- LED CHARGE INDICATOR
- WIDE LIGHT BEAM
- MAGNETIC MULTIFUNCTION SWITCH WITH SAFETY LOCK
- FOUR OPTIONS: ON, LOW, FLASH, OFF
- ONE-HAND USE
- TUBULAR HANDLE
- ADJUSTABLE WRIST STRAP
- PADDED CASE WITH ZIP



TECHNICAL FEATURES

Bulb	1 Cree XM-L2 LED Chip		
Switch mode	High	Low	Flash/SOS
Led lumens (25°)	1010	365	/
Burn time (min)	135	255	240
Color temperature (k)	5800 ÷ 7300		
Light beam (1m distance)	Hot Spot (12°)		Corona (75°)
(Mm/in)	220 / 8.6		1550 / 61
Rechargeable batteries (li-ion)	1x ICR26650		
Time to charge	6 h (5V1A adapter) - 12 h (PC 500mA)		
Total length (mm/in)	186 / 7.3		
Head diameter (mm/in)	57 / 2.2		
Body diameter (mm/in)	37 / 1.5		
Weight with batteries (gr/oz)	537 / 18.8		
Max operating depth (m/feet)	120 / 393		

EOS STROBE

Code: **415693**

- 450 LUMENS
- 360° HIGH VISIBILITY
- 5/25 HOURS OF BURN TIME
- IN-HOUSE RECHARGEABLE BATTERY
- USB RECHARGEABLE CABLE
- LED CHARGE INDICATOR
- MAGNETIC, ROTATIONAL SWITCH
- TWO OPERATING MODES: ON, STROBE
- ANODIZED ALUMINUM HOUSING
- ADJUSTABLE STRAP
- PADDED CASE WITH ZIP



TECHNICAL FEATURES

Bulb	1 Cree XPE LED Chip	
Switch mode	High	Flash/SOS
Led lumens (25°)	450	/
Burn time (min)	300	1500
Color temperature (k)	5800 ÷ 7300	
Light beam (1m distance)	Diffused light	
Flash Rate (p/min)	120	
Rechargeable batteries (li-ion)	1x ICR26650	
Time to charge	6 h (5V1A adapter) - 12 h (PC 500mA)	
Total length (mm/in)	170 / 6.6	
Head diameter (mm/in)	39 / 1.6	
Body diameter (mm/in)	34 / 1.4	
Weight with batteries (gr/oz)	245 / 8.6	
Max operating depth (m/feet)	100 / 328	

CRUISE DRY ATTACK TITAN

Code: **415524**

- HEAT SEALED BAG WITHOUT STITCHING
- 500D TARPULIN, STURDY AND LIGHTWEIGHT
- FOLDABLE WITH A LARGE INTERNAL VOLUME
- ADJUSTABLE HANDLES
- SIDE DRAIN VALVE



TECHNICAL FEATURES

Dimensions (LxWxH)	Unit Net Weight	Volume
90x46x35 cm / 35.4"x 18.1"x 13.7"	1,7Kg / 3,7lb	144 L / 8787 cu.in

PROTECTION BAG

NEW

Code: **44201169**

- NEOPRENE BAG WITH ADJUSTABLE CLOSURE SYSTEM
- THE PERFECT SOLUTION TO PROTECT 2ND STAGES AND THE BCV INFLATOR BODY
- IDEAL FOR STORING AND PROTECTING A MASK, COMPUTER AND PERSONAL BELONGINGS



ALUMINUM TANK

Code: **pls contact your local distributor**

- 12L / 80CFT, THE IDEAL SIZE FOR DC
- US DOT-3AL BRUSHED ALUMINUM
- 3 VERTICAL SILKSCREEN MARES DC LOGOS



TANK VALVE DC / SINGLE CONNECTION

Code: **415064**



ROLL OF WEBBING

Code: **415128**

- 50m/45Y EACH ROLL
- CUSTOMIZABLE ACCORDING TO DC NEEDS
- MARES SILVER LOGO
- PERFECT FOR MARES STAINLESS STEEL BUCKLE




WEIGHT BELT BUCKLES

Code: **415129**

- STAINLESS STEEL
- "V" SHAPE FRONT FLAP TO CLOSE EASILY
- MARES EMBOSSED LOGO
- 10PCS KIT
- IDEAL FOR MARES WEBBING ROLL





PROMO MATERIAL

◇ Please note that some sizes/colors are only available while stocks last

POP PURE WIRE**NEW**Code: **449671**

- CARDBOARD DISPLAY
- SIZE: APPROX 44 X 35 X 41 cm

**MASK DISPLAY FOR SLATWALLS**Code: **449668**

- ACRYLIC DISPLAY
- SIZE: APPROX. 12X13 cm

**SNORKEL DISPLAY FOR SLATWALLS**Code: **449669**

- ACRYLIC DISPLAY
- SIZE: APPROX. 6.5X20 cm

**POP EPIC ADJ 82X**Code: **449665** ♦

- CARDBOARD TOWER DISPLAY
- SIZE: APPROX 55 X 125 cm

**POP LOOP**Code: **449656** ♦

- CARDBOARD DISPLAY
- SIZE: APPROX 65X170 cm

**POP DRY BAGS**Code: **449659** ♦

- CARDBOARD DISPLAY
- SIZE: APPROX 80X200 cm



POLOCode: **449014**

- 100% COTTON
- SIZES: S/M/L/XL/XXL

**PEN FLAG**Code: **449945**

- HEIGHT 1,80 m
- 100% NYLON

**DISPLAY BLACK TANK 12L**Code: **449660**

- BLACK
- DIAMETER: 170 mm - CIRCUMFERENCE: 542 mm - HEIGHT: 645 mm
- TANK NECK THREAD: M25X2 EN144-1 - NO VALVE SUPPLIED
- WEIGHT: 1.8 Kg
- "MARES" LOGO ON ONE SIDE AND "MARES XR" LOGO ON THE OPPOSITE SIDE

**FLAG**Code: **449946**

- SIZE: 140X90 cm

**STICKER**Code: **449848**

- SIZE: 20X5 cm



T SHIRT TEAM

Code: **449231**

- 100% PRINTED COTTON
- SIZES: S/M/L/XL/XXL



PEN FLAG

Code: **449221**

- HEIGHT 1,80 m
- 100% NYLON



WOOLY HAT

Code: **449241**

- 30% WOOL / 70% POLYACRYLIC
- EXTRA FLEECE INSERT AROUND THE EARS



FREEDIVING STICKER

Code: **449939** ♦



KEY HOLDER RAZOR

Code: **449229**



GRID DISPLAY

Code: **449683**

- DIMENSIONS W1000XH1955XD350 mm
- MOVABLE WITH 4 WHEELS
- DISPLAY SPACE ON BOTH SIDES

HOOKS FOR GRID DISPLAY

Code: **449685**

- 15 METAL HOOKS



SSI EDUCATIONAL PROGRAM

- THE QR CODE ON AQUAZONE PACKAGING SENDS THE USER TO A FREE SSI TRAINING VIDEO WHICH COVERS THE BASICS OF SNORKELING GEAR AND SOME USEFUL SAFETY TIPS
- AFTER COMPLETING THE REGISTRATION, CUSTOMERS CAN:
 - TAKE PART IN A PRACTICAL SSI SNORKELING MODULE AT THEIR NEAREST SSI TRAINING CENTER
 - CONTINUE THEIR DIVING EDUCATION WITH FURTHER SSI PROGRAMS AND CERTIFICATIONS




BANNER PVC

Code: **449921**

Code: **449922**

- SIZE: 3X1 m
- SIZE: 150X50 cm
- 100% PVC




PEN FLAG

Code: **449923**

Code: **449924**

- SIZE: 40X180 cm - Indoor
- SIZE: 40X300 cm - Outdoor
- 100% NYLON



FLAG

Code: **449920**


- SIZE: 140X90 cm
- 100% NYLON



BOAT FLAG

Code: **449950**

- SIZE: 60X50 cm
- 100% NYLON




SEMINARS 2021



THE MARES LAB SERVICE TECHNICIAN TRAINING PROGRAM

Mares Service Technician Training Courses are available throughout the world and are designed and developed based on proven effective instructional system design principals. They are the dive industry's first and only competency based service technician training courses offered worldwide that are produced and conducted by a major dive equipment manufacturer. This means you'll receive the same high quality and educationally valid training regardless of where in the world you participate in a Mares Service Technician Training Course.



BASIC SERVICE TECHNICIAN DIGITAL LEARNING COURSE

This highly interactive online digital learning course is delivered to the learner using the latest Educational Management System (EMS) technology. The EMS platform technology along with extensive use of video and graphic content enhances learning and retention of information and produces a highly enjoyable educational experience. The course is open to anyone, and can be accessed by contacting the local Mares Subsidiary or Distributor. Take this course as the first step to becoming a fully qualified Mares Service Technician, or if you simply want to learn the basics of regulator design and service and/or repair. This course is a prerequisite requirement for most Mares Lab Skill Based Training Courses. Completion of this course does not qualify you to service or repair Mares equipment.



The course goals are to:

1. Establish your basic knowledge level relating to regulator service and repair procedures.
2. Provide you with basic information about regulator design and function.
3. Provide you with Mares specific information relating to service and repair procedures, manufacturing processes and product information.
4. Help prepare you for success in one or more Mares Lab Skill Based Training Courses.

Prerequisite Requirements:

Course is open to anyone.

MARES LAB SKILL BASED TRAINING COURSES

- MARES SERVICE TECHNICIAN
- MARES DIVING CENTER SERVICE TECHNICIAN
- MARES SPECIALTY SERVICE TECHNICIAN



After successfully completing the Basic Service Technician Digital Learning Course, you are now ready to progress to the skill based training phase of becoming a qualified Mares Service Technician. These courses are conducted by qualified Mares Lab Instructors and consist of comprehensive hands-on training exercises. During these courses you will have the opportunity to perform multiple service procedures on a wide variety of Mares products, including multiple complete regulator service overhauls on various Mares regulators. You'll also gain valuable experience in using the Mares Service Manual and Spare Parts Catalog during routine and special service procedures. Skill based training courses are designed to:

1. Provide comprehensive, real world, hands-on training about how to service and repair Mares products.
2. Enhance the knowledge gained from the Basic Service Technician Digital Learning Course.
3. Develop skills and abilities to the level required to successfully perform service and repair procedures on Mares products.
4. Prepare you for a successful full or part-time career as a Mares Service Technician.

SEMINARS 2021



• MARES SERVICE TECHNICIAN

This is by far the most popular of the skill based training courses. The all new and redesigned Mares Service Technician Training Course is a comprehensive 2 day training program that trains and qualifies individuals to service and repair Mares products. Topics include disassembly, reassembly and adjustment of in-line Mares regulators, service and repair procedures, troubleshooting, dive computers, Mares warranty, service guidelines and more. More than 12 hours of course time is dedicated to hands-on, skill based training on how to properly disassemble, reassemble and adjust Mares regulators and BC inflator mechanisms. **Successful completion of this course qualifies you to service and/or repair ALL Mares products.**

Prerequisite Requirements:

Completion of the Basic Service Technician Digital Learning Course.
Be currently affiliated with an Authorized Mares Dealer.
Be approved by the affiliated Mares Dealer to attend the course.

• MARES DIVING CENTER SERVICE TECHNICIAN

This course is designed for technicians who plan to work in a Mares Diving Center, such as a resort or diver training facility, that has limited or no retail sale of Mares equipment. Course duration is 1 day and provides skill based training related to the Mares Diving Center product line. Take this course if you plan to work in a Mares Diving Center and are interested in being able to service and repair your affiliated Mares Diving Center owned Mares products. **Successful completion of the Diving Center Service Technician Course qualifies you to service and repair ONLY your affiliated Diving Center OWNED equipment used in rental and/or training programs.**

Prerequisite Requirements:

Completion of the Basic Service Technician Digital Learning Course.
Be affiliated with an Authorized Mares Diving Center.
Be approved by the affiliated Mares Diving Center to attend the course.

• MARES SPECIALTY SERVICE TECHNICIAN

These courses are designed to train technicians to service and repair specific Mares products. Specialty Service Technician Training Course duration is approximately 1 day, depending on the course requirements and the number of products included in the course. **Successful completion of this course qualifies you to service and/or repair ONLY the specific Mares products for which you were trained.** These products will be listed on your qualification certificate. Contact your local Mares Subsidiary or Distributor for additional information on Specialty Service Technician Training Courses available in your area.

Prerequisite Requirements:

This varies according to the specific Specialty Service Technician Training Course requirements.
Authorization by a current Mares Dive Center or Mares Dealer.

• MARES SERVICE TECHNICIAN UPDATE

In order to maintain your Mares Service Technician qualification, you must attend the Annual Renewal Seminar within one (1) year* of completing a Service Technician Training Course or Annual Renewal Seminar. Annual Renewal Seminar is available online and/or as instructor led Update Seminars and are conducted regularly throughout the year, providing you with numerous opportunities to maintain your Mares qualification.

Update Seminar topics typically include new products, new and updated service procedures and a review of current Service Bulletins.

* Within one (1) year is defined as December 31st of the year in which the one year limit is reached.

Prerequisite Requirements:

Currently qualified as a Mares Lab Service Technician.
Qualification date is within the one (1) year update requirement.

THE MARES LAB TRAINING CYCLE®

The Mares Lab Training Cycle is a process that has proven effective in producing what we call "best in class results". This means that as a qualified Mares Service Technician, you can be confident that you've successfully completed the dive industry's most comprehensive dive equipment service and repair training program available through a dive equipment manufacturer. You can also be proud of the fact that you earned your qualification by demonstrating a "best in class" level of dive equipment service technician skills and abilities. Here's how the Mares Lab Training Cycle works:

Your Knowledge Development

Your basic dive equipment service and repair knowledge is established during your digital learning course and further enhanced during your skill based training course.

Your Skill Development

Your service and repair skills are enhanced during your skill based training course through a series of hands-on training exercises. Over 90% of the contact hours in these courses are dedicated to skill development.




Your Abilities Confirmed

Your knowledge and skill levels achieved through the Mares Lab training process are objectively evaluated and must meet the minimum core competency requirements in order to be qualified as a Mares Service Technician.

Your Abilities Improved

Your abilities improve over time by gaining additional knowledge and increasing skill levels. This is achieved through experience as a Mares Service Technician, by regular contact and communication with Mares Technical Assistance staff, by receiving periodic product updates and Service Bulletins and by participating in Service Technician Update Seminars.



Product specifications and characteristics listed in this catalogue may be subject to changes by Mares without notice.

The trademark **mares**® is a registered trademark.

 **PHOTO CREDITS** Cover / Scuba Diving: **Janez Kranjc** - XR: **Bjoern Dorstewitz** - Pure Passion: **Alessio Burati** - Aquazone: **Axel Weiss** - Diving Center: **Axel Weiss**
ISO 9001:2015 certified

mares



Mares S.p.A.
Salita Bonsen 4
P.O. Box 142
16035 Rapallo (Genova) · ITALY
Tel. +39 0185 2011 / fax +39 0185 201470
www.mares.com